



# ***SOFTSTEEL***

PRODUCT CATALOG



## **PRODUCTS**

### **MONOFILAMENT**

Ultra Premium Mono .....	3
Super HT Mono .....	4

### **FLUOROCARBON**

Fluoro-Stretch .....	5
Instinct Fluorocarbon .....	6
Tata kai Fluorocarbon .....	7

### **BRAID**

Eminent Braid .....	8
Representatives .....	10



# ULTRA PREMIUM MONO



Soft Steel **ULTRA** ensures durable knot strength, gives ultimate control and carries remarkably low memory.

## KEY FEATURES:

- Manufactured on an advanced extruding machine
- Consistent and stronger per diameter than any other monofilament on the market
- Line Color: Clear

LB.	DIA. (MM)	55 YDS	110 YDS	1100 YDS	PACK	TYPE
30 LB	.55 mm	•	•	•	1pc	Mono
40 LB	.60 mm	•	•	•	1pc	Mono
50 LB	.65 mm	•	•	•	1pc	Mono
60 LB	.70 mm	•	•	•	1pc	Mono
80 LB	.80 mm	•	•	•	1pc	Mono
100 LB	.90 mm	•	•	•	1pc	Mono
130 LB	1.0 mm	•	•	•	1pc	Mono
200 LB	1.2 mm			•	1pc	Mono

• AVAILABLE

Color:  
Clear



Crafted using a multi-polymer formulation and manufactured on an advanced extruding machine, **Super HT** provides the highest strength per diameter line on the market.

## KEY FEATURES:

- Fluorocarbon coated
- Superior line break strength and control
- Exceptional knot strength and fishability
- Line Color: Clear

LB.	DIA. (MM)	325 YDS	1100 YDS	PACK	TYPE
2 lb.	.15 mm	•	•	1pc	Mono
4 lb.	.16 mm	•	•	1pc	Mono
6 lb.	.20 mm	•	•	1pc	Mono
8 lb.	.24 mm	•	•	1pc	Mono
10 lb.	.30 mm	•	•	1pc	Mono
12 lb.	.35 mm	•	•	1pc	Mono
15 lb.	.40 mm	•	•	1pc	Mono
20 lb.	.45 mm	•	•	1pc	Mono
25 lb.	.50 mm	•	•	1pc	Mono

• AVAILABLE

Color:  
Clear



# SUPER HT MONO



# FLUORO-STRETCH



Soft Steel's Fluoro-Stretch has 30% improved breaking strengths at the knot over standard fluorocarbon, making this the most unique and versatile option in your lineup.

### KEY FEATURES:

- Low diameter with high breaking strengths
- 100% fluorocarbon that stretches for increased catch ratios
- Perfect for running short leaders on top of your braided lines
- Line Color: Clear

LB.	DIA. (MM)	5 YD SINGLE	25 YD SPOOL	25 YD COIL	PACK	TYPE
4 LB	.15 mm		•			
6 LB	.19 mm		•			
8 LB	.22 mm		•			
10 LB	.28 mm		•		1pc	Fluoro
12 LB	.30 mm		•		1pc	Fluoro
15 LB	.33 mm		•		1pc	Fluoro
20 LB	.41 mm	•	•		1pc	Fluoro
25 LB	.45 mm	•	•		1pc	Fluoro
30 LB	.50 mm	•	•		1pc	Fluoro
40 LB	.60 mm	•	•		1pc	Fluoro
60 LB	.82 mm	•	•		1pc	Fluoro
80 LB	.96 mm	•	•		1pc	Fluoro
100 LB	1.08 mm	•	•		1pc	Fluoro
130 LB	1.30 mm	•	•		1pc	Fluoro
150 LB	1.40 mm	•	•		1pc	Fluoro

• AVAILABLE

Color:  
Clear



Soft Steel Instinct Fluorocarbon is manufactured on an advanced extruding machine to create a professional-grade fishing line that is consistent and reliable.

### KEY FEATURES:

- Nearly invisible underwater
- Longer Lasting Durability
- Increased Abrasion Resistance
- Line Color: Clear

LB.	DIA. (MM)	200 YDS*	600 YDS	1200 YDS	PACK	TYPE
4 LB	0.14 mm	•	•	•	1pc	Fluoro
6 LB	0.18 mm	•	•	•	1pc	Fluoro
8 LB	0.22 mm	•	•	•	1pc	Fluoro
10 LB	0.25 mm	•	•	•	1pc	Fluoro
12 LB	0.28 mm	•	•	•	1pc	Fluoro
15 LB	0.30 mm	•	•	•	1pc	Fluoro
18 LB	0.35 mm	•	•	•	1pc	Fluoro
20 LB	0.38 mm	•	•	•	1pc	Fluoro

\* AVAILABLE

Color:  
Clear



# INSTINCT FLUORO





# TATAKAI FLUORO



Tatakai Fluorocarbon is a premium line that delivers exception durability and sensitivity as well as extreme abrasion resistance when fishing around heavy cover. Features minimal stretch to detect light bites, and keep fish hooked.

### KEY FEATURES:

- Produced in Japan
- 100% Fluorocarbon
- Optimal For Heavy Cover
- Supple with superior break strength
- Line Color: Clear

LB.	DIA. (MM)	200 YDS	600 YDS	1200 YDS	PACK	TYPE
4 LB	0.15 mm	•	•	•	1pc	Fluoro
6 LB	0.19 mm	•	•	•	1pc	Fluoro
8 LB	0.22 mm	•	•	•	1pc	Fluoro
10 LB	0.25 mm	•	•	•	1pc	Fluoro
12 LB	0.27 mm	•	•	•	1pc	Fluoro
15 LB	0.31 mm	•	•	•	1pc	Fluoro
18 LB	0.35 mm	•	•	•	1pc	Fluoro
20 LB	0.38 mm	•	•	•	1pc	Fluoro

• AVAILABLE

Color:  
Clear



Constructed with 8 fibers, the Eminent Braid carries high knot strength and extreme abrasion resistance.

### KEY FEATURES:

- 8 Carrier Construction
- High Knot Strength
- Extreme Abrasion Resistance
- Line Color: Moss Green

LB.	DIA. (MM)	150 YDS	300 YDS	1500 YDS	PACK	TYPE
8 LB	0.15 mm	•	•	•	1pc	Braid
10 LB	0.17 mm	•	•	•	1pc	Braid
15 LB	0.21 mm	•	•	•	1pc	Braid
20 LB	0.23 mm	•	•	•	1pc	Braid
30 LB	0.27 mm	•	•	•	1pc	Braid
40 LB	0.30 mm	•	•	•	1pc	Braid
50 LB	0.34 mm	•	•	•	1pc	Braid
65 LB	0.41 mm	•	•	•	1pc	Braid
80 LB	0.43 mm	•	•	•	1pc	Braid
100 LB	0.47 mm	•	•	•	1pc	Braid

• AVAILABLE


Color:  
Moss Green



# EMINENT BRAID



## TERRITORY MAP



## SOFT STEEL SALES REPRESENTATIVES

Please feel free to contact your local sales representative for more information on Soft Steel and our products, or visit our website at [www.softsteelusa.com](http://www.softsteelusa.com).

### 1. ACTIVE OUTDOORS

1800 Blankenship RD STE 200  
West Linn, OR 97068  
Tel: (503) 968-2828 Fax: (503) 662-7670

### 2. FRONTIER SALES & MARKETING LLC

LLC P.O Box 5408  
Katy, Texas 77491  
Tel: (888) 977-3764 Fax: (888) 973-3764

### 3. THOMAS F. GOWEN & SONS

1040 Old Sproul Rd.  
Springfield, PA 19064  
Tel: (610) 544-3700 Fax: (610) 328-6820

### 4. SCHUELER, LAFOND & ASSOCIATES

334 East Colfax-Suite A-1  
Palatine, IL 60067  
Tel: (847) 991-6119 Fax: (847) 991-6207

### 5. CANADA PRO ANGLING & OUTDOORS

2869 Bloor St W. Suite 1440  
Toronto, ON M8X 1B3  
Tel: (416) 253-1405 Fax: (416) 253-0504

### 6. JEFF ROBLES & ASSOCIATES

10604 Trademark Pkwy #307  
Rancho Cucamonga, CA 91730  
Tel: (909) 484-5678 Fax: (909) 484-8326

### 7. PRO LINE SPORTS LTD

31707 Israel ave  
Mission, BC V4S 1E4  
Tel: (604) 814-2161

### 8. OUTDOOR MARKETING GROUP, INC.

157 Harvest Lane, PO Box 781  
Denton, NC 27239  
Tel: (336) 859-2297

### 9. ZALE OUTDOORS

52 Chemin du Fort  
Saint-Hippolyte, QC J8A 0G8  
Tel: (450) 675-3305



**CATALOG22-SOFTSTEEL**

**SOFT STEEL INC.**

2310 E. LOCUST COURT, ONTARIO, CA 91761  
1-800-466-5862 · [SOFTSTEELUSA.COM](http://SOFTSTEELUSA.COM)