



Spring 2026 Product Workbook

In early 2025, BioLite acquired Goal Zero, bringing together two industry leaders dedicated to innovation, impact, and building an energy future that is accessible to all.

This Catalog represents the combined product offerings of each brand, which will continue to exist in the marketplace.

The Future Of Outdoor Energy	06
Brand Differentiators	08
Brand Overlaps	10
Combined Opportunities	12
Carrying Both Brands	14



Power	27
Lighting	41
Yeti-Ready Gear	45
Solar	51



Lighting	68
Power	89
Cooking	93

The Future of Outdoor & Off-Grid Energy

As a single organization, BioLite and Goal Zero have come together to build the next chapter of outdoor energy and introduce a new generation of customers to the world of renewables and rechargeables.

From portable power to lighting, cooking to refrigeration, we serve the whole front of energy, delivering a comprehensive ecosystem that helps users feel safe, productive, and connected wherever they may be. From a first-time camper to the seasoned hunter to a remote production crew, we get the job done with durable, reliable equipment built with best-in-class technology and design.

We are proud to work with our partners to continue the legacy of supporting strong outdoor brands that show up on your shelves and speak to the evolving customer walking through your doors. We believe in the power and pull of outdoor specialty retailers - let's go build something great.



Brand Differentiators

POWER ANYTHING ANYWHERE

Goal Zero are power pioneers, leveraging our groundbreaking heritage to deliver best-in-class energy equipment that gets the job done and thrives in outdoor adventure



RUGGED

ADVENTURE

OUTDOOR/OVERLAND

INTENSE

ACCOMPLISHMENT & PERFORMANCE

SERIOUS

JOB TO DO

DURABLE



Good Energy For Life Outside

BioLite are innovators of good energy, empowering the next generation of outdoor customer with easy, approachable ways to power life outside efficiently.



Approachable

Mood To Set

Easy


Friendly

Joyful

Belonging & Connection

Efficient


Outdoor Lifestyle



Brand Overlaps

The BioLite and Goal Zero partnership is a natural fit, driven by the shared values and strengths of both brands.

1. **Category-competitive specs** across our product lines
2. **Premium quality gear** that is built to last
3. **Great design** backed by market demands and consumer insights
4. **Mission-driven mindset** with global impact



Over 15 million people living safer, brighter lives thanks to our products.

Combined Opportunities

Together, BioLite and Goal Zero are poised to become **the definitive off-grid energy brand**. We are united by a full-spectrum product line, financial strength, and a shared mission to deliver Energy For All.

POWER



kW Power



Solar



Portable Power Banks

LIGHTING



Headlamps



Lanterns



Area Lighting

COOK & COOL



Fridge/Freezers



Portable Fire



Portable Cooking



Backyard



VAN/OVERLAND



HOOK & BULLET



Running



Hike



Camp



Commuter



ACTION SPORTS

Carrying Both Brands

Goal Zero and BioLite power banks complement each other on the shelf, each appealing to distinct consumer segments with unique needs and lifestyles.



BioLite Charge PD Series

Your Everyday Carry

A compact, always-ready power bank for commuters, travelers, and busy professionals who need reliable backup power on the go.



Goal Zero Sherpa & Venture Series

For The Digital Nomad

Rugged, durable battery banks built for digital professionals and constant travelers who rely on their devices to stay connected, productive, and powered up from anywhere in the world.



Carrying Both Brands

Goal Zero and BioLite lanterns complement each other on the shelf, each appealing to distinct consumer segments with unique needs and lifestyles.



BioLite AlpenGlow & Luci Series Bring Fun & Function To The Campsite

Designed for durability and style, these lanterns add color, fun, and mood-boosting vibes to any outdoor setting—perfect for campers, backyard hosts, and anyone who wants to bring a little extra glow to the night.



Goal Zero Lighthouse & Crush Light Series Rugged Light For Adventure & Emergency

Built tough for the unexpected, these lanterns are ready for any adventure or emergency—perfect for campers, preppers, and anyone who values reliable light when it matters most.



GOAL
ZERO.

New from Goal Zero
6G Power Station Family



What's New?

UPGRADED BATTERY TECH

The 6G Yeti line features LiFePo4 battery tech, offering 3,500+ cycles or about 10 years of daily use, an increase from the previous 500 cycles. Ensuring longer-lasting, more reliable performance. Coupled with integrated fast charging, which eliminates the bulky power brick and enables recharge speeds nearly 3x faster.

UPDATED INVERTER

You wanted more power—we heard you! All new models feature upgraded inverters, allowing compatibility with more high-demand devices.

BUILT FOR ADVENTURE

The 6G line are built for adventure—designed for portability, durability, and rugged performance. They meet UL2743 safety standards, pass particulate testing, and boast an IPX4 water-resistance rating, making them ready for the elements.

YETI 300, YETI 500, YETI 700



[NEW] YETI 1000, YETI 1500



YETI PRO 4000



BioLite

New from BioLite
Range Headlamps



What's New?

ULTRAFAST CHARGING

A rechargeable that won't let you down. Just 8 minutes of charge gets you 1 hour of light.

IP67 WATERPROOF

A durable headlamp that can withstand all of your outdoor pursuits. Submersible 1 meter for up to 30 minutes.

3D SLIMFIT CONSTRUCTION

A headlamp so comfortable, you'll forget you are wearing it.

RANGE 300



RANGE 400



RANGE 500



GOAL
ZERO®



Pioneering A New Era of Portable Power

Goal Zero invented the portable power station category in 2007 and established itself as a consumer-facing company in 2009. Driven by the vision of “Zero People Without Power,” the brand began providing energy solutions for under-served communities. It naturally evolved into a beloved choice for adventure seekers who want to chase the sunset, no matter how far off-grid they venture.

Today, Goal Zero continues to lead as power pioneers, with technological innovations reflected in product enhancements, category innovations, and new use cases as our customers explore further and stay out longer.

We are the heritage brand in the solar generator, portable power, and durable, rugged lighting categories.

The Goal Zero Difference



PREMIUM QUALITY

Unique metal-enclosed, durable, safety-first designs.



CLASS-LEADING PERFORMANCE

Among the best for power, speed, and user experience.



BROADEST ECOSYSTEM

The most robust line of power-station accessories.



CUSTOMER SUPPORT

Award-winning customer service team.



WE GIVE BACK

Annual give-back projects and disaster support.

GOAL ZERO IMPACT TIMELINE

Goal Zero was born from one belief: lack of resources should never limit human potential. We started by using solar-powered products to help people lift themselves out of difficult circumstances. From there, we pioneered a category of portable, sustainable power designed to improve lives. We help you prepare for the unexpected, get out further, stay out longer, and connect with those who matter most.

2009

Goal Zero Founded
as a Company

2010

Haiti Relief

2011

Japan Tsunami Relief

2012

Hurricane Sandy
Relief

2013

Tacloban,
Philippines

2014

Tuba City,
Arizona

2015

- Kushea, Ghana
- Tanzania - Rays Of Light

2017

- Kushea, Ghana
- Partners For Disaster
Relief Puerto Rico

2018

- Gastal, India
- Navajo Nation

2019

- Monument Valley
- Kalakwasan, Philippines

2020

- Monument Valley
- Covid-19 Mask
Production

2021

Haiti Relief

2022

- Bolivia
- Navajo Nation

2025

BioLite Acquires
Goal Zero

POWER STATIONS



YETI PRO 4000

37500

THE NEXT GENERATION OF POWER

The Yeti PRO 4000 portable power station offers dramatically more power and faster charging than previous generation models. Plus, its updated LiFePO4 battery tech means it can last for over 10 years—even with daily use. Use it for emergency home backup, take it on the road, or pair it with solar for renewable clean energy.



-  **New Fast Charger - 3x Faster Charging Speeds**
-  **LiFePO4 Battery: 4000+ cycle lifespan with over 10 years of daily use**
-  **3,600 Watt power out and 7,200 watt surge**
-  **3,000 W solar input to charge from 0% to 80% in under 90 minutes**
-  **Safe & Reliable Design With over 100 safety checkpoints per second**

BATTERY

3993.6 Wh
LiFePO₄

INPUTS

AC Fast Charge: 1800W (144 V)
Power+: 1800W (144V)
HPP Solar Input: 3000W Max
8 mm Solar Input: 275W Max
Expansion Port: (100A, 100V Max) For use with Tank PRO 4000

DC OUTPUTS

(1x) 12 V Car Power Port: 162 W, 13.5 V DC
(2x) 12 V 6 mm Port: 135 W, 13.5 V DC
(1x) 12 V HPP: 405 W, 13.5 V DC

INPUT/OUTPUTS

Power+ (Pass-Thru): 3600 W
Power+ (Output): 3600 W, 120 V AC
Accessory Port: 56 V DC, 100 A

OUTPUTS

(4x) AC (Inverter): 3600 W Continuous, 7200 W Surge, 120 V (pure sine wave)
AC (Single Port): 2400 W, 120 V AC (pure sine wave)
(1x) TT-30R (AC): 3,600 W, 120 V AC (pure sine wave)

USB OUTPUTS

(3x) USB-A: 18 W
(1x) USB-C: 100 W
(2x) USB-C: 30 W

DIMENSIONS

21.4 x 13.8 x 14.8 in.
(54.3 x 35.1 x 37.7 cm)
With Cart: 21.4 x 13.8 x 18.1 in.
(54.3 x 35.1 x 45.9 cm)

WEIGHT

115.7 lbs. (52.5 kg)
With Cart: 125.7 lbs. (57.0 kg)

CHARGE TIME

~3 Hrs (AC Wall Fast Charge)
11 Hrs (400 W Vehicle Alternator)
4 Hrs (1,200 W Solar Input)

EXTRAS

App Enabled / Bluetooth & Wifi
Expandable to 20 kWh
UL2743, FCC Class B

HOME INTEGRATION

Haven Home Backup Ecosystem

Our exciting new Haven 10 ecosystem gives you reliable home backup that can run more things for longer. When you connect the Yeti PRO 4000 to the Haven 10 Manual Transfer Switch, you can back up as many as 10 essential circuits in your home. Add Tank PRO 4000 expansion batteries and solar panels for even longer-lasting power. This is great for emergency backup, but also convenient if you're using it off-grid or on the road.



Backup 10 Circuits in Your Home



Automatic Power Switching (APS):
Grid to battery in <10 ms



Expandable up to 20 kWh with Tank PRO 4000
expansion battery



4 KWH HOME BACK UP

44570

Pairing the Yeti PRO with our sophisticated Haven 10 manual transfer switch lets you back up as many as 10 essential circuits in your home for an entire day.



TANK PRO 4000

23110

4 kWh expansion battery for PRO 4000.

HAVEN 10


70050

10 Circuit manual transfer switch
for Yeti PRO 4000.

YETI HOME INTEGRATION KIT

44080

4 Circuit manual transfer switch for
Yeti 1000X and above.



YETI PRO 4000
X2 TANK PRO 4000

YETI 1000 NEW

37200

Continuing the Legacy Into New Territory

We're continuing to bolster the 6G line of Yeti power stations with the highly anticipated Yeti 1000. Versatile in size and power delivery, the Yeti 1000 is the power station of the people.



BATTERY

998Wh
LiFePO₄

INPUTS

AC Fast Charge: 1000W (120V)
Solar 8 mm Low Voltage: 275W Max
Solar High Power Port DC: 600W Max
Combined Solar Input: 875W Max

DC OUTPUTS

12V High Power Port: 405W 13.5V DC,
30A Continuous, 44A Surge
12V Auxiliary Power Port: 162W, 13.5V
DC, 12A Continuous, 44A Surge
12V 6mm Output Port x 2: 135W, 13.5V
DC, 10A Continuous, 44A Surge

DIMENSIONS

15.7 x 11.1 x 10.3
(39.88 x 28.19 x 26.16 cm)

WEIGHT

35.3 lbs. (16kg)

OUTPUTS

(4x) AC Outlet: 2000W Continuous,
3600 W Surge, 100-120V
(pure sine wave)

USB OUTPUTS

(2x) USB-A: 18 W
(1x) USB-C: 140 W
(1x) USB-C: 60 W
(2x) USB-C: 30 W



New Fast Charger - 0-80% in Under an Hour



LiFePO₄ Battery: 3,500+ Cycle Lifespan With
Over 10 Years Of Daily Use



2,000 Watt Inverter With 3,600 Watt Surge



875 Watts Of Solar Input - 45% More Than
Previous Generations



App Enabled For Remote Monitoring

YETI 1500 NEW

37300

More Power, More Versatility

A beloved power station among Goal Zero fans, the Yeti 1500X is being replaced by the Yeti 1500 6G addition. Taking what is beloved about it's predecessor and upgrading battery tech and usability, the new Yeti 1500 is bound to be a new crowd favorite, and the envy of other power stations.



BATTERY

1,505Wh
LiFePO₄

INPUTS

AC Fast Charge: 1500W (120V)
Solar 8 mm Low Voltage Input: 275W Max
Solar High Power Port DC: 600W Max
Combined Solar Input: 875W Max

DC OUTPUTS

12V High Power Port - 405W 13.5V DC,
30A Continuous, 44A Surge
12V Auxiliary Power Port: 162W, 13.5V
DC, 12A Continuous, 44A Surge
12V 6mm Output Port x 2: 135W, 13.5V
DC, 10A Continuous, 44A Surge

DIMENSIONS

15.7 x 11.1 x 12
(39.88 x 28.19 x 30.48) cm

WEIGHT

53 lbs. (24kg)

OUTPUTS

(4x) AC Outlet: 2000W Continuous, 3600
W Surge, 100-120V 20A
(pure sine wave)

USB OUTPUTS

(2x) USB-A: 18 W
(1x) USB-C: 140 W
(1x) USB-C: 60 W
(2x) USB-C: 30 W



New Fast Charger - 0-80% in Under an Hour



LiFePO₄ Battery: 3,500+ Cycle Lifespan With
Over 10 Years Of Daily Use



2,000 Watt Inverter With 3,600 Watt Surge



875 Watts Of Solar Input - 45% More Than
Previous Generations



App Enabled For Remote Monitoring

COMPACT POWER STATIONS

Our 6th Gen compact power stations are built for rugged outdoor use, but spare no features for their size. They're rugged aluminum exterior houses a Lifepo4 battery that will live to see 4,000+ cycles, or 10 years of daily use. Underneath the rubber protective flap a set of versatile ports are ready to charge modern devices, all protected with an IPX4 rating. The built-in handle allows for easy mobility, and lays flat for packing and storage.



YETI 300

36900

BATTERY

297 Wh
LiFePO₄

INPUTS

AC Fast Charge/Wall Outlet: 420W (120V)
Solar 8 mm Input: 200W Max

AC OUTPUTS

AC (Inverter): 350 W Continuous, 600 W Surge (pure sine wave), 115 V
AC Passthrough Mode Max (APS): 1140W, (120V)

WEIGHT

13.7 lbs.
(6.2 kg)

DC OUTPUTS

(1x) 12 V Car Power Port: 162 W
(1x) 12 V 6 mm Port: 135 W Max

USB OUTPUTS

(2x) USB-A: 18 W
(1x) USB-C PD: 100 W
(2x) USB-C QC: 30 W

DIMENSIONS

11.3 x 7.7 x 6.7 in
(28.8 x 19.6 x 17.2 cm)

CHARGE TIMES

50 Min (AC Wall Fast Charge)
3 Hrs (10A Car Charger)
2 Hrs (200 W Solar Input)*
*200 W Panels Require HPP to 8mm connector



CERTIFICATES

IPX4
UL2743

INTERNATIONAL

230V AC Inverter: Default-Type F Socket
Also available in Type G, I, and J Socket
SKU 36910

YETI 500

37000

BATTERY

499.2 Wh
LiFePO₄

INPUTS

AC Fast Charge/Wall Outlet: 500W (120V)
Solar 8 mm Low Voltage Input:
200W Max

AC OUTPUTS

AC (Inverter): 500 W Continuous, 1000 W Surge, 115 V (pure sine wave)
AC Passthrough Mode Max (APS): 1140W, (120V)

WEIGHT

16.1 lbs.
(7.3kg)

DC OUTPUTS

(1x) 12 V Car Power Port: 162 W
(1x) 12 V 6 mm Port: 135 W max

USB OUTPUTS

(2x) USB-A: 18 W
(1x) USB-C PD: 100 W
(2x) USB-C QC: 30 W

DIMENSIONS

11.32 x 7.82 x 7.8 in
(28.8 x 19.6 x 19.8 cm)

CHARGE TIMES

1.4 Hrs (AC Wall Fast Charge)
5 Hrs (10A Car Charger)
2.8 Hrs (200 W Solar Input)*
*200 W Panels Require HPP to 8mm connector



CERTIFICATES

IPX4
UL2743

INTERNATIONAL

230V AC Inverter: Default-Type F Socket
Also available in Type G, I, and J Socket
SKU 37010

YETI 700

37100

BATTERY

677 Wh
LiFePO₄

INPUTS

AC Fast Charge/Wall Outlet: 500W (120V)
Solar 8 mm Input: 200W Max

AC OUTPUTS

AC (Inverter): 600 W Continuous, 1000 W Surge, 115 V (pure sine wave)
AC Passthrough Mode Max (APS): 1140W, (120 V)

WEIGHT

20.3 lbs.
(9.2kg)

DC OUTPUTS

(1x) 12 V Car Power Port: 162 W
(1x) 12 V 6 mm Port: 135 W Max

USB OUTPUTS

(2x) USB-A: 18 W
(1x) USB-C PD: 100 W
(2x) USB-C QC: 30 W

DIMENSIONS

11.32 x 7.84 x 8.55 in
(28.8 x 19.6 x 21.7 cm)

CHARGE TIMES

1.7 Hrs (AC Wall Fast Charge)
6 Hrs (10A Car Charger)
3.8 Hrs (200 W Solar Input)*
*200 W Panels Require HPP to 8mm connector



CERTIFICATES

IPX4
UL2743

INTERNATIONAL

230V AC Inverter: Default-Type F Socket
Also available in Type G, I, and J Socket
SKU 37110

POWER BANKS

SHERPA SERIES DIGITAL NOMADS

Portable Power for digital nomads and working professionals the Sherpa Series power banks offer portable power whenever you need it. With a 95 watt hour battery capacity, 3-5 USB port options, as well as wireless magnetic charging, you'll never be stranded without power again. From airport waiting areas to backcountry campsites, the Sherpa power bank is the powerful choice for digital nomads.



SHERPA 100 AC

22200

BATTERY

94.7 Wh
Li-ion

DIMENSIONS

7.69 x 5.51 x 1.02 in
(19.53 x 13.99 x 2.59 cm)

WEIGHT

2.1 lbs (.95kg)

INPUTS

(2x) USB-A: 12W max
(1x) USB-C PD 1 port (in/out): 60W max
(2x) USB-C PD: 60W max
(1x) Solar Charging port (8mm): 60W

CHARGE TIMES

USB-C Wall Charger (65W): 2 hrs
Nomad 20: 7.5-15 hrs
Nomad 50: 3-6 hrs

OUTPUTS

Wireless Charging: 15W max
(1x) USB-C PD (in/out): 60W max
(2x) USB-C PD: 100W max
(1x) AC Outlet: 100W max
modified sine wave

INTERNATIONAL

220V AC Inverter: 220, up to 0.45A
(100W max) 50Hz
SKU 22210

SHERPA 100 PD

22220

BATTERY

94.7Wh
Li-ion

DIMENSIONS

7.69 x 3.81 x 1.02 in
(19.53 x 9.68 x 2.59 cm)

WEIGHT

1.5 lbs (.68kg)

INPUTS

(1x) USB-C PD port: 60W max

OUTPUTS

Wireless: 15W max
(2x) USB-A: 12W max
(1x) USB-C PD: 100W max

CHARGE TIMES

USB-C Wall Charger (65W): 2 hrs
Nomad 10 (USB): 15-30 hrs
Nomad 20 (USB): 9-18 hrs



VENTURE SERIES RUGGED & DURABLE

Designed with increased protection against the elements and more power than its predecessor, the Venture 35 is ready for anything. Equipped with an upgraded IP67 rating, the 9600 mAh power bank is dustproof and waterproof, giving you the confidence to power essential devices through any adventure, rain or shine.

VENTURE 35

22100

BATTERY

35.52Wh (9600mAh)
Li-ion NMC

DIMENSIONS

4.4 x 2.7 x 1.1 in
(11.2 x 6.8 x 2.8 cm)

WEIGHT

10.12oz (286.9g)

INPUT/OUTPUT

USB-C: 18W max

OUTPUTS

(2x) USB-A port: 15W max

SPECIAL FEATURES

Built in Flashlight - 50 lumen LED
IP67 Rating

CHARGE TIMES

USB-C (18W): 3 Hrs
USB-A (2.4A): 4 Hrs
Nomad 20: 4-8 Hrs



VENTURE 75

22110

BATTERY

71.04Wh (6400mAh)
Li-ion NMC

DIMENSIONS

6.1 x 3.8 x 1.1 in
(15.6 x 9.6 x 2.9 cm)

WEIGHT

20.35oz (577g)

INPUTS

USB-C PD: 18W max

OUTPUTS

(2x) USB-A: 15W max

CHARGE TIMES

USB-C PD (60W): 1.5 Hrs
USB-A (2.4A): 6 Hrs
Nomad 50: 7 Hrs

SPECIAL FEATURES

Built in Flashlight - 50 lumen LED
IP67 Rating



VENTURE JUMP

50000

Experience ultimate self-sufficiency. No more need for roadside assistance. Smart jumper cables make it safe and easy for you to jump start your vehicle battery on your own. Good for up to 20 jump starts.

BATTERY

37Wh (2500mAh)
Li-ion Polymer

DIMENSIONS

7.1 x 3.9 x 1.5 in. (18.1 x 10 x 3.8 cm)

WEIGHT

24.28 oz (688 g)

JUMP STARTING

Most vehicles up to 6.0L gasoline
or 3.0L diesel.
Good for 20 jump starts.

OUTPUTS

USB-A 1: 10.5W max
(2x) USB-A: 18W max
Jump Starter: 12V, 400A starting
(800A peak)

INPUTS

USB-C: 18W max

CHARGE TIMES

USB-C: 3 Hrs
USB-A: 4 Hrs
Nomad 20: ~6 Hrs



SPECIAL FEATURES

Built in Flashlight - 50 lumen LED
IP67 Rating

VENTURE 35 + NOMAD 10 KIT

41060

Perfect for outdoor or emergency use, the rugged Venture 35 joins forces with the portable Nomad 10 to provide an endless supply of power. Recharge from the wall or connect to the panel to power up while off-grid.

BATTERY

35.52Wh (9600mAh)
Li-ion NMC

DIMENSIONS

4.4 x 2.7 x 1.1 in
(11.2 x 6.8 x 2.8 cm)

WEIGHT

10.12oz (286.9g)

INPUT/OUTPUT

USB-C: 18W max

OUTPUTS

(2x) USB-A port: 15W max

SOLAR PANEL

10 Watts, 6-7V, 1.12 lbs (0.51 kg)
Monocrystalline

SPECIAL FEATURES

Built in Flashlight - 50 lumen LED
IP67 Rating

CHARGE TIMES

USB-C (18W): 3 Hrs
USB-A (2.4A): 4 Hrs
Nomad 20: 4-8 Hrs



GUIDE 12 + NOMAD 5 KIT

44260

A lightweight solution for on-the-go power from the sun, this kit charges AA/AAA batteries efficiently. The rechargeable pack can also be used to power your phone, GPS, or boost your tablet in a pinch.

BATTERY

37Wh (2500mAh)
Li-ion Polymer

DIMENSIONS

7.1 x 3.9 x 1.5 in. (18.1 x 10 x 3.8 cm)

WEIGHT

24.28 oz (688 g)

OUTPUTS

USB-A 1: 10.5W max
(2x) USB-A: 18W max
Jump Starter: 12V, 400A starting
(800A peak)

INPUTS

USB-C: 18W max



SOLAR PANEL

50 Watts, 18 - 22V
Monocrystalline



65 W WALL CHARGER

98230

DIMENSIONS

2.4 x 2.4 x 1.2 in. (6.1 x 6.1 x 3 cm)

WEIGHT

4.48 oz

COMPATIBILITY

Sherpa 100AC, Sherpa 100PD,
65W USB-C Charger, Phones, Tablets

OUTPUTS

USB-C PD: 65W max
USB-A: 12W max

INPUT

AC plug: 100-240V



ADVENTURE CABLES

ADVENTURE CABLE 5" USB-C to C 82012
ADVENTURE CABLE 10" USB-C to C 82013
ADVENTURE CABLE 39" USB-C to C 82014

DIMENSIONS

5 inch, 10 inch, and 39 inch

PORTS

Input: USB-C
Output: USB-C

COMPATIBILITY

Sherpa 100AC
Sherpa 100PD
All Yeti power stations
65W USB-C Charger



SHERPA SLEEVE

SHERPA 100AC SLEEVE 93005
SHERPA 100PD SLEEVE 93010

MATERIAL

Form fitting fabric with zipper closure

COMPATIBILITY

Sherpa 100AC: 93005
Sherpa 100PD: 93010

DIMENSIONS

100 AC: 6.25 x 8.5 x .05 in.
(15.75 x 21.50 x 1.27 cm)
100 PD: 4.5 x 8 x .5 in.
(11.43 x 20.32 x 1.27 cm)



LIGHTS & LANTERNS



LIGHTHOUSE 600

32010

This rugged, 600 lumen multi-directional, adjustable light is a fan favorite. Packed with unique features, it adapts to light up any situation; perfect for camping, outdoor events, or emergency use. Complete with an internal lithium battery, emergency crank, a power hub for charging phones and small USB devices.

BATTERY

18.98Wh (5200mAh)
Li-ion NMC

LIGHT TYPE

600 Lumens
LED: 2x3W warm white
3,500 Kelvin

WEIGHT

1.1 lbs (498 g)

INPUTS

USB-A: 5W max

OUTPUTS

USB-A: 7.5W max

CHARGE TIMES

Nomad 10: 6 hrs
USB source: 6 hrs



DIMENSIONS

4.5 x 5 x 6.5 in
(11.4 x 12.7 x 16.5 cm)

RUN TIMES

One side lit (low power) 320 hrs
One side lit (high power) 5 hrs
Both sides lit (low power) 180 hrs

LIGHTHOUSE MINI CORE

32011

Light up any situation with 210 Lumens of bright LED light with the Lighthouse Rechargeable Mini Lantern. Includes a built-in USB port to power small devices.

BATTERY

11.84Wh (3200 mAh)
Li-ion NMC

LIGHT TYPE

210 Lumens
LED, 3,500 Kelvin

WEIGHT

8 oz (226.8g)

INPUTS

USB-A: 5W max

OUTPUTS

USB-A: 5W max

CHARGE TIMES

USB Source: 4 Hrs
Nomad 5: 4-6 Hrs



DIMENSIONS

2.91 Dia. x 4.51 in
(73.8 Dia x 105.5 mm)

RUN TIMES

One side lit: 500+ hrs (low), 7 hrs (high)
Both sides lit: 400+ hrs (low), 4 hrs (high)

CRUSH LIGHT CHROMA

32013

Hang it, light it, crush it. A solar-powered lantern designed for convenience. Features three light settings and a flickering candle mode. Recharge with any USB port or use the built-in solar panel. Chroma features six different color modes and a multi-color fade, so you can turn any campsite into a party. And, acts as a dog bowl in a pinch.

BATTERY

11.84Wh (3200 mAh)
Lithium Polymer

LIGHT TYPE

High Power: 60 Lumens
Medium: 25 Lumens
Low: 6 Lumens

WEIGHT

3.2 oz (91 g)

INPUTS

USB-Micro: 2.5W max

CHARGE TIMES

USB source: 2.5 hrs
Nomad 5 Plus: 2.5 hrs
Built-in panel: 20 hrs

RUN TIMES

High power: 3 hrs
Medium power: 6 hrs
Low power: 35 hrs



DIMENSIONS

Deployed: 4.95 x 4.95 x 3.9 in
(125 x 125 x 100 mm)
Stowed: 4.95 x 4.95 x .6 in
(125 x 125 x 15 mm)

LIGHTHOUSE MICRO FLASH

32005

This small USB rechargeable lantern is an all-in-one solution for an on-the-go person, perfect for a purse, backpack, or glove compartment.

BATTERY

9.62Wh (2600mAh)
Li-ion NMC

LIGHT TYPE

120 Lumens
LED: 2x3W warm white
3000 - 3800 Kelvin

WEIGHT

3.07 oz (87g)

INPUTS

USB port: 5W max

OUTPUTS

USB port: 5W max

CHARGE TIMES

Nomad 10: 3.5 hrs
USB source: 3.5 hrs



DIMENSIONS

4.4 x 1.5 in
(112 x 37.75mm)

RUN TIMES

One side lit: 170 hrs (low), 15 hrs (high)
Both sides lit: 80 hrs (low), 7 hrs (high)
Flashlight: 100 hrs (low), 8.5 hrs (high)

CRUSH LIGHT

32012

Hang it, light it, crush it. A solar-powered lantern designed for convenience. Features three light settings and a flickering candle mode. Recharge with any USB port or use the built-in solar panel.

BATTERY

11.84Wh (3200 mAh)
Lithium Polymer

LIGHT TYPE

High Power: 60 Lumens
Medium: 25 Lumens
Low: 6 Lumens

WEIGHT

3.2 oz (91 g)

INPUTS

USB-Micro: 2.5W max

CHARGE TIMES

USB source: 2.5 hrs
Nomad 5 Plus: 2.5 hrs
Built-in panel: 20 hrs

RUN TIMES

High power: 3 hrs
Medium power: 6 hrs
Low power: 35 hrs



DIMENSIONS

Deployed: 4.95 x 4.95 x 3.9 in
(125 x 125 x 100 mm)
Stowed: 4.95 x 4.95 x .6 in
(125 x 125 x 15 mm)



YETI-READY GEAR



ALTA 50

ALTA 50

94025

Upgrade your next outing with this convenient electric cooler. Temperature settings go as low as -4° F, so you can use it as a fridge or freezer. It also has 53 L of space and can fit up to 75 twelve-ounce cans. Pair the Alta 50 electric cooler with any Yeti power station to keep perishables cold for days. And since the Alta fridges offer class-leading power efficiency, your Yeti can easily keep them running as long as you need.

DIMENSIONS

27.44 x 20.87 x 18.19 in.
(69.7 x 53.0 x 46.2 cm)

CAPACITY

Single Zone: 52.6 L
75 12 oz. cans, 25 750 ml bottles

WEIGHT

49.38 lbs. (22.4 kg)

OUTPUT

Power Draw: at 35° F: 8 Watts
DC to 12V 7A: 72W

INPUT

Input Voltage: 12/24V DC or
100/240V AC

FUNCTION/MATERIALS

-4° to 68° F (-20° to 20°C)
App Enabled / Bluetooth
Stainless Steel
45dB



REFRIGERATION

LG Compressor
Refrigerant: r600a (30 grams)

POWER (NO INTERNAL BATTERY)

Any Yeti Power Station
Vehicle 12V DC outlet
Wall Outlet

RUN TIMES

Yeti 300 1+ Days
Yeti 700 2+ Days

INSULATING
COVER
INCLUDED

ALTA 80

94030

The Alta electric cooler comes with increased capacity and two zones for more custom temperature control; make one side a freezer and the other a fridge. It also has 78 L of space and can fit up to 130 twelve-ounce cans. Pair the Alta 80 electric cooler with any Yeti power station to keep perishables cold for days.

DIMENSIONS

37.28 x 22.17 x 17.76 in.
(94.7 x 56.3 x 45.1 cm)

CAPACITY

Dual Zone: 77.8 L
(130 12 oz. cans, 40 750 ml bottles)

WEIGHT

58.86 lbs. (26.6 kg)

OUTPUT

Power Draw: at 35° F: 10.5 Watts
DC to 12V 7A: 80W

INPUT

Input Voltage: 12/24V DC or
100/240V AC

FUNCTION/MATERIALS

-4° to 68° F (-20° to 20°C)
App Enabled / Bluetooth
Stainless Steel
45dB



REFRIGERATION

LG Compressor
Refrigerant: r600a (30 grams)

POWER (NO INTERNAL BATTERY)

Any Yeti Power Station
Vehicle 12V DC outlet - cable included
Wall Outlet - cable included

RUN TIMES

Yeti 300 1+ Days
Yeti 700 3+ Days

INSULATING
COVER
INCLUDED

SKYLIGHT

32015

LIGHT UP YOUR CAMPSITE

This easy setup, portable area light has 6,000 lumens that can illuminate up to 300 ft, giving you dramatically more visibility than a standard camping light. Take customizable telescoping light wherever you go. Use it on your next camping trip, in your backyard, to light up a home improvement project or anywhere you need to light up the night.



BATTERY

33Wh
Li-ion NMC

LIGHT TYPE

4 Brightness settings
168 LEDs, 6 Individual petals
6,000 Lumens, Warm, 3250K

WEIGHT

14.04 lbs (6.37 kgs)
In Case: 17.9 lbs (8.12 kgs)

INPUTS

6 mm 12 V Input Port: 90 W

RUN TIMES

Internal Battery: 8 hrs on low
Yeti 300 - 63 hrs on low
Yeti 500 - 106 hrs on Low
Yeti 700 - 140 hrs on Low

DIMENSIONS

Deployed: 12 ft x 67 in.
(365.76 cm x 129.5 cm)
Stowed: 47.6 x 5.8 x 5.8 in.
(121.0 x 14.8 x 14.8 cm)
Carrying Case: 49.21 x 6.6 x 6.6 in (125 x 16.76 x 16.76 cm)

EXTRAS

IPX4 Rated for Outdoor use
300 ft. Diameter lighting
Integrated Ground Stakes
Hard Case Included
Works with any Yeti Power station



6,000 Lumen Light - 5 Articulating Petals



Internal Battery For Set Up and Take Down



IPX4 Rating for Outdoor Use in Wet Conditions



Telescoping From 4 ft to 12 ft High.
Cast 300 ft Light Pool On High Power.

BEACON 350

24004

This hanging pendant style light features 350 lumens and an adjustable shade for lantern or focus light. It also allows for custom light settings with a high and low toggle. The integrated cord, built-in carabiner and magnets allow you to quickly hang it anywhere and is chainable up to 8 lights. The Lighthouse Beacon is built to be used with any Yeti power station.



Formerly Light-A-Life 350

COMPATIBILITY

Works with any Yeti Power Station.
Chainable up to 8 lights

LIGHT TYPE

LED Output: 5W warm white Cree
High Brightness: 4.5W, 350 Lumens
Low Brightness: 1W, 100 Lumens

WEIGHT

9.3 oz (264 g)

INPUTS

6mm barrel jack: 4.5W max
Cord Length: 8 feet

RUN TIMES

Goal Zero Yeti 500: 112 Hours (high)
Goal Zero Yeti 1500X: 337 Hours (high)

DIMENSIONS

Compact: 2.8 x 3.2 in (71 x 80mm)
Extended: 4.9 x 3.2 in (125 x 80mm)

ALTA REPLACEMENT COVERS

Each Alta electric cooler includes an insulated cover. In the event that a cover needs to be replaced we offer each size as an individual SKU.

SKUS

Alta 50 93025
Alta 80 93030



ALTA AC REPLACEMENT [POWER SUPPLY]

98445

Replacement AC power supply for Alta 50 and Alta 80



6MM DC FRIDGE REPLACEMENT CABLE

98083

Replacement 6mm DC outlet for Alta 50 and Alta 80.



12V AUX TO FEMALE 6MM ADAPTER

98084

Replacement 12 V AUX to 6mm adapter outlet for Alta 50 and Alta 80.



6MM 10A EXTENSION CABLE - 15'

98086

6mm, 15 ft. Extension cable for Alta 50 and Alta 80.



SOLAR

MAKE IT A SOLAR SYSTEM

Turn any power station into a solar generator. Our robust line of power stations are matched with an appropriate solar panel in both wattage and build. From the stow-able folding Nomad series, to the rigid and robust Boulder series, there's something for every adventure.



NOMAD 100
YETI 700

BOULDER AND RANGER SERIES

Rugged, durable, and rigid. The Boulder series solar panels are built with strong tempered glass and an aluminum frame with added corner protection for temporary or permanent installation. They are also equipped with an integrated kickstand to help get optimal angle to the sun. Included protective canvas bag for easy carrying, the any Boulder panel makes for a perfect addition to an emergency kit or boondocking.

FEATURES

- Rigid Aluminum Frame
- Protective Corners
- Metal Kickstand Legs



BOULDER 200 BC



NOMAD SERIES

Like their namesake, our line of foldable Nomad panels are designed for life on the move. Our most portable solar offering, Nomads fold down to a quarter of their full size, making them ideal for situations where power needs are sporadic and space is limited. Adding a Nomad solar panel to a Yeti power station creates the ultimate off-grid power supply for people on the move.

FEATURES

- Kickstand Legs
- Hanging Loops
- Mesh, Zipping Cable Pocket



NOMAD 100



NOMAD 10

11900

PANEL

10 Watts, 6-7V
Monocrystalline

DIMENSIONS

Deployed: 9.5 x 14.5 x 0.75 in
(24.1 x 36.8 x 1.9 cm)
Stowed: 9.5 x 7.2 x 1.25 in
(24.1 x 18.4 x 3.2 cm)

WEIGHT

1.12 lbs (0.51 kg)

OUTPUTS

USB-A: 7.5W max

RECHARGE TIMES

Venture 35: 4.5-9 hrs
Venture 75: 11-22 hrs
Sherpa 100PD: 15-30 hrs



COMPATIBILITY

Recharge devices directly from the Nomad 10 with a USB-A cable.

NOMAD 100

13007

PANEL

100 Watts, 18V
Monocrystalline

DIMENSIONS

Deployed: 20.5 x 59.5 x 1 in
(52 x 151.1 x 2.54 cm)
Stowed: 20.5 x 15.5 x 2 in
(52 x 39.37 x 5.08 cm)



WEIGHT

10.2 lbs (4.6 kg)

OUTPUTS

Solar Port (blue 8mm, male): 100 W max

RECHARGE TIMES

Yeti 300: 3.5 hrs
Yeti 500: 6 hrs
Yeti 700: 8 hrs

COMPATIBILITY

Nomad 100 is the perfect pairing for the Yeti 300, 500 and 700.

NOMAD 20

11910

PANEL

20 Watts, 18 - 22V
Monocrystalline

DIMENSIONS

Deployed: 11.5 x 21.75 x 0.75 in
(29.2 x 55.3 x 1.9 cm)
Stowed: 11.5 x 7.4 x 1.25 in
(29.2 x 19 x 3.2 cm)

WEIGHT

2.28 lbs (1.03 kg)

OUTPUTS

Solar Port (blue, 8mm, male): 14 - 22V,
up to 1.3A (20W max), 6 ft
USB-A: 10.5W max

COMPATIBILITY

Recharge devices & power banks directly from the Nomad 20.



RECHARGE TIMES

Venture 35: 4-8 hrs
Venture 75: 7-14 hrs
Sherpa 100PD: 9-18 hrs

NOMAD 200

11930

PANEL

200 Watts, 19.1V
Monocrystalline

DIMENSIONS

Deployed: 28.2 x 100.7 x 1.0 in
(71.6 x 255.8 x 2.5 cm)
Stowed: 28.2 x 22.3 x 2.0 in
(71.6 x 56.6 x 5.0 cm)



WEIGHT

22lbs (10.0 kg)

OUTPUTS

High Power Port: 200 W, 6ft
USB-A: 12W max

RECHARGE TIMES

Yeti 700: 4 hrs Requires Adapter (98054)
Yeti 1000 (6G): 6.4 hrs
Yeti 1500 (6G): 10 hrs

COMPATIBILITY

Nomad 200 is the perfect panel for Yeti 1000 - 1500.

NOMAD 50

11920

PANEL

50 Watts, 18V
Monocrystalline

DIMENSIONS

Deployed: 17 x 53 x 1.5 in
(43.2 x 134.6 x 3.8 cm)
Stowed: 17 x 11.25 x 2.5 in
(43.2 x 28.6 x 6.4 cm)

WEIGHT

6.85 lbs (3.1 kg)

OUTPUTS

Solar Port (blue, 8mm, male): 14-21.5V,
up to 3.3A (50W max), 6 ft
USB-A: 12W max

COMPATIBILITY

Recharge devices & power banks directly from the Nomad 20.



RECHARGE TIMES

Sherpa 100PD: 9-18 hrs
Yeti 300: 7 hrs
Yeti 500: 12 hrs

NOMAD 400

11950

PANEL

400 Watts, 20.66 V
Monocrystalline
Maximum System Voltage: 1000 V

DIMENSIONS

Deployed: 113.98 x 31.69 x 0.2 in.
(289.5 x 80.5 x 0.5 cm)
Stowed: 28.54 x 31.69 x 1.18 in.
(72.5 x 80.5 x 3 cm)



WEIGHT

36.60 lbs. (16.6 kg)

OUTPUTS

High Power Port: 400W
Cable length: 35.43 in (0.9 m), 12 AWG
USB-A: 12 W, 7.87 in (0.2 m)

RECHARGE TIMES

Yeti 1000 (6G): 3 hrs
Yeti 1500 (6G): 5 hrs
Yeti PRO 4000: 12 hrs

EXTRA

15 ft HPP Extension (Included), 12 AWG
Ingress Protection: IP65
Includes 4 ground stakes
Can be daisy chained



SOLAR

BOULDER 100 BRIEFCASE (BC)

32408

PANEL

100 Watts, 17.2V
Monocrystalline

DIMENSIONS

Deployed: 26.75 x 43.5 x 1.75 in
(70 x 110.4 x 4.4 cm)
Stowed: 26.75 x 21.75 x 3.75 in
(70 x 55.2 x 8.9 cm)

WEIGHT

25.9 lbs (11.7 kg)

OUTPUTS

Solar Port (blue, 8mm): 100W max, 6ft

RECHARGE TIMES

Yeti 500: 6 hrs
Yeti 700: 8 hrs
Yeti 1000 (6G): 13 hrs



EXTRA

Tempered glass and an aluminum frame
Protective canvas bag Included

BOULDER 200 BRIEFCASE (BC)

32409

PANEL

200 Watts, 18V
Monocrystalline

DIMENSIONS

Deployed: 40 x 53.5 x 1.75 in
(101.6 x 140 x 4.4 cm)
Stowed: 40 x 26.75 x 3.5 in
(101.6 x 70 x 8.9 cm)

WEIGHT


2.28 lbs (1.03 kg)

OUTPUTS

High Power Port: 200W max, 6 ft

RECHARGE TIMES

Yeti 700: 4 hrs Requires Adapter (98054)
Yeti 1000 (6G): 6.5 hrs
Yeti 1500 (6G): 10 hrs



EXTRA

Tempered glass and an aluminum frame
Protective canvas bag Included
Can be daisy chained

RANGER 300

32450

PANEL

300 Watts, 19.3V
Monocrystalline
PET polymer shield instead of glass

DIMENSIONS

Deployed: 31.26 x 94.29 x 0.9 in
(79.4 x 239.5 x 2.3 cm)
Stowed: 31.26 x 23.39 x 3.8 in
(79.4 x 59.4 x 9.7 cm)

WEIGHT

37.71 lbs (17.12 kg)

OUTPUTS

High Power Port: 300W max, 6ft,
12AWG

RECHARGE TIMES

Yeti 1000 (6G): 4 hrs
Yeti 1500 (6G): 6.5 hrs
Yeti PRO 4000: 16 hrs



EXTRA

Auto-folding legs for easy setup & take down
Magnetized corners keep the Ranger closed
Protective canvas bag Included

SOLAR ACCESSORIES	SKU	COMPATIBILITY
HPP+ solar ext cable - 30'	98705	Yeti PRO 4000 6G
HPP+ solar ext cable - 15'	98700	Yeti PRO 4000 6G
3x HPP+ solar combiner	70030	Multiple solar arrays/VEH alt & bulkhead
MC4 to HPP	98014	3rd party solar
8mm to HPP solar adapter	98725	All solar 50-100 watts
8mm extension cable - 15'	98065	All solar 50-100 watts
8mm extension cable - 30'	98066	All solar 50-100 watts
HPP extension cable - 15'	98064	All solar 200+ watts
HPP extension cable - 30'	98105	All solar 200+ watts
4x 8mm female to HPP	98060	All solar 50-100 watts
4x HPP to HPP	98061	All solar 200+ watts
HPP female to 8mm male connector	98054	Yeti 1000X - Yeti 300, 500, 700
Boulder mounting brackets	44050	Boulder 50 & 100
Boulder travel case - small	92100	Boulder 50 x 2
Boulder travel case - large	92200	Boulder 100 x 2



RANGER 300 + YETI 1500X (5G)




SOLAR

Goal Zero Spring 2026 Product Assortment

⚡ POWER

POWER STATIONS



Yeti 300 36900 Yeti 500 36900 Yeti 700 36900 Yeti 1000 37300 Yeti 1500 37200 Yeti PRO 4000 36900 Tank PRO 4000 36900

POWER BANKS



Sherpa 100 AC 36900 Sherpa 100 PD 36900 Venture 35 36900 Venture 75 36900 Venture Jump 36900

☀️ SOLAR

NOMAD SERIES



Nomad 10 36900 Nomad 20 36900 Nomad 50 36900 Nomad 100 36900 Nomad 200 36900 Nomad 400 36900

BOULDER SERIES



Boulder 100 BC 36900 Boulder 200 BC 36900

RANGER

Ranger 300 36900

💡 LIGHTING

LANTERNS/FLASHLIGHTS



Lighthouse 600 36900 Lighthouse Mini Core 36900 Lighthouse Micro Flash 36900 Crush Light 36900 Crush Light Chroma 36900

YETI-READY



Beacon 350 36900
Skylight Area Light 36900
Formerly Ligh-A-Life 350

❄️ COOLING

ELECTRIC FRIDGE



Alta 50 36900 Alta 80 36900

INTEGRATION

HOME

Haven 10 36900

+ ACCESSORIES

Protective Carrying Cases	SKU	Cables & Accessories	SKU	Solar Cables / Accessories	SKU
YETI 700 PROTECTIVE CASE	93045	ADVENTURE CABLE 5" USB-C to C	82012	HPP + SOLAR EXT CABLE - 30'	98705
YETI 500 PROTECTIVE CASE	93040	ADVENTURE CABLE 10" USB-C to C	82013	HPP + SOLAR EXT CABLE - 15'	98700
YETI 300 PROTECTIVE CASE	93035	ADVENTURE CABLE 39" USB-C to C	82014	3X HPP + SOLAR COMBINER	70030
SHERPA 100AC SLEEVE	93005	USB-C WALL CHARGER - 65W	98230	MC4 TO HPP	98014
SHERPA 100PD SLEEVE	93010	Alta Accessories		8MM TO HPP SOLAR ADAPTER	98725
BOULDER TRAVEL CASE - SMALL	92100	ALTA FRIDGE AC POWER SUPPLY	98445	8MM EXTENSION CABLE - 15'	98065
BOULDER TRAVEL CASE - LARGE	92200	ALTA 50 REPLACEMENT COVER	93025	8MM EXTENSION CABLE - 30'	98068
8G Yeti Accessories		ALTA 80 REPLACEMENT COVER	93030	HPP EXTENSION CABLE - 15'	98064
YETI/TANK PRO 4000 MTG PLATE	96155	6MM DC FRIDGE REPLACEMENT CABLE	98083	HPP EXTENSION CABLE - 30'	98105
YETI/TANK PRO 4000 CART	91025	12V AUX TO FEMALE 6MM ADAPTER	98084	4X 8MM FEMALE TO HPP	98060
TANK PRO EXT CABLE - 6'	98750	6MM 10A EXTENSION CABLE - 15'	98088	4X HPP TO HPP	98061
HAVEN 10 & LEADS TO POW + ADP	70050	5G Yeti Accessories		HPP FEMALE TO 8MM MALE CONNECTOR	98054
YETI 8G AC CABLE	61405	YETI LI MPPT MODULE	14004	BOULDER MOUNTING BRACKETS	44050
YETI 8G CAR ADAPTER 120W	98740	YETI X 120W POWER SUPPLY 120V	98330		
		YETI X 600W POWER SUPPLY 120V	98385		
		YETI LI & X CART	91023		
		12V 8MM CAR ADAPTER	98079		
		YETI HOME INTEGRATION KIT	44060		

Goal Zero Point of Purchase Displays



YETI EXPERIENCE DISPLAY

81063

This premium, in-store three-sided product display uniquely showcases Yeti power stations, solar panels, and lighting. It's interchangeable graphics allow the display to be updated as needed, either seasonally or with new product launches. It features both educational and inspirational image assets.

DIMENSIONS

L: 41" W: 47" H: 66.25"



POWER TOWER

81038

The Power Tower display option is a great solution for shops with a smaller footprint, or smaller space designations. The double-sided tower offers a selection of side panel graphics for your customer needs.

DIMENSIONS

L: 22.5" W: 17" H: 60"





Energy For All

Everyone deserves access to clean, reliable, and affordable energy.

Energy sits at the center of our lives, keeping us safe, productive, and connected. Health, education, opportunity, adventure – all of it is shaped by the invisible power of energy.

For those we serve in the outdoor markets, we are here to introduce you to the best damn rechargeables in the world. Beautiful, usable, and high-performing, our products enable you to leave fossil fuels and disposable batteries behind.

For those we serve in emerging markets, we have the humbling opportunity to be a household's first step onto the energy ladder: an extra hour of study after sunset, a charged phone ready to make mobile payments, a family dinner cooked without the worry of inhaling smoke. These seemingly small moments are the very essence of what drives us at BioLite.

Every purchase directly impacts our mission and our ability to deliver safe energy around the world. Choosing BioLite is choosing a brighter future for both people and planet. Thank you for being a part of this journey.



Proudly Carbon Neutral Since 2012

Proudly Calling Others To Act Today.

BioLite is the proud co-creator of Climate Neutral, an independent non-profit with a mission to address global climate change by recruiting and enabling companies to measure, reduce, and offset 100% of their carbon emissions immediately. Climate Neutral certifies brands using a rigorous but simple process, and supports certified companies through the use of the "Certified Climate Neutral" logo.

To learn more about BioLite's own carbon footprinting process, download our 2024 Impact Report:

BioLiteEnergy.com/Impact2024

To learn more about Climate Neutral, visit:

ClimateNeutral.org



Certified



Corporation



Lighting

HeadLamps
Lanterns
String Lights



Range 300

NEW IN 2025

HPF0101
MIDNIGHT GREY

HPF0102
SLATE BLUE

HPF0103
WILD FIG

The Fastest Rechargeable Headlamp On The Market

The Range 300's advanced battery charges 5x faster than the competition, adding an impressive **1 hour of light in only 8 minutes of charging**. An ultralight model at only 2.1 oz, the Range 300 combines minimal weight with unparalleled comfort and stability thanks to patented 3D SlimFit Construction. Designed for explorers and built for the elements, Range 300 gives you confidence to get outside & go far by bringing fast re-charging to off-grid environments.

⚡ USB-C Rapid Recharge

🧢 3D SlimFit Construction

☁️ Fully Waterproof, IP67

📄 3 Year Warranty



LUMENS

300 Lm

BATTERY

820 mAh, USB-C rechargeable.
8 min of charging = 1h of light

BURN TIME (HOURS)

100 LO/4 HI

WEIGHT

2.1 oz

WATER RESISTANCE

IP67

MODES




White Spot
+ Dimming



White Strobe

BEAM DISTANCE



Range 400

NEW IN 2025

HPE0101
MIDNIGHT GREY

HPE0102
SLATE BLUE

HPE0103
MIST GREEN

The Fastest Rechargeable Headlamp On The Market

The Range 400's advanced battery charges 5x faster than the competition, adding an impressive **1 hour of light in only 8 minutes of charging**. An ultralight model at only 2.1 oz, the Range 400 combines minimal weight with unparalleled comfort and stability thanks to patented 3D SlimFit Construction. Designed for explorers and built for the elements, Range 400 gives you confidence to get outside & go far by bringing fast re-charging to off-grid environments.

⚡ USB-C Rapid Recharge

🧢 3D SlimFit Construction

☁️ Fully Waterproof, IP67

📄 3 Year Warranty



LUMENS

400 Lm

BURN TIME (HOURS)

200 LO/6 HI

WATER RESISTANCE

IP67

BATTERY

1,640 mAh, USB-C rechargeable.
8 min of charging = 1h of light.


WEIGHT

2.4 oz

MODES



BEAM DISTANCE



Range 500

NEW IN 2025

HPD0101
MIDNIGHT GREY

HPD0102
SLATE BLUE

HPD0103
SPARK RED

The Fastest Rechargeable Headlamp On The Market

The Range 500's advanced battery charges 5x faster than the competition, adding an impressive **1 hour of light in only 8 minutes of charging**. An ultralight model at only 2.1 oz, the Range 500 combines minimal weight with unparalleled comfort and stability thanks to patented 3D SlimFit Construction. Designed for explorers and built for the elements, Range 500 gives you confidence to get outside & go far by bringing fast re-charging to off-grid environments.

⚡ USB-C Rapid Recharge

🧢 3D SlimFit Construction

☁️ Fully Waterproof, IP67

📄 3 Year Warranty



LUMENS

500 Lm

BURN TIME (HOURS)

200 LO/6 HI

WATER RESISTANCE

IP67

BATTERY

1,640 mAh, USB-C rechargeable.
8 min of charging = 1h of light.


WEIGHT

2.4 oz

MODES



BEAM DISTANCE



Dash 450

HPA0411
MIDNIGHT GREY

HPA0410
OCEAN TEAL

HPA0412
EMBER RED

The Ultimate Rechargeable Head Light For Runners

An update to the cult-favorite headlamp within the running world, Dash 450 delivers a perfect no-bounce fit with high-performance illumination. Featuring improved beam optics for route visibility, new reflective graphics, and a balanced rear red light, see and be seen whether you're on the road or the trail. Log miles with a near weightless feel thanks to the award-winning 3D SlimFit construction, moisture wicking band, and an ultra-slim front measuring only 9mm thick.



3D SlimFit Construction



USB-C Charge In



Weighs Only 78g



Rear Red Flood & Strobe



LUMENS

450 Lm

BURN TIME (HOURS)

40 LO/3 HI

WATER RESISTANCE

IPX4

BATTERY

1,000 mAh,
USB-C Rechargeable

WEIGHT

2.75 oz (78 g)

MODES



Red Flood
+ Dimming



White Flood
+ Dimming



White Strobe




White Spot
+ Dimming



Red Rear
Strobe

BEAM DISTANCE



HeadLamp 800 Pro

HPC0201

High Performance Light With A High Performance Fit

Go further and stay brighter with the Pro-Level HeadLamp 800. Utilizing 3D SlimFit construction, this hands-free light packs serious lumens and rechargeable power into a compact profile with an unprecedented no-bounce fit. With key features including a 800 lumen Burst Mode, Constant Brightness Setting, and a red rear light, this HeadLamp is ready to match your own epic performance.



3D SlimFit Construction



USB Rechargeable



Constant Brightness Mode



Rear Red Flood & Strobe



Run Forever Cable Included



LUMENS

800 Lm BURST
500 Lm HIGH
5 Lm HOW

BURN TIME (REGULATED)

150 LO/7 HI

BURN TIME (CONSTANT)

150 LO/2 HI

ADDITIONAL RESERVE

+8 Hours at 5 Lm

BATTERY

3,000 mAh,
USB Rechargeable

WEIGHT

5.3 oz (150 g)

MODES



Red Rear
Flood
+ Dimming



Red Rear
Strobe



Red Flood
+ Dimming




White Strobe



White Spot
+ Dimming

BEAM DISTANCE



AlpenGlow 500

LNB0100

Feel At Home With Nature-Inspired Light

Inspired by lighting you can only find in the great outdoors, the AlpenGlow lantern gives you the ability to create your own dusk and daylight feel no matter the time of day. Featuring ChromaReal LED technology, accurately render the colors in your environment with the glow of natural light; feeling more aurora borealis? Shake the lantern for an instant rotation of mesmerizing color. Highly responsive to your mood and setting, this lantern steps up the power of ambient lighting through smart tech and thoughtful design.



Cool, Warm, & Color Modes



ChromaReal LED Technology



Rechargeable 6,400 mAh
Battery Offers Charge Out



LUMENS

500 Lm

BURN TIME (HRS)

48 LO/4.5 HIGH

DIMENSIONS

5.4 x 3.8 in diameter
(136 x 97mm diameter)

INPUTS/OUTPUTS

Micro USB charge in
USB A charge out

BATTERY

6,400 mAh, (22.2 Wh)

WEIGHT

13.8 oz (390 g)

IPX4 RATING

IPX4

LIGHTING MODES

- Cool light, full (360 degree)
- Cool light, half (180 degree)
- Warm light, full (360 degree)
- Warm Candle Flicker
- 1 color light
- 1 color party mode
- Multicolor light (preset)
- Multicolor party mode

AlpenGlow 250

LNA0100

High efficiency meets high ambiance with this nature-inspired portable lantern. Combining ChromaReal LED technology with ergonomic user-friendly design, chose from a mix of warm, cool, and color tones to match the mood of your environment. 3,200 mAh battery can run for up to 48 hours on low.



LUMENS

250 Lm

BURN TIME (HRS)

48 LO/4.5 HIGH

DIMENSIONS

3.7 x 3.0 in diameter
(95 x 75mm diameter)

IPX4 RATING

IPX4

INPUTS/OUTPUTS

Micro USB charge in
USB A charge out

BATTERY

3,200 mAh, (11.1 Wh)

WEIGHT

7.6 oz (215 g)

LIGHTING MODES

- Cool light, full (360 degree)
- Cool light, half (180 degree)
- Warm light, full (360 degree)
- Warm Candle Flicker
- 1 color light
- 1 color party mode
- Multicolor light (preset)
- Multicolor party mode

AlpenGlow Mini

LNC0101
CHARCOAL

LNC0103
OCEAN TEAL

The newest addition to our AlpenGlow line, the AlpenGlow Mini offers multiple lighting modes with ultimate portability. This grab-and-go lantern offers run times of up to 40 hours and versatile hanging configurations thanks to the integrated bungee cord. Available in 4 colors to integrate into a variety of off-grid and on-grid environments.



LUMENS

150 Lm

BURN TIME (HRS)

40 LO/5 HIGH

IPX RATING

IPX4

INPUTS

USB-C charge in

BATTERY

1000 mAh

WEIGHT

98 g (3.5 oz)

LIGHTING MODES

- Warm light
- Single color
- 1 color cycling
- Multicolor cycling

CHARGE UP TIME

4 hours via USB-C

Luci Original Clear

LCA0102

Compact yet powerful, the Luci Original Clear inflatable solar lantern provides up to 24 hours of reliable light on a single charge. Featuring a built-in rechargeable 1,000 mAh lithium-ion battery, emitting up to 75 lumens through a clear finish, and collapsing down to 1 inch, the waterproof Luci Original Clear is built for adventure.

LUMENS

75 Lm

RUN TIME (HRS)

24 LO/6 HIGH

DIMENSIONS

4.25 x 5 in diameter
(108 x 127mm diameter)
1 in (25mm) collapsed

INPUTS/OUTPUTS

USB-C charge in

BATTERY

1,000 mAh

WEIGHT

4.4 oz (125 g)

WATER RESISTANCE

IP67 rating

LIGHTING MODES

- Low
- Medium
- High
- Strobe

FINISH

Clear

LEDS

10 cool white



Luci Original Color

LCA0103

With 8 fun color modes to choose from, a color-cycle mode that seamlessly changes from one color to the next, Luci Original Color inflatable solar light transforms any space at the click of a button. Featuring 10 RGB LEDs, a sparkle finish, and collapsing down to 1 inch, Luci Original Color is the perfect way to bring a little color with you wherever you go.

RUN TIME (HRS)

Up to 9 hours

DIMENSIONS

4.25 x 5 in diameter
(108 x 127mm diameter)
1 in (25mm) collapsed

BATTERY

1,000 mAh

WEIGHT

4.4 oz (125 g)

WATER RESISTANCE

IP67 rating

FINISH

Sparkle

LEDS

10 RGB

LIGHTING MODES

- Color cycle
- Red
- Green
- Blue
- Purple
- Yellow
- Cyan
- Orange
- White



Luci Original Matte

LCA0101

Functional and stylish, the Luci Original Matte inflatable solar lantern provides up to 24 hours of soft, warm light on a single charge. Featuring a built-in rechargeable 1,000 mAh lithium-ion battery, emitting up to 65 lumens through a frosted finish, and collapsing down to 1 inch, Luci makes on-the-go lighting easier than ever before.

LUMENS

65 Lm

RUN TIME (HRS)

24 LO/6 HIGH

DIMENSIONS

4.25 x 5 in diameter
(108 x 127mm diameter)
1 in (25mm) collapsed

INPUTS/OUTPUTS

USB-C charge in

BATTERY

1,000 mAh

WEIGHT

4.4 oz (125 g)

WATER RESISTANCE

IP67 rating

LIGHTING MODES

- Low
- Medium
- High
- Strobe

FINISH

Matte

LEDS

10 warm white



Luci Charge 150

LCB0100

With mobile charging capabilities, 150 lumens, and lasting up to 50 hours on a single charge, Luci Charge 150 will take you further than ever before. Featuring a built-in rechargeable 2,000 mAh lithium-ion battery, 10 cool white LEDs shining through a clear finish, and collapsing down to just 1.5 inches, Luci Charge 150 is ready for any adventure thrown at it.

LUMENS

150 Lm

RUN TIME (HRS)

50 LO/5 HIGH

DIMENSIONS

5 x 5 in diameter
(127 x 127mm diameter)
1.5 in (38mm) collapsed

INPUTS/OUTPUTS

USB-C charge in/out
USB-A charge out

BATTERY

2,000 mAh

WEIGHT

6.1 oz (173 g)

WATER RESISTANCE

IP67 rating



LIGHTING MODES

- Low
- Medium
- High
- Strobe

FINISH

Clear

LEDS

10 cool white

Luci Candle

LCF0100

Solar-powered, long-lasting, and flame-free, Luci Candle provides all the ambiance of a candle with none of the worry. Mimicking candlelight for up to 18 hours on a single charge and flickering through a matte finish, Luci Candle provides peace of mind where traditional candles cannot.



RUN TIME (HRS)

18 LO/10 HIGH

DIMENSIONS

4 x 4 in diameter
(102 x 102mm diameter)
1 in (25mm) collapsed

BATTERY

350 mAh

WEIGHT

2.8 oz (79 g)

WATER RESISTANCE

IP67 rating

LIGHTING MODES

- Candle flicker
- Low
- High

FINISH

Matte

LEDS

1 amber

Luci Charge 360

LCC0100

Extending the day long into night, Luci Charge 360 provides up to 110 hours of reliable light on a single charge. With its built-in rechargeable 4,000 mAh lithium-ion battery, emitting up to 360 lumens via 31 warm white LEDs, and featuring mobile charging capabilities, Luci Charge 360 is a must-have for lighting up any large campsite, backyard, or basement.

LUMENS

360 Lm

RUN TIME (HRS)

110 LO/5 HIGH

DIMENSIONS

5.4 x 6 in diameter
(137 x 152mm diameter)
1.5 in (38mm) collapsed

INPUTS/OUTPUTS

USB-C charge in/out
USB-A charge out

BATTERY

4,000 mAh

WEIGHT

10.1 oz (286 g)

WATER RESISTANCE

IP67 rating



LIGHTING MODES

- Low
- Medium
- High
- Strobe

FINISH

Matte

LEDS

31 warm white

Luci Emergency

LCE0100

Designed for emergencies and built to last, Luci Emergency is the pocket-sized lantern, flashlight, and S.O.S. beacon that is reliable and dependable. Featuring 5 light modes, an IP67 waterproof rating, and collapsing down to just 1 inch, Luci Emergency shines reliably through storms, blackouts, and roadside trouble for up to 7 hours on a single charge.



RUN TIME (HRS)

7 LO/3 RED

DIMENSIONS

4 x 4 in diameter
(102 x 102mm diameter)
1 in (25mm) collapsed

FINISH

Matte slides, clear top

BATTERY

600 mAh

WEIGHT

2.8 oz (79 g)

WATER RESISTANCE

IP67 rating

LEDS

3 cool white, 1 red

LIGHTING MODES

- Low
- High
- Strobe
- S.O.S
- Steady red



Solar String 18' Color

SHA0501

With 6 unique color modes shining across an 18 ft nylon-braided cord, Solar String 18' Color transforms your surroundings at the click of a button. Featuring 20 RGB LEDs integrated into 10 shatterproof bulbs, you can switch between colors, or simply select the color-cycle mode and seamlessly change from one color to the next. Plus, with rechargeability via solar or USB, these solar string lights are perfect for adding a splash of color to your space.

STRING LENGTH

18 ft

BULBS

10

LEDS

20 RGB

DIMENSIONS

2 x 5 in diameter
(50 x 127mm diameter)

INPUTS/OUTPUTS

USB-C charge in/out
USB-A charge out

BATTERY

2,000 mAh

RUN TIME (HRS)

15 LO/5 HIGH

WATER RESISTANCE

IPX4 rating



LIGHTING MODES

- Color cycle
- Blue
- Violet
- Turquoise
- Green
- Pink
- Cool white
- Flashlight

WEIGHT

11.3 oz (320 g)

Solar String 18' Warm White

SSA0101

Solar, portable, and always ready to hang, Solar String 18' White is the perfect way to brighten the backyard or backcountry. These 18 ft nylon-braided string lights pack 100 lumens of power into 10 shatterproof bulbs. Shining for up to 20 hours on a single charge, these string lights are the perfect way to light up your space.

STRING LENGTH

18 ft

BULBS

10

LEDS

20 warm white

DIMENSIONS

2 x 5 in diameter
(50 x 127mm diameter)

INPUTS/OUTPUTS

USB-C charge in/out
USB-A charge out

BATTERY

2,000 mAh

RUN TIME (HRS)

20 LO/5 HIGH

WATER RESISTANCE

IPX4 rating



LUMENS

100 Lm

LIGHTING MODES

- Low
- Medium
- High
- External flashlight

WEIGHT

11.3 oz (320 g)



Solar String 44' Color

SSB0102

With 6 color modes to choose from, a color-cycle mode that seamlessly changes from one color to the next, Solar String 44' Color transforms any space at the click of a button for up to 25 hours on a single charge. Featuring a 44' ft nylon-braided cord, 20 shatterproof bulbs, and a detachable 4,000 mAh rechargeable battery, these solar string lights provide illumination and ambiance to any outdoor space. Plus, with its completely detachable unit, you can remove and recharge the unit, all while leaving your string setup intact.

STRING LENGTH

44 ft

BULBS

20

LEDS

40 RGB

DIMENSIONS

2.8 x 7 in diameter
(73 x 178mm diameter)

BATTERY

4,000 mAh

RUN TIME (HRS)

25 LO

WATER RESISTANCE

IPX4 rating

INPUTS/OUTPUTS

USB-C charge in/out
USB-A charge out



LIGHTING MODES

- Red
- Orange
- Blue
- Purple
- Green
- Warm White
- Color cycle

WEIGHT

25.7 oz (780 g)

Solar String 44' Warm White

SHA0501

Powerful and expansive, Solar String 44' White provides up to 40 hours of energy-efficient light on a single charge. With its completely detachable unit, you can remove and recharge the power hub via the solar panel or built-in USB port, all while leaving your string setup intact. Featuring a 48 ft nylon-braided cord, 20 shatterproof bulbs, 40 warm white LEDs, and a 4,000 mAh rechargeable battery with mobile charging capabilities, these solar string lights provide illumination and ambiance to any outdoor space.

STRING LENGTH

44 ft

LUMENS

140 Lm

BULBS

20

LEDS

40 warm white

INPUTS/OUTPUTS

USB-C charge in/out
USB-A charge out

BATTERY

4,000 mAh

RUN TIME (HRS)

40 LO/8 HIGH

WATER RESISTANCE

IPX4 rating



LIGHTING MODES

- Low
- Medium
- High

WEIGHT

26.2 oz (745 g)

DIMENSIONS

2.8 x 7 in diameter
(73 x 178mm diameter)

Site Lights

SLD0100

Stake, string, or carry light wherever you need

Featuring 6 hangable lights, 6 ABS stakes, and 1 charging case for storage, Site Lights illuminate any scene for up to 20 hours on a single charge. Whether using the lights independently as "stringless string lights" or connecting onto the stakes to form an illuminated tent peg, the user-friendly design makes using the Site Lights a breeze. From brightening up dinners on the patio to off-grid adventures, Site Lights are the perfect choice for making memories under the night sky.

-  6 ABS stakes with 3-sided design for holding power
-  6 waterproof bulbs with hanging notch
-  User-friendly dual-directional on/off swivel
-  1,000 sq. ft. of illumination



TECH SPECS

ILLUMINATION
1,000 sq. ft.

RUN TIME (HRS)
20 LO/6 HIGH

DIMENSIONS
Lights: 2.3 in (6 cm)
Stakes: 6.3 in (16.2 cm)
Case: 7.3 x 2.9 x 3.7 in (18.5 x 7.3 x 9.4 cm)

INPUTS/OUTPUTS
USB-C charge in

BATTERY
2,600 mAh

STAKES
6 ABS

BULBS
6 weatherproof

LIGHTING MODES
 Low
 Medium
 High

LIGHT CHARGE
6 lights twice on a full battery

LEDS
1 in each light

Solar FlexLight

SFA0100

Light however, and wherever, you need

Task light, emergency light, overhead light, tabletop lamp, Solar FlexLight does it all. With its adjustable 14 inch silicone arm, and 3 cool white LEDs shining through a matte finish, you can direct light however you choose for up to 12 hours on a single charge. Whether you set it up as a lamp, hang it from above, or attach it to your belt, Solar FlexLight has you covered.

-  14" adjustable silicone arm
-  Rechargeable via solar panel or USB quick-charge
-  Lasts up to 12 hours on a single charge
-  Weighs only 124g



TECH SPECS

LUMENS
40 Lm

RUN TIME (HRS)
12 LO/3 HIGH

DIMENSIONS
1.2 x 4 in diameter
(30 x 101mm diameter)
14 in (355mm) arm

INPUTS/OUTPUTS
USB charge in

BATTERY
450 mAh

WEIGHT
4 oz (124 g)

WATER RESISTANCE
IPX4 rating

LIGHTING MODES
 Low
 Medium
 High
 Strobe

FINISH
Matte

LEDS
3 cool white



BioLite Crossover Line

Used by over **8 million people** in off-grid homes around the world, BioLite's SolarHome Series is a groundbreaking system that is changing the landscape of energy access.

Designed for emerging markets, BioLite is proud to offer this crossover line to our outdoor recreation market, a benefit of our unique model of parallel innovation.

SolarHome 625

SHA0501

Multi-Room Solar Light & Power

SolarHome 625 is a self-contained system of solar lighting and charging that can turn any off-grid structure into an electrified home. The system combines easy lightweight overhead lighting, USB charging for small devices, and radio/mp3 capabilities, creating a hub designed for everyday use. Three hanging lights are included for multi-area illumination, one of which includes motion-sensor capabilities perfect for pathways or a little added security. Ideal for cabins, van setups, hunting structures, and emergency kits, the SolarHome 625 is an ideal entry into solar living with easy installation and flexible setup.



6 Watt Solar System



3 Hanging Lights, One Includes Option Motion Sensors



MP3 & Radio



Centralized Control Box With Integrated Light



TECH SPECS

BATTERY

3800 mAh,
6.4 V (24.3 Wh)

RUN TIMES

4 Lights On Low: 20 hours
4 Lights On Med: 10 hours
4 Lights On Hi: 6 hours

LUMENS


130 Lm in each hanging light
80 Lm control box light
470 Lm total

WEIGHT

Control Box 610 g (1.3 lbs)
Lights (each) 230 g (0.5 lbs)
Solar Panel 720 g (1.6 lbs)

IN THE BOX

Control Box
2 Hanging Lights
1 Security/Motion Light
1 Solar Panel
USB Device Adapter (micro, USB-C,
3.5mm DC)
Mounting Hardware



Power

Portable Battery Banks



⚡ CHARGE

Charge 100 Max

CBD0100

A power bank designed to keep up with daily life, the Charge 100 Max can power multiple devices at once - and fast. USB-C ports deliver a reliable charge to laptops, earbuds, hotspots and more while the wireless charging keeps phones and tablets running without the need for a cord. Designed for packability and portability, this ultraslim battery delivers the charge you need for life on-the-go.



Full Charge For Most 15" Laptops



FAA Carry-On Compliant



Magnetic Wireless Charging



BATTERY

91.25 Wh (18.25V, 5,000mAh).
Eq. Capacity: 3.65V, 25,000mAh
1,000 cycles to >70% capacity

WEIGHT

1.3 lbs (580 g)

CHARGE TIME

Under 2 hours by
65W USB C-PD

DIMENSIONS

5.5 X 4.4 X 1.4 in
(140 x 112 x 35 mm)

OUTPUT POWER

120W total

INPUTS

USB C-PD, up to 65W

OUTPUT PORTS

(2x) 100W USB-C PD (1x)
15W USB-C
(1x) 15W USB-A
15W MagSafe Wireless

65W Fast Charger

CBD0101

INPUT

100-240V AC,
50/60HZ

AC PLUG TYPE

Type A, US

2 PORT OUTPUT

USB-C1 & USB-A
C1: 45W + A: 18W

USB-C2 & USB-A
5V 3A

USB-C1 & C2
C1: 45W + C2: 18W

1 PORT OUTPUT

USB-C1
PDO: 5V3A / 9V3A / 12V3A / 15V3A /
20V3.25A. PPS: 3.3-21V 3A

USB-C2
PDO: 5V3A / 9V2A / 12V1.5A
PPS: 3.3-5.9V 3A or 3.3-11.0V 1.8A

USB-A
5V3A / 9V2A / 12V1.5A



Charge 80 PD

CBC0100

Designed to power the next generation of high-performance personal electronics, Charge 80 PD features USB-C Power Delivery for faster, more flexible charging. Charge compatible laptops, tablets, phones, and more. Compact design is easily packable and ready for travel or life away from an outlet.



BATTERY

20,000 mAh, (74 Wh)

CHARGE TIME

5 hrs by up to 18W USB C-PD

USB A & USB C-PD

POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

WEIGHT

16.4 oz (465 g)

DIMENSIONS

8.7 x 3.1 x 0.94 in
(221.5 x 78.3 x 24.0 mm)

Charge 40 PD

CBA0100

Designed to power the next generation of high-performance personal electronics, Charge 40 PD features USB-C Power Delivery for faster, more flexible charging. Power phones, tablets, and other every day gear. Compact design is easily packable and ready for travel or life away from an outlet.



BATTERY

10,000 mAh, (37 Wh)

CHARGE TIME

2.5 hrs by up to 18W USB C-PD

USB A & USB C-PD

POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

WEIGHT

9.4 oz (265 g)

DIMENSIONS

5.5 X 3.1 X 0.94 in
(139.5 x 78.3 x 24.0 mm)

Charge 20 PD

CBA0100

Designed to power the next generation of high-performance personal electronics, Charge 20 PD features USB-C Power Delivery for faster, more flexible charging. Compact design is easily packable and ready for travel or life away from an outlet.



BATTERY

6,000 mAh, (22.2 Wh)

CHARGE TIME

2 hrs by up to 18W USB C-PD

USB A & USB C-PD

POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

WEIGHT

5.8 oz (165 g)

DIMENSIONS

4.4 X 2.0 X 0.98 in
(112.3 x 51.0 x 24.8 mm)



BioLite

Cooking

FirePit & Accessories
CampStove & Accessories

FirePit+

FPA0201

See Fire, Not Smoke

With capacity for up to four standard firewood logs, the BioLite FirePit creates a hyper-efficient burn with patented airflow technology and gives you a front-row seat to the magic thanks to the X-Ray Mesh Body, enabling 360 views. Lift the fuel rack and toss in charcoal to transform the FirePit into a hibachi-style grill, complete with an included grill grate.

 12,800 mAh Battery
For Longer Run Times

 High-Temp Enamel Coating

 X-Ray Mesh For 360° Viewing

 Use Wood or Charcoal

 Bluetooth Enabled



BURN TIME

Fan Low: 30 Hours
Fan Medium: 14 Hours
Fan High: 7 Hours

WEIGHT

19.8 lbs (8.98 kg)

COOKING SURFACE


130 in² (822 cm²)

FUEL

Firewood or charcoal

INPUTS/OUTPUTS

Micro USB/USB A



FirePit Carry Bag

FPD0100

Make transport and storage a breeze with this carry bag custom designed to fit the FirePit and all of its accessories. The fully encased design means you can throw your FirePit in the back of your car without worry of ash or cooking leftovers touching your interior. The bag also works as a firewood sling so you can have fuel at the ready.

MATERIALS

Heavy duty canvas

DIMENSIONS

24 x 16 x 12.5 in
(61 x 41 x 32 cm)



FirePit FirePoker

FAB0200

The poker's broad flat edge helps stoke fuel and ensure logs are properly stacked for ideal airflow while the curved point hooks onto the FirePit's fuel rack for easy adjustment to the charcoal or wood setting.

MATERIALS

Stainless steel, silicone rubber

DIMENSIONS

23.4 x 2.2 x 0.5 in
(59 x 5.6 x 1.4 cm)

WEIGHT

148 g (5.2 oz)



Prep & Grill Toolkit

BNB0101

Packable tools designed for cooking with fire. The extra long design provides comfortable distance from flames and heat while the roll-up organizational mat keeps everything in order. Made of durable and rust-resistant food grade stainless steel.

INCLUDES

Santoku knife, Slotted turner,
Locking tongs, Tool roll

MATERIALS

Heat resistant stainless steel, nylon



FirePit FireMat

BNB0101

The FireMat is designed to reflect radiant heat, making it an ideal solution for decks, patios, lawns, and other sensitive surfaces. The FireMat packs up easily and is ready for your next burn.

MATERIALS

Aluminum coated fiberglass fabric

DIMENSIONS

31.8 x 24.0 in
(80.8 x 61.0 cm)

WEIGHT

450 g (16 oz)





CampStove Complete Cook Kit

BNA0100

Portable Wood Cooking System

Cook, boil, grill, and charge with this outdoor camp kitchen. Generate electricity and create smokeless wood flames with the award-winning CampStove 2+ while cooking up meals and beverages with the Portable Grill, KettlePot, and Coffee Press accessories. Featuring an updated 100 lumen FlexLight with ChromaReal LED technology, cook with confidence at night thanks to accurate color rendering.



On-Demand Electricity



Runs On Sticks Or Pellets



Create Full Meals
& Hot Beverages



100 Lm ChromaReal
FlexLight Included



TOTAL WEIGHT

4.94 lbs (2.25 kg)

INCLUDED IN BUNDLE

CampStove 2+
CampStove Portable Grill
CampStove KettlePot
KettlePot Coffee Press
FlexLight 100

CampStove 2+

CSC0200

Turn Fire Into Electricity

Turn fire into electricity with BioLite's award-winning wood stove. Patented thermoelectric combustion technology creates a vortex of smokeless flames for a portable campfire that can cook your meals and charge your gear. Featuring an updated 100 lumen FlexLight with ChromaReal LED technology, cook with confidence at night thanks to accurate color rendering.



BATTERY

3,200 mAh

FLEXLIGHT (INCLUDED)

100 lumens

FUEL

Renewable biomass
(twigs, sticks, pellets)

WEIGHT

2.06 lbs (935 g)

BOIL TIME

4.5 minutes for 1 L

USB OUTPUT

1x USB A, 5V / 2.0A



3200 mAh Integrated Battery



100 Lm ChromaReal
FlexLight Included



Extra Storage Stuffsack



Smart LED Dashboard



Smokeless Flames



5.0" (127 mm)

7.91"
(201 mm)

8.25"
(210 mm)



CampStove KettlePot & Coffee Set

BNA0101

Cook meals, boil water, and make coffee with this quick cooking system. Designed for use with the BioLite CampStove, the KettlePot cooks like a pot and pours like a kettle while the included CoffeePress delivers french-press style brewing. When not in use, KettlePot doubles as a hard-carry case for your CampStove, saving space in your pack and offering extra protection.



MATERIALS

Stainless steel,
silicone, plastic

WEIGHT

1.02 lbs (465 g)

MATERIALS

BPA-free
polypropylene

VOLUME

Boils 1-6 cups

CampStove Portable Grill

CSD0200

Cook your favorite meals over wood with one of the lightest tabletop grills on the market. Transform your BioLite CampStove 2 into a wood-fired grilling surface with this seamless and fun attachment.



COOKING AREA

55 sq inches

WEIGHT

1.875 lbs (850 g)

FOLDED SIZE

9.5 x 12 x 3.5 in
(24.13 x 30.48 x 8.89 cm)

UNFOLDED SIZE

9.5 x 12 x 10.5 in
(24.13 x 30.48 x 26.67 cm)

BioLite Spring 2026 Product Assortment

LIGHT

HEADLAMPS



HeadLamp 800 Pro

● HPC0201



Dash 450

● HPA0411
● HPA0410
● HPA0412



Range 500

● HPD01010
● HPD01012
● HPD01013



Range 400

● HPE0101
● HPE0102
● HPE0103



Range 300

● HPF01010
● HPF01012
● HPF01013

USB LANTERNS



AlpenGlow 500
LNB0100



AlpenGlow 250
LNA0100



AlpenGlow Mini
● LNC0101
● LNC0103

SOLAR UTILITY



Solar FlexLight
SHA0501

SOLAR INFLATABLE LANTERNS



Luci Original

● Matte: LCA0101
● Clear: LCA0102
● Color: LCA0102



Luci Charge 150
LCB0100



Luci Charge 360
LCC0100



Luci Emergency
LCE0100



Luci Candle
LCF0100

SOLAR STRING LIGHTS



Solar String 18'

● Warm White: SSA0101
● Color: SSA0102



Solar String 44'

● Warm White: SSB0101
● Color: SSB0102



Site Lights
SLD0100

INSTALLED SOLAR



SolarHome 625
SHA0501

CHARGE

BATTERY BANKS



Charge 100 Max
CBC0100



Charge 80 PD
CBC0100



Charge 40 PD
CBB0100



Charge 20 PD
CBA0100

COOK

PORTABLE STOVES



CampStove
Complete Cook Kit
BNA0100



CampStove 2+
CSC0200



CampStove
KettlePot &
Coffee Set
BNA0101



CampStove
Portable Grill
CSD0200

CAMPFIRE EVOLVED



FirePit+
FPB1001



FirePit Prep
& Grill Toolkit
BNB0101



FirePit Carry Bag
FPD0100



FirePit Poker
FAB0200



FirePit Mat
FAA0200



Dealer Inquiries

Any questions, please reach out to
sales@bioliteenergy.com

