





scientificanglers.com



ABSOLUTE TIPPET

UP TO stronger

WET-KNOT STRENGTH THAN PREMIUM COMPETITION



6 | LEADER AND TIPPET

92 | MASTERY

23 | WIRE LEADERS

108 | TWO-HANDED

28 | TECHNOLOGIES

118 | SHOOTING HEADS & LINES

42 | AMPLITUDE TEXTURED

120 | FREQUENCY

56 | AMPLITUDE SMOOTH

125 | AIR CEL 128 | BACKING

74 | SONAR

66 | SONAR TITAN

130 | ACCESSORIES

84 | SONAR STILLWATER

140 | HATS & CLOTHING






ABSOLUTE LEADER & TIPPET


Best in class material. Absolute leaders and tippet are made with proprietary copolymer blends that drastically limit water absorption while maintaining optimal suppleness for high knot strength. A post production coating further limits water absorption and UV degradation while increasing lubricity to manage heat buildup from knot tightening friction. This results in a 29% higher wet knot strength for nylon and 15% strength gain for fluorocarbon and 33% higher knot strength for Supreme Fluorocarbon over previous offerings.

Competitive testing performed by 3rd party testing facility:



*Competitive materials in no particular order: Rio Powerflex+, Rio Powerflex, Umpqua, Trouthunter, Trouthunter EVO

Simple and sustainable packaging. Intuitive color scheme for easy identification of material and application. Leader packages are 100% biodegradable, including plastic window and ink, to reduce single use plastic packaging. Small tippet spools feature a color-coded, printed silicone band for better tippet retention and legibility.




Bass Salmon/Steelhead Specialty Predator



ABSOLUTE LEADER & TIPPET



Specialty leader tapers designed for specific, demanding applications. Butt diameters have been updated to match perfectly with modern fly line design.







ABSOLUTE FLUOROCARBON TROUT

FLUOROCARBON TIPPET

	Sizes: 7X – 0X	ITEM NUMBER	SIZE	DIAMETER	BREAK STRENGTH
	Length: 30m spools in all sizes	135450	7X	0.004" / .10 MM	2.5 LB / 1,1 KG
	Length. 30m spoots in all sizes	140713	6.5X	0.0045" / .11 MM	3.0 LB / 1,4 KG
•	100% fluorocarbon for ultimate	135467	6X	0.005" / .13 MM	3.5 LB / 1,6 KG
	stealthy presentations	140720	5.5X	0.0055" / .14 MM	4.1 LB / 1,8 KG
•	Supple for drag free drifts	135474	5X	0.006" / .15 MM	4.6 LB / 2,1 KG
	Sugg. Retail - \$16.95	140737	4.5X	0.0065" / .17 MM	5.7LB/2,6KG
•		135481	4X	0.007" / .18 MM	6.7LB/3,0KG
		135498	3X	0.008" / .20 MM	8.4 LB / 3,8 KG
		135504	2X	0.009" / .23 MM	9.5 LB / 4,3 KG
		135511	1X	0.010" / .25 MM	11.8 LB / 5,4 KG



ABSOLUTE FLUOROCARBON TROUT 100M

0X 0.011" / .28 MM

13.4 LB / 6,1 KG

FLUOROCARBON TIPPET

	LOOKOCARDON TIFFLI	ITEM			BREAK STRENGTH	
	Sizes: 6X – oX	NUMBER	SIZE	DIAMETER		
	Length: 100m spools in all sizes	137836	6X	0.005" / .13 MM	3.5 LB / 1,6 KG	
	ě i	137843	5X	0.006" / .15 MM	4.6 LB / 2,1 KG	
•	100% fluorocarbon for ultimate stealthy	137850	4X	0.007" / .18 MM	6.7 LB / 3,0 KG	
	presentations	137867	3X	0.008" / .20 MM	8.4 LB / 3,8 KG	
	Supple for drag free drifts	137874	2X	0.009" / .23 MM	9.5 LB / 4,3 KG	
		137881	1X	0.010" / .25 MM	11.8 LB / 5,4 KG	
•	Sugg. Retail - \$39.95	137898	ΟX	0.011" / 28 MM	13.41B/61KG	



ABSOLUTE FLUOROCARBON TIPPET

FLUOROCARBON TIPPET

	ITEM			BREAK
 Sizes: 4lb – 20lb 	NUMBER	SIZE	DIAMETER	STRENGTH
• Length: 30m spools in all sizes	135795	4LB	0.006" / .15 MM	4.0 LB / 1,8KG
	135535	6LB	0.007" / .18 MM	6.0 LB / 2,7KG
100% Fluorocarbon, abrasion resistant for	135542	8LB	0.008" / .20 MM	8.0 LB / 3,6KG
Saltwater, Warmwater, and Anadromous	135559	10LB	0.010" / .25 MM	10.0 LB / 4,5KG
species	135566	12LB	0.011" / .28 MM	12.0 LB / 5,4KG
 Stiff material for excellent turnover 	135573	16LB	0.013" / .32 MM	16.0 LB / 7,3KG
• Sugg. Retail - \$16.95	135580	20LB	0.015" / .38 MM	20.0 LB / 9,1KG





NEW

ABSOLUTE SALTWATER SUPREME

FLUOROCARBON TIPPET

I LOOKOCARDON HEFE I		ITEM	BREAK		
 Sizes: 10-20LB 		NUMBER	SIZE	DIAMETER	STRENGTH
• Length: ZOm spor	Length: 30m spools in all sizes		10LB	0.009" / .23 MM	10.0 LB / 4,5 k
Length. John spot	Length. 50m spoots in all sizes	142397	12LB	0.010" / .25 MM	12.0 LB / 5,4 K
	on for ultimate stealthy	142403	16LB	0.011" / .28 MM	16.0 LB / 7,3 K
presentations		142410	20LB	0.013" / .33 MM	20.0 LB / 9,1 K

Supple yet resilient material for exceptional knots in demanding situations

Sugg. Retail - \$29.95



ABSOLUTE TROUT SUPREME

FLUOROCARBON TIPPET

LOOKOC, IKBON TII I LI	ITEM			BREAK
Sizes: 7X – 0X	NUMBER	SIZE	DIAMETER	STRENGTH
Length: 30m spools in all sizes	139021	7X	0.004" / .10 MM	2.9 LB / 1,3 KG
Length gom spoots in all sizes	139038	6X	0.005" / .13 MM	3.7 LB / 1,7 KG
100% fluorocarbon for ultimate stealthy	139045	5X	0.006" / .15 MM	5.2 LB / 2,4 KG
presentations	139052	4X	0.007" / .18 MM	7.1 LB / 3,2 KG
Supple for drag free drifts	139069	3X	0.008" / .20 MM	8.7 LB / 3,9 KG
Sugg. Retail - \$29.95	139076	2X	0.009" / .23 MM	10.2 LB / 4,6 KG
	139083	1X	0.010" / .25 MM	13.0 LB / 5,9 KG
	139090	OX	0.011" / .28 MM	16.0 LB / 7,3 KG



ABSOLUTE FLUOROCARBON

FLUOROCARBON TAPERED LEADER

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
134835	9'	7X	16.95	0.004" / 0.10 MM	0.019" / 0.47 MM	2.5 LB / 1,1KG
134842	9'	6X	16.95	0.005" / 0.13 MM	0.019'' / 0.47 MM	3.5 LB / 1,6KG
134859	9'	5X	16.95	0.006" / 0.15 MM	0.021'' / 0.53 MM	4.6 LB / 2,1KG
134866	9'	4X	16.95	0.007'' / 0.18 MM	0.021'' / 0.53 MM	6.7 LB / 3,0KG
134873	9'	3X	16.95	0.008'' / 0.20 MM	0.021'' / 0.53 MM	8.4 LB / 3,8KG
134880	9'	2X	16.95	0.009'' / 0.23 MM	0.022'' / 0.57 MM	9.5 LB / 4,3KG
134897	9'	1X	16.95	0.010'' / 0.25 MM	0.022'' / 0.57 MM	11.8 LB / 5,4KG
134903	9'	OX	16.95	0.011'' / 0.28 MM	0.022'' / 0.57 MM	13.4 LB / 6,1KG
ITEM			SUGG	TIPPET	BUTT	
NUMBER	LENGTH	SIZE	RETAIL	DIAMETER	DIAMETER	BREAK STRENGTH
134910	9'	8LB	16.95	0.008'' / 0.20 MM	0.022'' / 0.57 MM	8.0 LB / 3,6KG
134927	9'	10LB	16.95	0.010'' / 0.25 MM	0.022'' / 0.57 MM	10.0 LB / 4,5KG
134934	9'	12LB	16.95	0.011" / 0.28 MM	0.022'' / 0.57 MM	12.0 LB / 5,4KG
134941	9'	16LB	16.95	0.013'' / 0.33 MM	0.024" / 0.60 MM	16.0 LB / 7,3KG
134958	9'	20LB	16.95	0.015'' / 0.38 MM	0.024" / 0.60 MM	20.0 LB / 9,1KG

 $scientific anglers.com \,|\, 855\text{-}799\text{-}2822 \,|\, dealer support @scientific anglers.com$



29% STRONGER WET KNOT STRENGTH THAN PREVIOUS MATERIAL AND UP TO **40% STRONGER THAN PREMIUM COMPETITION**





ABSOLUTE TROUT

F	RESHWATER TIPPET	ITEM NUMBER	SIZE	DIAMETER	BREAK STRENGTH
	Sizes: 7X – oX	135177	7X	0.004" / .10 MM	2.4 LB / 1,1 KG
	Length: 30m spools in all sizes	140683	6.5X	0.0045" / .11 MM	3.0 LB / 1,3 KG
	Supple for drag free drifts	135184	6X	0.005" / .13 MM	3.5 LB / 1,6 KG
		140690	5.5X	0.0055" / .14 MM	4.7 LB / 2,1 KG
	Up to 40% stronger wet-knot strength	135191	5X	0.006" / .15 MM	5.9 LB / 2,7 KG
	than competition	140706	4.5X	0.0065" / .17 MM	6.7 LB / 3,0 KG
		135207	4X	0.007" / .18 MM	7.4 LB / 3,4 KG
	Sugg. Retail - \$8.95	135214	3X	0.008" / .20 MM	9.0 LB / 4,1 KG
		135221	2X	0.009" / .23 MM	11.2 LB / 5,1 KG
		135238	1X	0.010" / .25 MM	13.9 LB / 6.3 KG
		135245	ΟX	0.011" / 28 MM	16.0 LB / 73 KG



ABSOLUTE TROUT 100M

FRESHWATER TIPPET

Sizes: 6X – 3X	ITEM		DIAMETER	BREAK
Length: 100m spools in all sizes	NUMBER 137751	SIZE 6X	0.005" / .13 MM	STRENGTH 3.5 LB / 1,6 KG
Supple for drag free drifts	137768	5X	0.006" / .15 MM	5.9 LB / 2,7 KG
Up to 40% stronger wet-knot strength than	137775	4X	0.007" / .18 MM	7.4 LB / 3,4 KG
competition	137782	3X	0.008" / .20 MM	9.0 LB / 4,1 KG

• Sugg. Retail - \$19.95



ABSOLUTE TROUT STEALTH

FRESHWATER TIPPET

	Sizes: 6X - 3X	ITEM NUMBER	SIZE	DIAMETER	BREAK STRENGTH
•	Length: 30m spools in all sizes	135757	6X	0.005" / .13 MM	3.5 LB / 1,6 KG
•	Supple for drag free drifts	135764	5X	0.006" / .15 MM	5.9 LB / 2,7 KG
	Light olive tint reduces line flash for ultra	135771	4X	0.007" / .18 MM	7.4 LB / 3,4 KG
	wary fish	135788	3X	0.008" / .20 MM	9.0 LB / 4,1 KG
	Up to 40% stronger wet-knot strength				

than competition

· Sugg. Retail - \$8.95



ABSOLUTE TIPPET

FRESHWATER TIPPET

•	112011111111111111111111111111111111111				
•	Sizes: 4lb — 20lb	ITEM NUMBER	SIZE	DIAMETER	BREAK STRENGTH
•	Length: 30m spools in all sizes	135252	4LB	0.006" / .15 MM	4.0 LB / 1,8 KG
	Medium Stiff material for Saltwater,	135269	6LB	0.007" / .18 MM	6.0 LB / 2,7 KG
	Warmwater, and Anadramous fish	135276	8LB	0.008" / .20 MM	8.0 LB / 3,6 KG
	Up to 40% stronger wet-knot strength than	135283	10LB	0.009" / .23 MM	10.0 LB / 4,5 KG
•	competition	135290	12LB	0.010" / .25 MM	12.0 LB / 5,4 KG
	compension	135306	16LB	0.011" / .28 MM	16.0 LB / 7,3 KG
•	Sugg. Retail - \$8.95	135313	20LB	0.013" / .33 MM	20.0 LB / 9,1 KG





Our new paper-based Leader packaging is now 100% recyclable. All materials, inks, and windows are fully biodegradable to protect our streams and reduce our environmental footprint. Please don't litter!

ABSOLUTE TROUT

FRESHWATER TAPERED LEADER

- · Tapers specifically designed for Trout fishing
- Updated butt diameters pair perfectly with modern trout fly lines
- · Supple material for drag free drifts
- Up to 40% stronger wet-knot strength than competition

0						
ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
133876	7.5'	6X	8.95	0.005" / 0.13 MM	0.023'' / 0.58 MM	3.5 LB / 1,6KG
133883	7.5'	5X	8.95	0.006'' / 0.15 MM	0.023'' / 0.58 MM	5.9 LB / 2,7KG
133890	7.5'	4X	8.95	0.007" / 0.18 MM	0.024'' / 0.61 MM	7.4 LB / 3,4KG
133906	7.5'	3X	8.95	0.008" / 0.20 MM	0.024'' / 0.61 MM	9.0 LB / 4,1KG
133913	7.5'	2X	8.95	0.009'' / 0.23 MM	0.025'' / 0.64 MM	11.2 LB / 5,1KG
133920	7.5'	1X	8.95	0.010'' / 0.25 MM	0.025'' / 0.64 MM	13.9 LB / 6,3KG
133937	7.5'	0X	8.95	0.011'' / 0.28 MM	0.025'' / 0.64 MM	16.0 LB / 7,3KG
133944	9'	7X	8.95	0.004'' / 0.10 MM	0.023'' / 0.58 MM	2.4 LB / 1,1KG
133951	9'	6X	8.95	0.005" / 0.13 MM	0.023'' / 0.58 MM	3.5 LB / 1,6KG
133968	9'	5X	8.95	0.006'' / 0.15 MM	0.023'' / 0.58 MM	5.9 LB / 2,7KG
133975	9'	4X	8.95	0.007" / 0.18 MM	0.024'' / 0.61 MM	7.4 LB / 3,4KG
133982	9'	3X	8.95	0.008" / 0.20 MM	0.024'' / 0.61 MM	9.0 LB / 4,1KG
133999	9'	2X	8.95	0.009'' / 0.23 MM	0.025'' / 0.64 MM	11.2 LB / 5,1KG
134002	9'	1X	8.95	0.010'' / 0.25 MM	0.025'' / 0.64 MM	13.9 LB / 6,3KG
134019	9'	0X	8.95	0.011'' / 0.28 MM	0.025'' / 0.64 MM	16.0 LB / 7,3KG
3-I FADER P	ACK					

3-LEADER	3-LEADER PACK							
ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH		
134170	7.5'	6X	19.95	0.005'' / 0.13 MM	0.023'' / 0.58 MM	3.5 LB / 1,6KG		
134187	7.5'	5X	19.95	0.006" / 0.15 MM	0.023'' / 0.58 MM	5.9 LB / 2,7KG		
134194	7.5'	4X	19.95	0.007'' / 0.18 MM	0.024" / 0.61 MM	7.4 LB / 3,4KG		
134200	7.5'	3X	19.95	0.008'' / 0.20 MM	0.024'' / 0.61 MM	9.0 LB / 4,1KG		
134217	7.5'	2X	19.95	0.009'' / 0.23 MM	0.025'' / 0.64 MM	11.2 LB / 5,1KG		
134224	7.5'	1X	19.95	0.010'' / 0.25 MM	0.025'' / 0.64 MM	13.9 LB / 6,3K		
134231	7.5'	0X	19.95	0.011'' / 0.28 MM	0.025'' / 0.64 MM	16.0 LB / 7,3K0		
134248	9'	7X	19.95	0.004" / 0.10 MM	0.023'' / 0.58 MM	2.4 LB / 1,1KG		
134255	9'	6X	19.95	0.005" / 0.13 MM	0.023'' / 0.58 MM	3.5 LB / 1,6KG		
134262	9'	5X	19.95	0.006'' / 0.15 MM	0.023'' / 0.58 MM	5.9 LB / 2,7KG		
134279	9'	4X	19.95	0.007'' / 0.18 MM	0.024" / 0.61 MM	7.4 LB / 3,4KG		
134286	9'	3X	19.95	0.008" / 0.20 MM	0.024" / 0.61 MM	9.0 LB / 4,1KG		
134293	9'	2X	19.95	0.009'' / 0.23 MM	0.025'' / 0.64 MM	11.2 LB / 5,1KG		
134309	9'	1X	19.95	0.010'' / 0.25 MM	0.025'' / 0.64 MM	13.9 LB / 6,3K		
134316	9'	0X	19.95	0.011'' / 0.28 MM	0.025'' / 0.64 MM	16.0 LB / 7,3K0		

ABSOLUTE CREEK TROUT

FRESHWATER TAPERED LEADER

· Short, compact leader to accurately deliver flies to pocket water

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
140317	6'	6X	8.95	0.005'' / 0.13 MM	0.021'' / 0.53 MM	3.5 LB / 1,6KG
140324	6'	5X	8.95	0.006'' / 0.15 MM	0.021'' / 0.53 MM	5.9 LB / 2,7KG
140331	6'	4X	8.95	0.007" / 0.18 MM	0.022'' / 0.56 MM	7.4 LB / 3,4KG
140348	6'	3X	8.95	0.008" / 0.20 MM	0.022'' / 0.56 MM	9.0 LB / 4,1KG



 $scientificanglers.com \mid 855\text{-}799\text{-}2822 \mid dealer support@scientificanglers.com}$





ABSOLUTE TROUT STEALTH FINESSE

FRESHWATER TAPERED LEADER

• Excellent for slack line presentations for long, drag free drifts

	TEM			SUGG	TIPPET	BUTT	BREAK
ı	NUMBER	LENGTH	SIZE	RETAIL	DIAMETER	DIAMETER	STRENGTH
1	38093	10'	7X	8.95	0.004" / 0.10 MM	0.022'' / 0.56 MM	2.4 LB / 1,1KG
1	38109	10'	6X	8.95	0.005'' / 0.13 MM	0.022" / 0.56 MM	3.5 LB / 1,6KG
1	38116	10'	5X	8.95	0.006" / 0.15 MM	0.022" / 0.56 MM	5.9LB/2,7KG
1	38123	10'	4X	8.95	0.007'' / 0.18 MM	0.022" / 0.56 MM	7.4 LB / 3,4KG
1	38130	12'	7X	8.95	0.004" / 0.10 MM	0.022" / 0.56 MM	2.4 LB / 1,1KG
1	38147	12'	6X	8.95	0.005" / 0.13 MM	0.022" / 0.56 MM	3.5 LB / 1,6KG
1	38154	12'	5X	8.95	0.006" / 0.15 MM	0.022" / 0.56 MM	5.9 LB / 2,7KG
1	38161	12'	4X	8.95	0.007" / 0.18 MM	0.022" / 0.56 MM	7.4 LB / 3,4KG



ABSOLUTE TROUT PRESENTATION

FRESHWATER TAPERED LEADER

- · Large butts to turn over longer length with ease
- · Progressive taper delicately delivers fly
- · Supple Material for drag free drifts

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
134026	11'	6X	8.95	0.005'' / 0.13 MM	0.024'' / 0.61 MM	3.5 LB / 1,6KG
134033	11'	5X	8.95	0.006" / 0.15 MM	0.024'' / 0.61 MM	$5.9LB/2,\!7KG$
134040	11'	4X	8.95	0.007'' / 0.18 MM	0.025'' / 0.64 MM	7.4 LB / 3,4KG
134057	11'	3X	8.95	0.008'' / 0.20 MM	0.025'' / 0.64 MM	9.0 LB / 4,1KG
134064	11'	2X	8.95	0.009" / 0.23 MM	0.026'' / 0.66 MM	11.2 LB / 5,1KG
134071	11'	1X	8.95	0.010'' / 0.25 MM	0.026'' / 0.66 MM	13.9 LB / 6,3KG
134088	11'	OX	8.95	0.011'' / 0.28 MM	0.026'' / 0.66 MM	16.0 LB / 7,3KG
134095	14'	5X	8.95	0.006" / 0.15 MM	0.028'' / 0.71 MM	5.9 LB / 2,7KG
134101	14'	4X	8.95	0.007'' / 0.18 MM	0.028'' / 0.71 MM	7.4 LB / 3,4KG
134118	14'	3X	8.95	0.008'' / 0.20 MM	0.028" / 0.71 MM	9.0 LB / 4,1KG



ABSOLUTE TROUT STEALTH

FRESHWATER TAPERED LEADER

· Light olive tint reduces line flash for ultra wary fish

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
140416	7.5'	6X	8.95	0.005'' / 0.13 MM	0.023'' / 0.58 MM	3.5 LB / 1,6KG
140423	7.5'	5X	8.95	0.006'' / 0.15 MM	0.023'' / 0.58 MM	5.9 LB / 2,7KG
140430	7.5'	4X	8.95	0.007'' / 0.18 MM	0.024'' / 0.61 MM	7.4 LB / 3,4KG
140447	7.5'	3X	8.95	0.008" / 0.20 MM	0.024'' / 0.61 MM	9.0 LB / 4,1KG
134125	9'	7X	8.95	0.004'' / 0.10 MM	0.023'' / 0.58 MM	2.4 LB / 1,1KG
134132	9'	6X	8.95	0.005'' / 0.13 MM	0.023'' / 0.58 MM	3.5 LB / 1,6KG
134149	9'	5X	8.95	0.006'' / 0.15 MM	0.023'' / 0.58 MM	5.9 LB / 2,7KG
134156	9'	4X	8.95	0.007'' / 0.18 MM	0.024'' / 0.61 MM	7.4 LB / 3,4KG
134163	9'	3X	8.95	0.008" / 0.20 MM	0.024" / 0.61 MM	9.0 LB / 4,1KG





NEW

ABSOLUTE TROUT LEADER ASSORTMENTS

FRESHWATER LEADER BUNDLE

- · Money saving 3-Pack leader Bundle
- ITEM · Tapers specifically designed for Trout fishing NUMBER
- · Updated butt diameters pair perfectly with modern trout fly lines
- · Supple material for drag free drifts
- · Up to 40% stronger wet-knot strength than
- · Sugg. Retail \$19.95

NEW

ABSOLUTE TROUT TIPPET ASSORTMENT

FRESHWATER TIPPET BUNDLE

· Money saving 3-Pack Tippet Bundle

• Length: 30m spools in all sizes

Supple for drag free drifts

• Up to 40% stronger wet-knot strength than competition

· Sugg. Retail - \$24.95

NUMBER SIZE 142472 2-4X

142458

142465

CLEAR 142489 4-6X CLEAR 142496 4-6X STEALTH

COLOR

SIZE LENGTH

7.5'

3-5X

3-5X

NEW

ABSOLUTE FLUOROCARBON TROUT TIPPET ASSORTMENT

ITEM

142502

142519

NUMBER SIZE

4-6X

FLUOROCARBON TIPPET BUNDLE

• Money saving 3-Pack Tippet Bundle

• Length: 30m spools in all sizes

• 100% fluorocarbon for ultimate stealthy presentations

· Supple for drag free drifts

· Sugg. Retail - \$49.95



ABSOLUTE CLEAR

5.9LB



13 $scientific anglers.com \mid 855\text{-}799\text{-}2822 \mid dealer support @scientific anglers.com$





SONAR LEADERS






Imagine a world where you need to get a fly down to the fish, but all you have is a floating fly line. In that world, the perfect solution would be our SONAR Sinking Leaders. Luckily for you, we live in such a world. These leaders attach to the end of a fly line and can put your fly anywhere in the water column. With five different densities you'll be able to cover the surface to the depths. Ideal for single-handed lines as well as light double-handed lines, no matter the scenario, you can Get Down with SONAR.

- · Floating and sinking leaders for use with double and single-handed lines
- Welded loop on butt end with micro swivel on front end to eliminate line twist (No swivel on floating)
- Built on 25-lb. monofilament
- · Features printed Line ID to easily identify density and length of the tip

SINK TYPE	SUGG RETAIL	ITEM NUMBER	LENGTH	WEIGHT	ITEM NUMBER	LENGTH	WEIGHT	SINK RATE
FLOAT	19.95	142014	7'	35GR	142069	10'	50GR	N/A
HOVER	19.95	142021	7'	35GR	142076	10'	50GR	1 IPS
INTERMEDIATE	19.95	142038	7'	35GR	142083	10'	50GR	1.25 IPS
SINK 3	19.95	142045	7'	35GR	142090	10'	50GR	3 IPS
SINK 6	19.95	142052	7'	35 GR	142106	10'	50GR	6 IPS
COMPLETE KIT	84.95	142113	7'	35 GR	142120	10'	50GR	ALL








ABSOLUTE RIGHT ANGLE LEADER

FRESHWATER TAPERED LEADER

- Perpendicular dropper section ensures quick, efficient sinking of flies and accurate strike
- Pre-rigged leader perfect for most trout indicator nymphing situations
- $\, \cdot \,$ Includes butt section, indicator, and dropper section. Angler attaches terminal tippet and flies to supplied tippet ring
- · Hand-tied in the USA

ITEM		INDICATOR	SUGG	
NUMBER	LENGTH	SIZE	SIZE	RETAIL
140966	9'	3X-4X	3/4"	16.95
140959	9'	5X-6X	3/4"	16.95
141215	11'	2X	1"	16.95



0



2X



FRESHWATER TIPPET

- · Small diameter butt section to match with small diameter euro nymph lines
- · Integrated Absolute Tri-color sighter
- · Tippet ring allows easy attachment of tippet material

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
140461	13.5'	4X	14.95	0.007" / .18 MM	0.014" / .36 MM	6.7 LB / 3,0 KG
134828	13.5'	2X	14.95	0.009" / .23 MM	0.020" / .51 MM	8.8 LB / 4,0 KG
140942	30.0'	4X	24.95	0.007" / .18 MM	0.014" / .36 MM	6.7 LB / 3,0 KG
140935	30.0'	2X	24.95	0.009" / .23 MM	0.020" / .51 MM	8.8 LB / 4,0 KG



ABSOLUTE TRI-COLOR SIGHTER

FRESHWATER TIPPET

 Sizes: 4X 	X, 2 X , and 0 X
-------------------------------	----------------------

0.200. 47.1, 27.1, 4.1.4 07.1

• Length: 10m spools in all sizes

• Green/White/Orange color

 Low memory, high abrasion resistance, maximum knot strength

Sugg. Retail - \$14.95







ABSOLUTE TRI-COLOR

ABSOLUTE INDICATOR STILLWATER

FRESHWATER LEADER

- · Hot orange butt section for strike detection
- · Great for indicator fishing stillwater or river for trout
- Short Butt section with long tippet section to sink nymphs quickly and evenly

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
134743	12'	4X	8.95	0.007" / .18 MM	0.026" / .66 MM	7.4 LB / 3,4 KG
134750	12'	3X	8.95	0.008" / .20 MM	0.026" / .66 MM	9.0 LB / 4,1 KG
134767	12'	2X	8.95	0.009" / .23 MM	0.027" / .69 MM	11.2 LB / 5.1 KG





ABSOLUTE STREAMER



FRESHWATER LEADER

- · 4' short leader for use with sinking fly lines
- Heavy butt turns over the largest flies and protects fly line loop

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
134774	4'	8LB	8.95	0.008'' / 0.20 MM	0.029'' / 0.74 MM	8.0 LB / 3,6KG
134781	4'	10LB	8.95	0.009'' / 0.23 MM	0.029'' / 0.74 MM	10.0 LB / 4,5KG
134798	4'	12LB	8.95	0.010'' / 0.25 MM	0.029'' / 0.74 MM	12.0 LB / 5,4KG
134804	4'	16LB	8.95	0.011'' / 0.28 MM	0.030'' / 0.76 MM	16.0 LB / 7,3KG
134811	4'	20LB	8.95	0.013" / 0.33 MM	0.030'' / 0.76 MM	20.0 LB / 9,1KG



8LB

ABSOLUTE BASS

FRESHWATER LEADER

- · Heavy, stiff butt designed to turn over the largest, most air resistant flies
- · Abrasion resistant material designed to survive dense cover

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
134446	8'	8LB	8.95	0.008" / 0.20 MM	0.028'' / 0.71 MM	8.0 LB / 3,6KG
134453	8'	10LB	8.95	0.009" / 0.23 MM	0.029'' / 0.74 MM	10.0 LB / 4,5KG
134460	8'	12LB	8.95	0.010" / 0.25 MM	0.029'' / 0.74 MM	12.0 LB / 5,4KG
134477	8'	16LB	8.95	0.011" / 0.28 MM	0.030'' / 0.76 MM	16.0 LB / 7,3KG
134484	8'	20LB	8.95	0.013'' / 0.33 MM	0.030'' / 0.76 MM	20.0 LB / 9,1KG





ABSOLUTE SALMON / STEELHEAD

FRESHWATER LEADER

- $\bullet \quad \mathsf{Medium} \, \mathsf{stiff} \, \mathsf{material} \, \mathsf{for} \, \mathsf{powerful} \, \mathsf{turnover} \, \mathsf{and} \, \mathsf{low} \, \mathsf{memory} \, \mathsf{in} \, \mathsf{colder} \, \mathsf{climates}$
- Excellent for swinging, stripping streamers or indicator rigs

NUMBER	LENGTH	SIZE	RETAIL	DIAMETER	DIAMETER	STRENGTH	
134668	9'	8LB	8.95	0.008" / 0.20 MM	0.028'' / 0.71 MM	8.0 LB / 3,6KG	
134675	9'	10LB	8.95	0.009'' / 0.23 MM	0.029'' / 0.74 MM	10.0 LB / 4,5KG	
134682	9'	12LB	8.95	0.010'' / 0.25 MM	0.029'' / 0.74 MM	12.0 LB / 5,4KG	
134699	9'	16LB	8.95	0.011" / 0.28 MM	0.030'' / 0.76 MM	16.0 LB / 7,3KG	
134705	9'	20LB	8.95	0.013'' / 0.33 MM	0.030'' / 0.76 MM	20.0 LB / 9,1KG	
134712	12'	12LB	8.95	0.010'' / 0.25 MM	0.029'' / 0.74 MM	12.0 LB / 5,4KG	
134729	12'	16LB	8.95	0.011" / 0.28 MM	0.030'' / 0.76 MM	16.0 LB / 7,3KG	
134736	12'	20LB	8.95	0.013'' / 0.33 MM	0.030'' / 0.76 MM	20.0 LB / 9,1KG	

scientificanglers.com | 855-799-2822 | dealersupport@scientificanglers.com



LESS PACKAGING.

MORE PERFORMANCE.



ABSOLUTE LEADER WALLET (PAGE 131)

Leader wallets make a great add on sales opportunity with the bulk leader program



LEADERS

The Absolute Trout Bulk Leader program is our next step to protecting our rivers while providing the Absolute best performance. Eliminate packaging by offering the NEW Absolute Trout Bulk Leader display. Let the customer choose their own leaders and consolidate into an eco-friendly, 100% biodegradable package. Pair with the NEW Absolute Leader Wallet and the consumer can continue to refill and eliminate packaging entirely!

ABSOLUTE TROUT COUNTER TOP DISPLAY

BULK TAPERED LEADER DISPLAY

- · Eco Friendly: Less Packaging More performance
- · Quickly restock with Bulk pack Absolute Trout Leaders
- · Available preloaded with Absolute Trout 7.5 and 9' leader 2-6X
- Order 139274 and recieve 139243 and 139267 at no charge. (All 3 item numbers must be on order to qualify.)

ITEM	
NUMBER	BULK LEADER DISPLAY ITEMS
139243	ABSOLUTE TROUT BULK LEADER DISPLAY
139267	ABSOLUTE TROUT BULK SEEDPACK (100 COUNT)
139274	ABSOLUTE TROUT INITIAL FILL PACK (INCLUDES 24 OF EACH SIZE LEADER LISTED BELOW

ABSOLUTE TROUT BULK PACK REFILLS

FRESHWATER TAPERED LEADER

- Each leader is individually bar coded with a \$6.95 suggested retail price
- · Tapers specifically designed for trout fishing
- Updated butt diameters pair perfectly with modern trout fly lines
- · Supple material for drag free drifts
- Up to 40% stronger wet-knot strength than competition
- · Sold per each, order in multiples of 24
- When ordering refill leader packs, put 139267 on order if seed packs are desired (No charge)

24 PACK-LEADER REFILL PACK

ITEM NUMBER	LENGTH	SIZE	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
137652	7.5'	6X	0.005'' / 0.13 MM	0.023'' / 0.58 MM	3.5 LB / 1,6KG
137669	7.5'	5X	0.006'' / 0.15 MM	0.023'' / 0.58 MM	5.9 LB / 2,7KG
137676	7.5'	4X	0.007'' / 0.18 MM	0.024" / 0.61 MM	7.4 LB / 3,4KG
137683	7.5'	3X	0.008'' / 0.20 MM	0.024" / 0.61 MM	9.0 LB / 4,1KG
137690	7.5'	2X	0.009'' / 0.23 MM	0.025'' / 0.64 MM	11.2 LB / 5,1KG
137706	9'	6X	0.005'' / 0.13 MM	0.023'' / 0.58 MM	3.5 LB / 1,6KG
137713	9'	5X	0.006'' / 0.15 MM	0.023'' / 0.58 MM	5.9 LB / 2,7KG
137720	9'	4X	0.007'' / 0.18 MM	0.024" / 0.61 MM	7.4 LB / 3,4KG
137737	9'	3X	0.008'' / 0.20 MM	0.024" / 0.61 MM	9.0 LB / 4,1KG
137744	9'	2X	0.009" / 0.23 MM	0.025'' / 0.64 MM	11.2 LB / 5,1KG

 $scientific anglers.com \mid 855-799-2822 \mid dealer support @scientific anglers.com \mid 855$





ABSOLUTE SALTWATER

SALTWATER TAPERED LEADER

	ITEM			SUGG	TIPPET	BUTT	BREAK
	NUMBER	LENGTH	SIZE	RETAIL	DIAMETER	DIAMETER	STRENGTH
	134613	10'	8LB	8.95	0.008'' / 0.20 MM	0.028'' / 0.71 MM	8.0 LB / 3,6KG
	134620	10'	10LB	8.95	0.009'' / 0.23 MM	0.029'' / 0.74 MM	10.0 LB / 4,5KG
	134637	10'	12LB	8.95	0.010'' / 0.25 MM	0.029'' / 0.74 MM	12.0 LB / 5,4KG
	134644	10'	16LB	8.95	0.011'' / 0.28 MM	0.030'' / 0.76 MM	16.0 LB / 7,3KG
	134651	10'	20LB	8.95	0.013'' / 0.33 MM	0.030'' / 0.76 MM	20.0 LB / 9,1KG



ABSOLUTE PERMIT

SALTWATER TAPERED LEADER

	SINGLE-LE	ADER PAC	r.				
ITEM			SUGG	TIPPET	BUTT	BREAK	
	NUMBER	LENGTH	SIZE	RETAIL	DIAMETER	DIAMETER	STRENGTH
	134552	10'	12LB	8.95	0.010" / 0.25 MM	0.029'' / 0.74 MM	12.0 LB / 5,4KG
	134569	10'	16LB	8.95	0.011" / 0.28 MM	0.030'' / 0.76 MM	16.0 LB / 7,3KG
	134576	10'	20LB	8.95	0.013" / 0.33 MM	0.030'' / 0.76 MM	20.0 LB / 9,1KG
3-LEADER PACK							
	3-LEADER	PACK					
	3-LEADER ITEM	PACK		SUGG	TIPPET	BUTT	BREAK
	ITEM	PACK LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
	ITEM		SIZE 12LB				
	ITEM NUMBER	LENGTH		RETAIL	DIAMETER	DIAMETER	STRENGTH



ABSOLUTE BONEFISH

SALTWATER TAPERED LEADER

ITEM	EADER PAC LENGTH 10' 10'		SUGG RETAIL 8.95 8.95	TIPPET DIAMETER 0.008" / 0.20 MM 0.009" / 0.23 MM	BUTT DIAMETER 0.028" / 0.71 MM 0.029" / 0.74 MM	BREAK STRENGTH 8.0 LB / 3,6KG 10.0 LB / 4,5KG
134514	10'	12LB	8.95	0.010'' / 0.25 MM	0.029'' / 0.74 MM	12.0 LB / 5,4KG
3-LEADER	PACK		SUGG	TIPPET	BUTT	BREAK
NUMBER	LENGTH	SIZE	RETAIL	DIAMETER	DIAMETER	STRENGTH
134521	10'	8LB	19.95	0.008" / 0.20 MM	0.028'' / 0.71 MM	8.0 LB / 3,6KG
134538	10'	10LB	19.95	0.009" / 0.23 MM	0.029'' / 0.74 MM	10.0 LB / 4,5KG
134545	10'	12LB	19.95	0.010'' / 0.25 MM	0.029'' / 0.74 MM	12.0 LB / 5,4KG



ABSOLUTE REDFISH

SALTWATER TAPERED LEADER

ITEM	LENGTH 10' 10' 10'		SUGG RETAIL 8.95 8.95 8.95	TIPPET DIAMETER 0.010" / 0.25 MM 0.011" / 0.28 MM 0.013" / 0.33 MM	BUTT DIAMETER 0.029"/0.74 MM 0.030"/0.76 MM	BREAK STRENGTH 12.0 LB / 5,4KG 16.0 LB / 7,3KG 20.0 LB / 9,1KG
3-LEADER ITEM NUMBER 138062 138079 138086		SIZE 12LB 16LB 20LB	SUGG RETAIL 19.95 19.95	TIPPET DIAMETER 0.010"/ 0.25 MM 0.011"/ 0.28 MM 0.013"/ 0.33 MM	BUTT DIAMETER 0.029" / 0.74 MM 0.030" / 0.76 MM 0.030" / 0.76 MM	BREAK STRENGTH 12.0 LB/5,4KG 16.0 LB/7,3KG 20.0 LB/9,1KG







ABSOLUTE FLUOROCARBON SALTWATER

SALTWATER TAPERED LEADER

- 100% Fluorocarbon for stealthy presentations
- Abrasion resistant
- 9' length for saltwater species

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
	_					
141697	9'	10LB	16.95	0.010'' / 0.25 MM	0.022'' / 0.57 MM	10.0 LB / 4,5KG
141703	9'	12LB	16.95	0.011" / 0.28 MM	0.022'' / 0.57 MM	12.0 LB / 5,4KG
141710	9'	16LB	16.95	0.013'' / 0.33 MM	0.024'' / 0.60 MM	16.0 LB / 7,3KG
141727	9'	20LB	16.95	0.015" / 0.38 MM	0.024" / 0.60 MM	20.0 LB / 9,1KG



ABSOLUTE FLUOROCARBON SALTWATER

FLUOROCARBON TIPPET

	ITEM			BREAK
 Sizes: 10 – 20lb 	NUMBER	SIZE	DIAMETER	STRENGTH
 Length: 30m spools in all sizes 	137935	10LB	0.010" / .25 MM	10.0 LB / 4,5KG
5 5 1	137942	12LB	0.011" / .28 MM	12.0 LB / 5,4KG
• 100% Fluorocarbon , abrasion resistant for	137959	16LB	0.013" / .33 MM	16.0 LB / 7,3KG
Saltwater species	137966	20LB	0.015" / .38 MM	20.0 LB / 9,1KG

- · Stiff material for excellent turnover
- Sugg. Retail \$16.95

ABSOLUTE INSHORE LEADER 8 FT 20 LB 24 IN 40 LE

ABSOLUTE INSHORE LEADER PREMIUM SALTWATER LEADER

- 8' tapered leader aids in turnover of larger flies
- Premium 24" section of 40lb fluorocarbon shock tippet is nearly invisible to fish and holds up to nicks and abrasion

- · Ideal for Snook and Small Tarpon
- 2 Pack
- · Hand tied in the USA

PERFECTION LOOP		5-TURN BLOOD KNOT	ITEM NUMBER	SUGG RETAIL	SECTION LENGTH	SECTION SIZE	SHOCK TIPPET LENGTH	SHOCK TIPPET SIZE
			138017	18.95	8'/2,4M	20LB/9,1KG	24"/70,0CM	40LB/18,1KG
	8/2,4M 20LB/9,IKG SA ABSOLUTE TAPERED LEADER	24"/61,0CM 40LB/18,1KG SA ABSOLUTE FC						
10' 9'	B' 7' 6' 5' 4'	3' 2' 1' 0'						





ABSOLUTE FLUOROCARBON SHOCK

SALTWATER FLUOROCARBON SHOCK

	Sizes: 25lb – 60lb	ITEM			BREAK
	Length: 30m spools in all sizes	NUMBER	SIZE	DIAMETER	STRENGTH
•	Length: 30th spoots in all sizes	135597	25LB	0.018" / .45 MM	STRENGTH 25.0 LB / I1,3KG 30.0 LB / I3,6 KG 35.0 LB / I5,9 KG 40.0 LB / I8,1 KG
•	Extreme abrasion resistance for Sattwater and	135603	30LB	0.019" / .48 MM	30.0 LB / 13,6 KG
	Predatory fish	135610	35LB	0.021" / .53 MM	35.0 LB / 15,9 KG
	100% Fluorocarbon	135627	40LB	0.023" / .58 MM	40.0 LB / 18,1 KG
	Union and bulk as all for any discounts.	135634	50LB	0.025" / .62 MM	50.0 LB / 22,7 KG
•	Unique open-hub spool for easy dispensing	135641	60LB	0.030" / .77 MM	60.0 LB / 27,2 KG
•	Sugg. Retail - \$29.95 25-40lb	135658	80LB	0.033" / .85 MM	80.0 LB / 36,3 KG
	\$39.95 50-80lb				



ABSOLUTE LEADER MATERIAL

SALTWATER LEADER MATERIAL

• Sizes: 20lb – 80lb	ITEM			BREAK
• Length: 50m spools in all sizes	NUMBER	SIZE	DIAMETER	STRENGTH
Length. 50m spoots mait sizes	138024	20LB	0.015" / .38 MM	20.0LB / 9,1 KG
 General Purpose, medium stiff monofilament 	135320	25LB	0.017" / .43 MM	25.0 LB / 11,3 KG
for leader building	135337	30LB	0.020" / .51 MM	30.0 LB / 13,6 KG
 Unique open-hub spool for easy dispensing 	135351	40LB	0.024" / .61 MM	40.0 LB / 18,1 KG
	135368	50LB	0.026" / .66 MM	50.0 LB / 22,7 KG
 Sugg. Retail - \$12.95 	135375	60LB	0.031" / .79 MM	60.0 LB / 27,2 KG
	135382	80LB	0.035" / .89 MM	80.0 LB / 36,3 KG



ABSOLUTE HARD MONO

SALTWATER LEADER MATERIAL

•	General Purpose, medium stiff monofilament	ITEM NUMBER	SIZE	DIAMETER	BREAK STRENGTH
	for leader building	137232	12LB	0.018" / .46 MM	12.0 LB / 5,4 KG
•	Sizes: 25lb – 80lb	137249	16LB	0.020" / .51 MM	16.0 LB / 7,3 KG
	Length: 50m spools in all sizes	137256	20LB	0.022" / .56 MM	20.0 LB / 9,1 KG
	•	137157	25LB	0.025" / .64 MM	25.0 LB / 11,3 KG
	Unique open-hub spool for easy dispensing	137164	30LB	0.028" / .71 MM	30.0 LB / 13,6 KG
	Sugg. Retail - \$16.95	137171	40LB	0.032" / .81 MM	40.0 LB / 18,1 KG
	33	137188	50LB	0.036" / .91 MM	50.0 LB / 22,7 KG
		137195	60LB	0.040" / 1.02 MM	60.0 LB / 27,2 KG
		137201	80LB	0.045" / 1.14 MM	80.0 LB / 36,3 KG

4.875"

ABSOLUTE PREDATOR

7X7 KNOTTABLE WIRE 7X7 KNOTTABLE WIRE

- 7X7 stainless steel construction limits stiffness for exceptional knot stability and
- Nylon coating locks in knots and protects wire from abrasion
- · Can be used with most common fishing knots

•	Camo brown color reduces flash and visibility under water	ITEM NUMBER	SIZE	DIAMETER	BREAK STRENGTH
•	Available in 25lb and 40lb sizes in 25ft spools	137218	25LB	0.018" / .43 MM	25.0 LB / 11,3 KG
	Made in the USA	137225	40LB	0.024" / .61 MM	40.0 LB / 18,1 KG

· Sugg. Retail - \$19.95



ABSOLUTE PREDATOR ESOX

PREMIUM WIRE LEADERS

- · Proven, bombproof design for toothy predators such as pike or muskie
- Hand-tied in the USA
- Premium 1x7 nickel titanium wire section is super straight, ultra kink-resistant, and 100% corrosion

· Locking snap closure that won't open while fighting



SUGG SECTION SECTION

48"/1,2M 40LB/18,1KG

FLUORO

NUMBER RETAIL LENGTH SIZE

48"/1,2M

40LB/18,1KG

FLUOROCARBON

SECTION SECTION LENGTH SIZE 15"/38,1CM 35LB/15,9KG 1X7 NITI

SNAP SIZE 3 LOCKING

SNAP 15"/38,1CM 35LB/15,9KG 1X7 NICKLE TITANIUM

ABSOLUTE PREDATOR TOOTHY FISH

PREMIUM BITE LEADERS

- 8' tapered leader aids in smooth turnover of larger
- · Hand-tied in the USA

• Premium 1x7 nickel titanium wire section is super	
straight, ultra kink-resistant, and 100% corrosion	
proof	

· Locking snap closure that won't open while fighting

BUTT

SECTION BUTT

8'/2 4M

8'/2,4M

SUGG

NUMBER RETAIL LENGTH

16.95

139168

139175

ABSOLUTE

SECTION SIZE

20LB/9.1KG

TAPERED

LEADER 20LB/9,1KG

TAPERED

LEADER



SECTION SECTION SNAP SIZE LENGTH SIZE 2 35I B/15 9KG 1X7 NITI LOCKING SNAP 15"/38.1CM

55LB/24,9KG SIZE 3 LOCKING SNAP

35LB WITH #2 SNAP 55LB WITH #3 SNAP

8.0'/2,4M 15"/38,1CM 20LB/9,1KG 35LB/15,9KG OR 55LB/24,9KG TAPERED LEADER **NICKEL-TITANIUM WIRE**

10' 9' 8' 7' scientificanglers.com | 855-799-2822 | dealersupport@scientificangl




FIGURE 8

PREMIUM WIRE LEADERS

- · Designed specifically for finishing muskie retrieves with boat-side figure 8s to convert more follows
- · Hand-tied in the USA
- Premium 40lb 7x7 stainless steel; 100% corrosion proof
- · Locking snap closure that won't open while fighting fish







TOOTHY FISH STEALTH

PREMIUM STEALTH BITE LEADERS

- · 8' tapered leader aids in smooth turnover of larger flies
- Hand-tied in the USA
- Premium 15" section of 80lb fluorocarbon for

Locking snap closure that won't open while
fighting fish



ultra-low visibility and abrasion resistance Locking snap closure that won't open while		ITEM NUMBER	SUGG RETAIL	BUTT SECTION LENGTH	BUTT SECTION SIZE	FLUORO SECTION LENGTH	FLUORO SECTION SIZE	SNAP
fighting fish		139182	14.95	8'/2,4M	20LB/9,1KG TAPERED LEADER	15"/ 38,1CM FLUORO	80LB/ 36,3KG FLUORO	SIZE 3 LOCKING SNAP
								#3 SNAP
								*
	8.0'/2	,4M					: 15"/38,1CM	
	20LB/9 TAPERED	′					0LB/36,3K0 OROCARB	
0, 8, 7,	6'	5'	4'	3'	2,		1,	0,



PREDATOR LEADERS

WIRE LEADERS

- 8' tapered leader aids in smooth turnover of larger flies
- · Abrasion-resistant leader material holds up to harsh conditions
- 15" section of tooth-resistant 1x7 stainless steel wire
- · Black nylon coated for low visibility
- · Heavy-duty black single-b

	•	Hand

ry-duty black single-barrel sleeves for secure attachment of flies	ITEM NUMBER	SUGG RETAIL	BUT SEC LEN
	126908	12.95	8'/2
	126915	12.95	8'/2

8.0'/2,4M

20LB/9,1KG

TAPERED LEADER



BUTT

SECTION 20LB/9,1KG BLACK-COATED **1X7 STAINLESS** 45LB/20,4KG **BLACK-COATED 1X7 STAINLESS**

CTION SECTION SECTION SIZE 20LB/9,1KG 15"/38,1CM TAPERED LEADER 20LB/9,1KG 15"/38,1CM TAPERED LEADER

15"/38,1CM

20LB/9,1KG OR 45LB/20,4KG

STAINLESS STEEL WIRE

NITI WIRE

1X7 NICKEL TITANIUM WIRE







- 10' of 1x7 nickel titanium wire
- · Stronger and more durable than pure titanium
- 100% corrosion proof
- Easily knottable
- · Excellent kink resistance
- · Holds up against fish with sharp teeth and strong jaws

ITEM NUMBER	RLENGTH	SIZE	DIAMETER	SUGG RETAIL	
138963	10'/3,05M	35LB / 15,9KG	0.017" / 0.43MM	29.95	
138970	10' / 3,05M	55LB / 24,9KG	0.021" / 0.53MM	34.95	



- · Bite- and corrosion-resistant
- · Black nylon coated for durability and low visibility
- · Holds up against fish with sharp teeth and strong jaws
- · Heavy-duty single-barrel black sleeves are included

ITEM							
NUMBER	LENGTH	SIZE	DIAMETER	RETAIL			
127264	30' / 9,14M	20LB / 9,1KG	0.024" / 0.61MM	6.95			
127271	30' / 9,14M	45LB/20,4KG	0.028" / 0.71MM	6.95			



FRESHWATER

FRESHWATER TIPPET

- Sizes: 7X 20lb
- Length: 30m spools in all sizes
- · Low memory, high abrasion resistance
- True-to-spec X sizes
- Patented cutter spool with freewheeling hub on small spool

ITEM NUMBER	SIZE	SUGG RETAIL	DIAMETER	BREAK STRENGTH
115346	7X	5.95	0.004" / .10 MM	2.3 LB / 1,0 KG
115339	6X	5.95	0.005" / .13 MM	3.3 LB / 1,5 KG
115322	5X	5.95	0.006" / .15 MM	4.4 LB / 2,0 KG
115315	4X	5.95	0.007" / .18 MM	6.0LB/2,7KG
115308	3X	5.95	0.008" / .20 MM	8.5 LB / 3,9 KG
115292	2X	5.95	0.009" / .23 MM	9.8 LB / 4,4 KG
115285	1X	5.95	0.010" / .25 MM	12.7 LB / 5,8 KG
115278	0X	5.95	0.011" / .28 MM	14.9 LB / 6,8 KG



FRESHWATER

FRESHWATER TAPERED LEADER

SINGLE LEADER PACK

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
130592	7.5'	6X	5.95	0.005" / .13 MM	0.017" / .43 MM	3.3 LB / 1,5 KG
130608	7.5'	5X	5.95	0.006" / .15 MM	0.020" / .50 MM	4.4 LB / 2,0 KG
130615	7.5'	4X	5.95	0.007" / .18 MM	0.021" / .53 MM	$6.0LB/2,\!7KG$
130622	7.5'	3X	5.95	0.008" / .20 MM	0.021" / .53 MM	8.5LB/3,9KG
130646	7.5'	2X	5.95	0.009" / .23 MM	0.022" / .56 MM	9.8LB/4,4KG
130653	7.5'	1X	5.95	0.010" / .25 MM	0.022" / .56 MM	12.7 LB / 5,8 KG
130660	7.5'	OX	5.95	0.011" / .28 MM	0.022" / .56 MM	14.9 LB / 6,8 KG
130677	9'	7X	5.95	0.004" / .10 MM	0.016" / .41 MM	2.3 LB / 1,0 KG
130684	9'	6X	5.95	0.005" / .13 MM	0.017" / .43 MM	3.3 LB / 1,5 KG
130691	9'	5X	5.95	0.006" / .15 MM	0.020" / .50 MM	4.4 LB / 2,0 KG
130707	9'	4X	5.95	0.007" / .18 MM	0.021" / .53 MM	$6.0LB/2,\!7KG$
130714	9'	3X	5.95	0.008" / .20 MM	0.021" / .53 MM	8.5LB/3,9KG
130721	9'	2X	5.95	0.009" / .23 MM	0.022" / .56 MM	9.8LB/4,4KG
130738	9'	1X	5.95	0.010" / .25 MM	0.022" / .56 MM	12.7 LB / 5,8 KG
130745	9'	0X	5.95	0.011" / .28 MM	0.022" / .56 MM	14.9 LB / 6,8 KG







BASS

2 PACK FRESHWATER TAPERED LEADER

ITEM			SUGG	TIPPET	BUTT	BREAK
NUMBER	LENGTH	SIZE	RETAIL	DIAMETER	DIAMETER	STRENGTH
112161	9'	8 LBS	8.95	0.008" / .20 MM	0.021" / .53 MM	8 LB / 3,6 KG
112178	9'	10 LBS	8.95	0.009" / .23 MM	0.022" / .56 MM	10 LB / 4,5 KG
112185	9'	12 LBS	8.95	0.010" / .25 MM	0.022" / .56 MM	12 LB / 5,4 KG
113168	9'	16 LBS	8.95	0.012" / .30 MM	0.026" / .67 MM	16 LB / 7,3 KG
127387	9'	20 LBS	8.95	0.014" / .36 MM	0.026" / .67 MM	20.0 LB / 9.1 KC



SALTWATER

2 PACK SALTWATER TAPERED LEADER

ITEM NUMBER	LENGTH	SIZE	SUGG RETAIL	TIPPET DIAMETER	BUTT DIAMETER	BREAK STRENGTH
112765	9'	8 LBS	8.95	0.008"/.20MM	0.021" / .53 MM	8 LB / 3,6 KG
112772	9'	10 LBS	8.95	0.009" / .23 MM	0.022" / .56 MM	10 LB / 4,5 KG
112789	9'	12 LBS	8.95	0.010" / .25 MM	0.022" / .56 MM	12 LB / 5,4 KG
113229	9'	16 LBS	8.95	0.012" / .30 MM	0.026" / .67 MM	16 LB / 7,3 KG
131063	9'	20 LBS	8.95	0.014" / .36 MM	0.026" / .67 MM	20 LB / 9,1 KG

scientificanglers.com | 855-799-2822 | dealersupport@scientificanglers.com



WHAT MAKES UP A SCIENTIFIC ANGLERS FLY LINE? THE CORE





THE CORE: THE BACKBONE OF EVERY SCIENTIFIC ANGLERS FLY LINE.


In the world of fly lines, you're only as good as the core you build upon. Without the right core materials, lines wouldn't stand a chance against the harsh environments Mother Nature has up her sleeve. Over the years, we've dedicated hours upon hours to constructing optimized cores for every fish, every environment, and every angling situation imaginable.

For each line, we select the proper core, which is then run through several specialized machines that coat the cores with various levels of PVC, which is then cured to create the basis of the lines you see in shops across the world.

The core selection is based solely on the application for that specific line. If it's a trout-based coldwater line, we use a **multifilament core**. These are hollow, which aids in flotation. For clear lines, or lines that may encounter warmer temperatures, we use a single-strand **monofilament core**. These remain stiffer in warmer temperatures and naturally sink. Lines that are designed for targeting species in tropical environments rely on our **Tropi-Core** technology, which is a braided monofilament, built to withstand the harshest environments known to mankind. These cores remain stiff, no matter the temperature.







MULTIFILAMENT

MONOFILAMENT

TROPI-CORE



WHAT MAKES UP A SCIENTIFIC ANGLERS FLY LINE? THE COATING



THE COATING: WHERE SCIENTIFIC ANGLERS' TECHNOLOGY SHINES.

A fly line without a solid coating is just like a car tire built without any tread. It might get the job done for a while, but it won't be pretty in the end. As with our cores, we've spent countless hours developing and maximizing the performance of our fly-line coatings. We've created lines that last longer, float higher, and shoot farther—all thanks to the breakthroughs we've made with our coating technologies.

Our coatings are based on a proprietary formulation of PVC, which is adhered to one of our cores, depending on the specific application for that line. Floating lines have several things mixed into that PVC coating: specifically, one of our slickness additives, AST Plus or AST, for slickness and increased durability, and a measured amount of glass microballoons for increased flotation. The AST Plus and AST slickness additives are incorporated throughout the entire coating, from the core to the surface, resulting in slickness that lasts the entire life of the lines. Our major competitors simply overcoat lines, meaning their slickness will wear off extremely quickly.

Conversely, our sinking lines receive a highly specific amount of tungsten powder to create a highly accurate and reliable sinking rate for that particular line. These sinking lines also receive slickness additives, which are built into the coatings all the way down to the core.

The final coating technology we impart on some of our lines is our texturing technology. We emboss two different patterns into the surface of lines to reduce the surface areas, decrease friction, and increase flotation, which results in lines that float higher, last longer, and shoot farther than any lines on the market.



AST⁺



SLICKNESS


DOWN TO A SCIENCE

Introducing **AST Plus**, the most advanced slickness technology in the world. Lasting on average **8 TIMES LONGER**, with up to **5 TIMES LESS FRICTION** than competitor's lines, AST Plus is **slickness**, **down to a science**.

What makes it so unique?

Our AST Plus is a patented liquid compound that actually **moves** within the coating. It naturally **migrates** to the surface of the line as the coating begins to wear. This extends the life of a fly line and provides **out-of-the-box slickness** long after the line leaves the fly shop.

Available **exclusively** from Scientific Anglers



Lasts 8 Times Longer

on average, than the closest three competitors

In addition to creating the slickest lines on the planet, AST Plus increases the durability of fly lines by leaps and bounds. Throughout our durability testing, lines with AST Plus consistently performed better than any other lines on the market. On average, lines with AST Plus last 8 times longer than lines from our top three competitors.


How to read this chart: In our durability testing, we affix a weight to the end of a line and run it through the tip-top of a fly rod. One cycle constitutes the lowering and raising of this weight to provide friction through the guide. In looking at this chart, it is evident that lines with AST Plus last far longer than the lines of our top three competitors. In fact, lines with AST Plus last over 120% longer than the closest competition and, on average, 862% longer than the top three competitors.

Up to 5 Times Less Friction

than the competition

For our slickness tests, we took the exact same length and diameter of lines with AST Plus, AST, and lines from the competition, wound them over a clean, polished surface, and clamped one end in a test frame. A weight was attached to the free end and pulled upwards at a constant rate, measuring the drag of the line over that span.

How to read this chart: When measuring slickness, we focus on ounces of friction (or drag) at startup. Lower drag values mean that lines are slicker and therefore perform better. Lines with AST Plus feature far less friction on startup than lines from our top competitors. In this case, less is better.



Core Coating AST Plus

Maintains Slickness

for the life of the fly line


The AST Plus compound actually moves within the coating, naturally migrating to the surface as the line begins to wear down. This means lines with AST Plus not only retain their initial slickness, but can actually get slicker as the coating wears.


Lines built with AST Plus retain their **out-of-the-box slickness** far longer than any other fly line on the market.






2






SHOOTING TEXTURE



The SA Shooting Texture is a rounded, embossed pattern built into our textured fly-line series. Similar to the dimples of a golf ball, the Shooting Texture reduces friction, thereby increasing durability and shooting distance. In addition, texturing increases the flotation of the line by altering the contact angle with the water.

FLOATING TEXTURE



The SA Floating Texture is a diamond-shaped, embossed pattern built into the tips of certain textured fly-line series. The Floating Texture vastly increases flotation of the line by altering the contact angle with the water. This angled texture is more aggressive than our Shooting Texture.

AST

AST, or Advanced Shooting Technology, is a patented slickness additive we have been building into our coatings since 1998. This powder-based additive increases the slickness and durability of fly lines, providing anglers with increased casting distance and a longerlasting line.

We build all of our Mastery, SONAR, and Frequency series lines with AST built into the coating, from the outer layer all the way to the core, to ensure that lines will remain slick, even as the coating begins to wear.

Our major competitors simply overcoat their lines with slickness compounds, which wear off very quickly.

DRY TIP



Dry Tip is a very specialized coating formulation designed to increase tip flotation in specific tapers requiring higher flotation.

Lines with Dry Tip have lower-density coatings on the front tapers and tips, resulting in increased flotation and easier line management on the water. We use this formulation primarily in our premium fly lines, where performance matters and the difference between catching a fish and spooking one often comes down to just how well the tip of the line floats throughout a drift.

SA·ID

The SA·ID, or Scientific Anglers Line Identification system, is a unique—and extremely helpful—way to know which line is on your reel, simply at a glance. Located on the first few feet of our premium fly lines, the SA·ID denotes the fly-line family, the taper, as well as the weight and sinking profile of that particular fly line. Wondering if you grabbed an Intermediate sinking line or a floating Trout taper? Just check the SA·ID. Need to know if that Skagit head is 360 or 400 grains? Just look for the SA·ID.



KEY

F- Floating F/I- Float/Intermediate H- Hover F/S-Float/Sink I-Intermediate I/S-Intermediate/Sink

S- Sink # (# = sink rate)

WELDED LOOPS

Why should you trust our welded loops? We constantly test our welds and scrap any lines that have been looped incorrectly or are not up to our rigorous specifications. To test our welded loops, we pull them through an Instron tensile strength apparatus; we see the body of the fly line break well before these welded loops.

Each loop is made by welding the tip of the fly line back onto itself, creating a rock-solid connection. This allows for easy loop-to-loop connections between our fly lines and leaders.









FLY LINE CORES

Generally, we use three different types of cores for our fly lines here at Scientific Anglers:

BRAIDED MULTIFILAMENT - This is our most supple core, and the building block for our coldwater and floating lines. The strands of multifilament, which are similar to backing, are braided together and leave a hollow core, which aids in flotation.

SINGLE-STRAND MONOFILAMENT - Ideal for building clear lines, as well as sinking lines, single-strand mono is smaller in diameter than our braided multifilament, which creates a faster sink rate.

TROPI-CORE - Our Tropi-Core technology utilizes a braided monofilament, which creates a super-rigid core perfect for hot environments such as tropical saltwater flats. Due to the braided nature of Tropi-Core, our coatings penetrate the braid, increasing both the strength and stiffness of these saltwater lines.

CORE STRENGTH

Fly lines are only as strong as the cores they are built upon, which is why we focus intently on providing a strong base for our fly lines. Below is a listing of the breaking strengths of our various fly-line cores, which vary based on line weight and taper design.

100^{LB}

BRAIDED MULTIFILAMENT

• 20lb. - 38lb.

SINGLE-STRAND MONOFILAMENT


- 22lb. 42lb.
- 100lb. for our Big Water Tapers, the industry's first 100lb. core

TROPI-CORE

- 30lb. 45lb.
- 100lb. for our Big Water Tapers, the industry's first 100lb. core

SEAMLESS DENSITY

Seamless Density is a new take on the traditional idea of graduated density. It's a precise transition between two densities, resulting in lines that not only sink through the water column at a measured rate but also sink in a straight line, meaning you're tight to your fly at all times. The Seamless Density technology also eliminates hinging as the line casts and sinks, therefore resulting in increased durability over the life of the fly line.



One of the most difficult things to control with sinking lines is the amount of slack in the lines as they sink, due to shifts in currents or inconsistent sink rates. The Seamless Density technology provides the answer to this problem by maintaining a consistently increasing sink rate as the taper transitions from the running line to the tip. This is what provides the straight-line connection to the fly and results in more hook-ups and less lost fish.



0

4

TRP

The TRP, or Tactile Reference Point, is a smooth section of line built into our triple-textured fly lines. This unembossed portion of line serves as a tactile cue between the end of the head and the running line, both of which are textured.

What this means is that as you strip in a line with the TRP, you can actually feel the smooth portion of line, alerting you that you have reached the ideal point to begin your next cast.

Amplitude textured lines feature this non-textured zone behind the head to audibly and tactilely identify the rear of the head and the ideal pick-up point for the next cast.

SONAR

In order to fish throughout the water column and find those bruisers hanging feet, or inches, below the surface, you need to plumb the depths, and know just how deep you're getting.

That's why you need to GET DOWN with our SONAR technology.

For many lines in the SONAR family, we introduce specific amounts of tungsten powder into our coatings, to provide reliable, accurate sink rates that let you know just how deep you're getting. Streamer junkies and stillwater anglers alike can rely on SONAR technology to take their flies where the fish are.



ARP

The ARP, or Audible Reference Point, is essentially the inverse of the Tactile Reference Point. The ARP is a textured section located between the end of the head and the running line on many of our integrated Spey lines and on our sinking stillwater lines to identify "hang" points.


This textured section serves as an audible cue for you to begin your next cast. Often, the last thing an angler wants to do is stare at a line as it's being stripped in through the rod. The ARP allows anglers to set up their next cast without focusing solely on the line as it enters the rod tip.



The element of stealth is increasingly important as fish become more pressured and aware of anglers above them. We recognized this problem and sought to find a suitable, and creative, solution.

Our answer? Clear Camo and Camo Tips technology.

For the Clear Camo, we started with a mottled, muted core and coated it with a supremely supple clear coating that won't coil as temperatures drop. For the Camo Tips, we combined stealthy colors in a random pattern at the tips of lines to provide much-needed camo assistance for the wariest of fish.



INTRODUCING OUR NEW PAPER BOARD SPOOLS.

By switching from single-use plastic spools we are removing thousands of pounds of plastic in the waste/recycle stream per year.





TEMPERATURES







AIR TEMPS

WATER TEMPS

20	30	40	50	60	70	80	90	100	
10	20	30	40	50	60	70	80	90	
COLDWATER LINES					TROPICAL LINES				

MEDIUM TEMP LINES

COLD

When fishing cold water, these lines are the optimal choice. They remain supple, refuse to coil, and outperform lines built for warmer climates.

MEDIUM

Lines featuring this icon are excellent all-around lines for almost any climate. While they may turn limp in tropical conditions, these lines will perform well in moderate and cool climates.

HOT

Fishing in tropical climates requires specialized lines with super-stiff cores and tough coatings. Lines with this icon are built to excel in these harsh environments.

TYPES OF FLIES



DRIES

Dry flies float on the surface of the water, imitating a hatching insect or one landing to lay eggs. Lines with this designation are designed to handle dry flies with a delicate



NYMPHS

Nymphs are tied to imitate aquatic insects that live underwater. This icon signifies a line designed to fish weighted nymphs for a variety of species.



STREAMERS

Streamers are sub-surface flies tied to imitate baitfish, leeches, and other sources of food that swim. Casting streamers can be a challenge, so lines marked with this icon provide added power to aid in their delivery.



POPPERS / BIG FLY

Casting large-bodied dry flies and poppers requires additional power in order to provide proper presentation. Lines with this icon are designed to handle larger dries and popper flies without any hiccups.



An indicator is simply a float or bobber attached to a line that alerts anglers when a subsurface fly has been taken by a fish. This icon signifies a line that has been designed with a longer rear taper, meant to help casting and mending.



INDICATOR



AMPLITUDE TEXTURED PREMIUM TEXTURED LINES

AVAILABLE TECHNOLOGIES:



PLUS



















CORE

FLOATING SHOOTING WELDED IMPROVED **TEXTURE**

LOOPS

DRY TIP PLUS

REFERENCE ID POINT

SA LINE TACTICAL CAMO TROPI-CORE 100-LB

The Amplitude Series of fly lines features the revolutionary AST Plus slickness additive for the ultimate in slickness and durability. Each line is built with three textures for a reduction in friction, three colors to identify the separate parts of the line, and welded loops for quick and easy rigging.

SA Amplitude lines are the culmination of decades of research, testing, and innovation; no finer fly line exists in the world.

Amplitude is available in a number of different freshwater- and saltwater-specific tapers, so now you can reach every fish you're after.

AMPLITUDE TEXTURED


INFINITY

HALF-SIZE HEAVY LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation; it simply keeps dry flies floating longer
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- Extremely versatile general-purpose taper designed for most freshwater species; an excellent line for trout, grayling, panfish, bass, carp, steelhead, salmon, and pike
- Made a half-size heavy to load fast-action rods, but works well with a variety of rod actions
- Extended head length for long-distance casts and superior mending ability
- Braided multifilament core
- SA AMP INFINITY WF X F (X = line weight)







ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT
136112	WF-3-F	129.95	47.0'	90.0'	155	110
136129	WF-4-F	129.95	48.0'	90.0"	190	130
136136	WF-5-F	129.95	49.0'	90.0'	225	150
136143	WF-6-F	129.95	50.0'	90.0'	260	175
136150	WF-7-F	129.95	51.0'	90.0'	305	200
136167	WF-8-F	129.95	52.0'	90.0'	350	225
136174	WF-9-F	129.95	53.0'	90.0'	415	260



TROUT

TRUE TO WEIGHT LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation; it simply keeps dry flies floating longer
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- Excels in medium-to-long distances with dry flies and smaller nymphs; wonderful on glass and bamboo
- The best, true-to-grain-weight line for casting small dry flies to picky risers

128827

- Elongated front taper is designed for delicate presentations
- · For use in moderate and cold climates
- · Braided multifilament core
- SA AMPLITUDE TROUT WF X F (X = line weight)








TROUT STANDARD

TRUE TO WEIGHT LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation; it simply keeps dry flies floating longer
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- Mid-length head for exceptional mending and accuracy at distance
- · The casters line
- · Braided multifilament core
- SA AMP TROUT STNDRD WF X F (X = line weight)





90.0'

240

WF-5-F

WF-6-F

129.95

140843



AMPLITUDE TEXTURED

MPX

HALF-SIZE HEAVY LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation; it simply keeps dry flies floating longer
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- An excellent general-presentation taper; Improved version of our GPX taper
- Made a half-size heavy to load rods and turn over large flies easily
- Best for large dry flies, nymphs, and streamers
- For use in moderate and cold climates
- · Braided multifilament core
- SA AMPLITUDE MPX WF X F (X = line weight)







DOUBLE TAPER

TRUE TO WEIGHT LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation; it simply keeps dry flies floating longer
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- Excels in medium-to-long distances with dry flies and smaller nymphs; wonderful on glass and bamboo
- For use in moderate and cold climates
- · Braided multifilament core
- SA AMP DOUBLE TAPER DT X F (X = line weight)






BASS BUG

TWO SIZE HEAVY LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation
- Shooting Texture running line delivers longer casts
- Designed specifically for throwing large, air-resistant dry flies and streamers for bass in rivers, lakes, and ponds
- Overweighted by two line sizes to assist in loading rods and turning over heavy rigs; use designated line weight for your rod
- Features a specialized warm-weather coating for fishing in high temperatures
- For use in moderate and hot climates
- · Braided multifilament core
- SA AMP BASS BUG WF X F (X = line weight)





ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT*
139434	WF-6-F	129.95	43.0'	90.0'	210
139441	WF-7-F	129.95	43.0'	90.0'	240
139458	WF-8-F	129.95	43.0'	90.0'	280
139465	WF-9-F	129.95	43.0'	90.0'	330

Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability.

ONE AND A HALF SIZE HEAVY LINE

AMPLITUDE TEXTURED


shooting ability and increased durability

• Floating Texture on the tip section for the ultimate in flotation; it

ANADRO INDICATOR

- simply keeps dry flies floating longer
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- An unbelievable indicator line for nymphing up trout and bass or swinging flies for steelhead and salmon; excellent for doublenymph rigs or hopper-droppers
- Overweighted by 1.5 sizes to assist in turning over heavy rigs; use designated line weight for your rod
- Use one size heavy for switch rods
- For use in moderate and cold climates
- · Braided multifilament core
- SA AMPLITUDE ANADRO WF X F (X = line weight)






128834 WF-4-F 129.95 60.0' 100.0' 280 150 128841 WF-5-F 129.95 60.0' 100.0' 325 175 128858 WF-6-F 129.95 60.0' 100.0' 355 200 128865 WF-7-F 129.95 61.0' 100.0' 405 225 128872 WF-8-F 129.95 62.0' 100.0' 455 260 128889 WF-9-F 129.95 63.0' 100.0' 560 305	ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT
128858 WF-6-F 129.95 60.0' 100.0' 355 200 128865 WF-7-F 129.95 61.0' 100.0' 405 225 128872 WF-8-F 129.95 62.0' 100.0' 455 260	128834	WF-4-F	129.95	60.0'	100.0'	280	150
128865 WF-7-F 129.95 61.0' 100.0' 405 225 128872 WF-8-F 129.95 62.0' 100.0' 455 260	128841	WF-5-F	129.95	60.0'	100.0'	325	175
128872 WF-8-F 129.95 62.0' 100.0' 455 260	128858	WF-6-F	129.95	60.0'	100.0'	355	200
	128865	WF-7-F	129.95	61.0'	100.0'	405	225
128889 WF-9-F 129.95 63.0' 100.0' 560 305	128872	WF-8-F	129.95	62.0'	100.0'	455	260
	128889	WF-9-F	129.95	63.0'	100.0'	560	305

INFINITY SALT

HALF-SIZE HEAVY LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation
- Shooting Texture running line delivers longer casts
- Made half size heavy turns over large flies on windy days
- Extended head length for accuracy at distance
- High-contrast sighter to identify the back of the line when fighting fish on long runs
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMP INFINITY SW WF XX F (X = line weight)








GRAND SLAM

THREE-QUARTER HEAVY LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- The perfect line for bonefish, tarpon, and permit on the flats; also great for snook, redfish, and sea trout
- Overweighted by .75 sizes to load rods quickly; use designated line weight for your rod
- Short, powerful head turns over long leaders with heavy flies
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMPLITUDE GR SLAM WF X F (X = line weight)








BONEFISH PLUS

HALF-SIZE HEAVY LINE

- Based on our popular Grand Slam taper profile, Bonefish Plus boasts an extended head length and lighter, half-heavy, weight, but maintains the short front taper to cast long leaders with ease.
- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation
- Shooting Texture running line delivers longer casts
- High-contrast sighter to identify the back of the line when fighting fish on long runs
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMP BONEFISH PLUS WF X F (X = line weight)










ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
142786	WF-6-F	129.95	50.5'	100.0'	255	175
142793	WF-7-F	129.95	50.5'	100.0'	280	200
142809	WF-8-F	129.95	50.5'	100.0'	330	225
142816	WF-9-F	129 95	50.5'	100.0'	370	260

BONEFISH

TRUE TO WEIGHT LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- High-contrast sighter to identify the back of the line when fighting fish on long runs
- Revised taper for delicate deliveries to skittish fish in crystal-clear water; an excellent line for bonefish and permit; loads fast and lands light for increased accuracy
- Medium-length head for line control and optimal casting and fishing at 60-80 feet
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMPLITUDE BONEFISH WF X F (X = line weight)









ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGH
129053	WF-6-F	129.95	35.5'	100.0'	190	160
129060	WF-7-F	129.95	37.5'	100.0'	240	185
129077	WF-8-F	129.95	39.7'	100.0'	280	210
120084	WE O E	120 05	/1 R'	100 0'	340	240


S^\
AMPLITUDE TEXTURED

TARPON

FOR TARGETING LAID-UP OR MOVING TARPON

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- High-contrast sighter to identify the back of the line when fighting fish on long runs
- Loads fast, shoots quickly, lands softly for wary fish; optimal casting and fishing at 80 feet
- Stealthy color scheme for wary fish
- Reinforced 45lb. big-game core
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMPLITUDE TARPON WF X F (X = line weight)








BIG WATER TAPER

ONE SIZE HEAVY LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation
- Shooting Texture running line delivers longer casts, thanks to a reduction in friction
- · High-contrast sighter to identify the back of the line when fighting fish on long runs
- Built one size heavy to load quickly and deliver the biggest flies to the furthest targets; use designated line weight for your rod
- · Specially designed for tropical environments
- Built on a 100-lb. core; ideal for tarpon, GTs, tuna, billfish, and arapaima in harsh tropical environments
- · Comes with 100lb braided add on loops
- SA AMPLITUDE BWT WF X F (X = line weight)










TROPICAL/JUNGLE TITAN

TWO SIZE HEAVY LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- Floating Texture on the tip section for the ultimate in flotation
- · Shooting Texture running line delivers longer casts, thanks to a
- High-contrast sighter to identify the back of the line when fighting fish; camo tip for stealth
- Powerful head loads quickly and delivers large flies to distant targets; ideal for tarpon, permit, snook, and redfish; useful for GTs, bonefish, and sea trout
- · Built two line sizes heavy; use designated line weight for your rod
- Tropi-Core technology remains stiff and slick in tropical
- SA AMP TROP TITAN WF X F (X = line weight)







AMPLITUDE SMOOTH PREMIUM SMOOTH LINES

AVAILABLE TECHNOLOGIES:



We took our revolutionary AST Plus slickness additive and put it into the our Amplitude Smooth Series. These lines are smooth like traditional lines, but have increased durability and slickness due to the AST Plus, which is mixed directly into our coatings.

Each line is built with three colors to identify the separate parts of the line, and welded loops for quick and easy rigging.

SA Amplitude Smooth lines are simply the finest smooth fly lines in the world and are available in a number of freshwater- and saltwater-specific tapers.



MPX

HALF-SIZE HEAVY LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- An excellent general-presentation line for trout, panfish, bass, grayling and carp; also useful for steelhead, salmon, and pike
- Made a half-size heavy to load fast-action rods, but works well with a variety of rod actions
- Best for large dry flies, nymphs, and streamers
- For use in moderate and cold climates
- Braided multifilament core
- SA AMP SMTH MPX WF X F (X = line weight)





INFINITY

HALF-SIZE HEAVY LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- Extremely versatile general-purpose taper designed for most freshwater species; an excellent line for trout, grayling, panfish, bass, carp, steelhead, salmon, and pike
- · Made a half-size heavy to load fast-action rods, but works well with a variety of rod actions
- Extended head length for long-distance casts and superior mending ability
- Excellent for dry flies, nymphs, and streamers
- · Available in three color schemes: standard, camo, and glow tip; the camo scheme features a mottled front taper for increased stealth
- For use in moderate and cold climates
- Braided multifilament core
- SA AMP SMTH INFNTY WF X F (X = line weight)



138291

WF-8-F

99.95

52.0'



S\ AMPLITUDE SMOOTH

INFINITY PLUS

ONE SIZE HEAVY LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- A scaled up version of our general purpose Infinity taper, the Infinity Plus is built a full size heavy for the fastest rods and larger trout rigs
- Underlining Infinity Plus by 1 size creates an AFFTA true standard weight for slower rods and advanced casters
- · Braided multifilament core
- SA AMP S INFNTY PLUS WF X F (X = line weight)



SCHENTING AMPLITUDE SMOOTH ERRISHWATER FLOATING TO INFINITY PLUS AST & D




ITEN 4 #	LINE	SUGG	HEAD	TOTAL	HEAD	GRAIN
ITEM#	WEIGHT	RETAIL	LENGTH	LENGTH	WEIGHT	WEIGHT*
142861	WF-3-F	99.95	47.0'	90.0'	170	120
142878	WF-4-F	99.95	48.0'	90.0'	205	140
142885	WF-5-F	99.95	49.0'	90.0'	245	160
142892	WF-6-F	99.95	50.0'	90.0'		185
142908	WF-7-F	99.95	51.0'	90.0'	330	210
142915	WF-8-F	99.95	52.0'	90.0'	385	240

INFINITY WARM

HALF-SIZE HEAVY LINE

- A warmwater version of our popular Infinity taper, Infinity Warm features a tropical coating with a coldwater core to bridge the gap between temperature extremes.
- Infinity Warm is a great option for throwing smaller poppers, hoppers, and streamers for warmwater quarry that require more finesse.
- A great option for summer days with warm boat decks when targeting trout.
- Features the revolutionary AST Plus slickness additive for superior AST* 🔊 🔊 🛣 🔷 shooting ability and increased durability
- · Braided multifilament core
- SA AMP S INFNTY WARM WF X F (X = line weight)





AST WELDED IMPROVED SALINE PLUS LOOPS DRYTIP ID



NEW

TEM#	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
42922	WF-5-F	99.95	48.0'	90.0'	190	130
42939	WF-6-F	99.95	49.0'	90.0'	225	150
42946	WF-7-F	99.95	50.0'	90.0'	265	175
42953	WF-8-F	99.95	51.0'	90.0'	305	200
42960	WF-9-F	99.95	52.0'	90.0'	350	225

NEW

ANADRO INDICATOR

ONE AND A HALF SIZE HEAVY LINE


- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- Long rear taper for extended line control and long-distance casting; the best nymphing taper we offer
- An unbelievable indicator line for nymphing up trout and bass or swinging flies for steelhead and salmon; excellent for doublenymph rigs or hopper-droppers
- The stillwater indicator version, features alternating high viz color bands at the tip, for easy tracking and strike detection
- Overweighted by 1.5 sizes to assist in turning over heavy rigs; use designated line weight for your rod
- Use one size heavy for switch rods
- For use in moderate and cold climates
- · Braided multifilament core
- SA AMP SMTH ANADRO WF X F (X = line weight)



TROUT

TRUE TO WEIGHT LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- Excels in medium-to-long distances with dry flies and smaller nymphs; wonderful on glass and bamboo
- The best smooth, true-to-grain-weight line for casting small dry flies to picky risers
- Designed specifically for chasing trout; also useful for grayling and panfish
- Elongated front taper is designed for delicate presentations
- For use in moderate and cold climates
- Braided multifilament core
- SA AMP SMTH TROUT WF X F (X = line weight)









INDICATOR	ORANGE	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
140911	131476	WF-4-F	99.95	60.0'	100.0'	280	150
138314	131483	WF-5-F	99.95	60.0'	100.0'	325	175
138321	131490	WF-6-F	99.95	60.0'	100.0'	355	200
138338	131506	WF-7-F	99.95	61.0'	100.0'	405	225
138345	131513	WF-8-F	99.95	62.0'	100.0'	455	260
	131520	WF-9-F	99.95	63.0'	100.0'	560	305






				TOTAL LENGTH		GRAIN WEIGHT*
116312	WF-2-F	99.95	64.0'	90.0'	170	80
131377	WF-3-F	99.95	64.0'	90.0'	195	100
131384	WF-4-F	99.95	66.0'	90.0'	240	120
131391	WF-5-F	99.95	68.0'	90.0'	300	140
131407	WF-6-F	99.95	70.0'	90.0'	340	160
131414	WF-7-F	99.95	72.0'	90.0'	405	185

51AMPLITUDE SMOOTH

TITAN LONG

TWO SIZE HEAVY LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- · Designed for targeting bass; perfect for pike, carp, and throwing streamers at trout
- Powerful head loads quickly and delivers large flies to distant targets
- Built two sizes heavy for turning over big rigs; use designated line weight
- Extended rear taper for line control and mending ability
- · Ideal line for boat or wade fishing
- For use in moderate and cold climates
- · Braided multifilament core
- SA AMP SMTH TTN LNG WF X F (X = line weight)








ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
131858	WF-5-F	99.95	43.0'	90.0'	245	185
131865	WF-6-F	99.95	43.0'	90.0'	280	210
131872	WF-7-F	99.95	43.0'	90.0'	320	240
131889	WF-8-F	99.95	43.0'	90.0'	380	280
131896	WF-9-F	99.95	43.0'	90.0'	435	330
131906	WF-10-F	99.95	43.0'	90.0'	505	380

CREEK TROUT

ONE SIZE HEAVY LINE

- Features the revolutionary **AST Plus** slickness additive for superior shooting ability and increased durability
- · Short-head design with handling line delivers flies at short-to-medium range with extended line control; Built full size heavy
- Turns over weighted nymphs and streamers, yet offers light presentations when used with long leaders
- SA AMP S CREEK TROUT WF X F (X = line weight)







	LINE WEIGHT	SUGG RETAIL		TOTAL LENGTH		GRAIN WEIGHT*
138192	WF-2-F	99.95	21.5'	90.0'	100	100
138208	WF-3-F	99.95	22.0'	90.0'	120	120
138215	WF-4-F	99.95	23.0'	90.0'	140	140
138222	WF-5-F	99.95	24.0'	90.0'	160	160
138239	WF-6-F	99.95	25.0'	90.0'	185	185

INFINITY SALT

HALF-SIZE HEAVY LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- Made half size heavy turns over large flies on windy days
- Extended head length for accuracy at distance
- High-contrast sighter to identify the back of the line when fighting fish on long runs
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMP S INFNTY SW WF XX F (X = line weight)







GRAND SLAM

THREE-QUARTER HEAVY LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- The perfect line for bonefish, tarpon, and permit on the flats; also great for snook, redfish, and sea trout
- Overweighted by .75 sizes to load rods quickly; use designated line weight for your rod
- Short, powerful head turns over long leaders with heavy flies
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMP SMTH GR SLAM WF X F (X = line weight)






REDFISH WARM AND COLD

HALF-SIZE HEAVY LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- High-contrast sighter to identify the back of the line when fighting fish on long runs
- Short front taper and head for quick, powerful casts
- Made a half size heavy to deliver large flies in demanding situations
- Warm and cold version to cover both summer and winter redfish
- SA AMP S REDFISH Y WF XX F (Y = Temp) (X = line weight)








COLD	WEIGHT	RETAIL	LENGTH	LENGTH	WEIGHT	GRAIN WEIGHT*
	WF-6-F	99.95	31.0'	100.0'	180	175
	WF-7-F	99.95	31.0'	100.0'	205	200
138451	WF-8-F	99.95	31.0'	100.0'	235	225
138468	WF-9-F	99.95	31.0'	100.0'	275	260
138475	WF-10-F	99.95	31.0'	100.0'	320	305

TARPON

FOR TARGETING LAID-UP OR MOVING TARPON

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- High contrast sighter to identify the back of the line when fighting fish on long runs
- · Loads fast, shoots quickly, lands softly for wary fish
- · Stealthy color scheme
- · Reinforced 45lb big-game core
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMP SMTH TARPON WF XX F (X = line weight)






				TOTAL LENGTH		
81	WF-10-F	99.95	36.0'	100.0'	350	285
98	WF-11-F	99.95	36.0'	100.0'	405	340
204	WF-12-F	99.95	36.0'	100.0'	460	400

S\AMPLITUDE SMOOTH

BONEFISH PLUS

HALF-SIZE HEAVY LINE

- Based on our popular Grand Slam taper profile, Bonefish Plus boasts an extended head length and lighter, half-heavy, weight, but maintains the short front taper to cast long leaders with ease.
- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- High-contrast sighter to identify the back of the line when fighting fish on long runs
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMP SMTH BONEFISH PLUS WF X F (X = line weight)








				TOTAL LENGTH		GRAIN WEIGHT*
12823	WF-6-F	99.95	50.5'	100.0'	255	175
12830	WF-7-F	99.95	50.5'	100.0'	280	200
12847	WF-8-F	99.95	50.5'	100.0'	330	225
12854	WF-9-F	99.95	50.5'	100.0'	370	260

BONEFISH

TRUE TO WEIGHT LINE

- Features the revolutionary AST Plus slickness additive for superior shooting ability and increased durability
- Revised taper for delicate deliveries to skittish fish in crystal-clear water; an excellent line for bonefish and permit
- · Loads fast and lands light for increased accuracy
- Medium-length head for line control and optimal casting and fishing at 60-80 feet
- Tropi-Core technology remains stiff and slick in tropical environments
- SA AMP SMTH BONEFISH WF X F (X = line weight)







	TOTAL LENGTH		
5.5'	100.0'	190	160
7 = ,	100.0	240	105



SONAR TITAN PREMIUM BIG-FLY SINKING LINES

AVAILABLE TECHNOLOGIES:













SHOOTING WELDED SALINE TEXTURE LOOPS

SONAR TROPI-CORE 100-LB

The SONAR Titan Series features lines built on our popular Titan Taper, only instead of floating, all of these sink; from fishing just beneath the surface in a small stream to dredging blue holes in the ocean, nothing helps you throw large flies better than the SONAR Titans.

flies and chuck big casts at even bigger fish.

Fresh or salt water, it doesn't matter. We have a SONAR Titan built for the fish you're



SONAR TITAN SINK TIP

TWO SIZE HEAVY LINE


- Two line sizes heavy for loading quickly and delivering the biggest

- Available in three Sink Tip densities:

Float/Sink 3: 2.5 - 3.5 ips

Float/Sink 6: 5.5 - 6.5 ips

- For use in moderate and cold climates
- SA TTN SNK TIP WF X F S# (X = line weight; # = sink rate)




lten	Numbers —	-							
			LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	SINK TIP LENGTH	HEAD WEIGHT	GRAI WEIG

SONAR TITAN SINK TIP MINI

TWO SIZE HEAVY LINE

- Features a warmwater construction, which makes it a great option for
- tip imparts more commotion and grip with the fly.
- Two line sizes heavy for loading quickly and delivering streamers to
- Formulated with Advanced Shooting Technology
- SA TTN SNK TIP WF X F S# (X = line weight; # = sink rate)







ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	SINK TIP LENGTH	HEAD WEIGHT	GRAIN WEIGHT
142977	WF-4-FS	99.95	43.0'				
142984		99.95	43.0'				
142991	WF-6-FS	99.95	43.0'				
143004		99.95	43.0'			320	
	WF-8-FS	99.95	43.0'				
	WF-9-FS	99.95	43.0'				



SONAR TITAN TRIPLE DENSITY

TRIPLE-DENSITY LINE FOR THROWING BIG STREAMERS



- Two line sizes heavy for loading quickly and delivering the biggest flies to the furthest

- Shooting Texture reduces friction, providing longer casts, easier pick-up, and
- Sink Rates:

Intermediate = 1.25 ips

Sink 2 = 1.5 – 2.5 ips


Sink 3 = 2.5 - 3.5 ips

Sink 7 = 6.5 - 7.5 ips

• SA SONAR TITAN WF X DENSITY (X = line weight)








1/2/3	1/3/5	3/5/7	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
136044	103916		WF-6-S	99.95	33.5'	105.0'	230	210
136051	103923		WF-7-S	99.95	33.5'	105.0'	265	240
136068	103930	126298	WF-8-S	99.95	33.5'	105.0'	310	280
136075	103947	126304	WF-9-S	99.95	33.5'	105.0'	365	330
136082	103954	126311	WF-10-S	99.95	33.5'	105.0'	420	380
136099	103961	126328	WF-11-S	99.95	33.5'	105.0'	500	450
136105		126144	WF-12-S	99.95	33.5'	105.0'	550	500

SONAR TITAN TROPICAL / JUNGLE CLEAR TIP

TWO SIZE HEAVY LINE

- Excellent turnover due to short, powerful head
- Overweighted by two line sizes for loading quickly and delivering big flies to distant targets; use designated line weight for your rod
- 15' clear intermediate tip for stealthy presentations; built with a floating running line for easy handling
- Designed to deliver large flies to peacock bass and golden dorado in harsh jungle environments
- SA SONAR TTN JNG CLR WF X FI (X = line weight)








SONAR TITAN FULL INTERMEDIATE

TWO SIZE HEAVY LINE

- Excellent turnover due to short, powerful head
- Overweighted by two line sizes for loading quickly and delivering the biggest flies to the furthest targets; use designated line weight for your rod
- Slow sink rate gets flies just below the surface
- Perfect line for larger species such as pike, muskie, and stripers
- For use in moderate and cold climate
- Braided multifilament core
- Sink Rate: Intermediate = 1.25 ips
- SA SONAR TITAN WF X I (X = line weight)








SONAR TITAN BIG WATER TAPER MAX SINK

TWO SIZE HEAVY LINE

- · Loads quickly and delivers the biggest flies to the furthest targets
- Excellent turnover due to short, powerful head
- Specially designed for tropical environments
- Built on a 100-lb. core
- Shooting Texture reduces friction, providing longer casts, easier pick-up, and increased durability
- Intermediate running line with fast-sinking head
- Sink Rate: Sink 6 = 5.0 7.0 ips
- Comes with 100lb braided add on loops
- SA SONAR BWT MAX WF ### (# = grain weight)








SONAR TITAN BIG WATER TAPER

TWO SIZE HEAVY LINE

- Excellent turnover due to short, powerful heac
- Overweighted for loading quickly and delivering big flies to distant targets
- Specially designed for tropical environments; built specifically to withstand large game such as GTs, tuna, and billfish
- Built on a 100-lb. core; this is the strongest line on the market, by far
- Shooting Texture reduces friction, providing longer casts, easier pick-up, and increased durability
- Floating running line with intermediate sinking head
- Sink Rate: Intermediate = 1.25 ips
- Comes with 100lb braided add on loops
- SA SONAR BWT INT WF ### FI (# = grain weight)







SONAR PREMIUM GENERAL-PURPOSE SINKING LINES

AVAILABLE TECHNOLOGIES:

AST





ID





ST

WELDED LOOPS

SA LINE S

SONAR TROPI-CORE

The SA SONAR Series was designed by anglers for anglers. Built for exploring every inch of the water column, the SONAR Series features sinking heads, full sinking lines, and even custom-cut lines for getting down as deep as you need.

Constructed with our AST slickness additive, SONAR sinking technology, SA·ID line identification system, and Welded Loops, the SONAR Series is a technologically advanced set of sinking lines, built for fish of all species.

Fresh or salt water, it doesn't matter. We have a SONAR built for the fish you're after.




SONAR TROUT EXPRESS

SINK TIP FLY LINE

- Formulated with Advanced Shooting Technology
- Short, rear weighted head excels at roll casting large streamers in tight spaces
- Extended rear taper stabilizes longer casts
- SD Blend technology for the smoothest possibe transition between densities
- Sink Rate: Floating running line, intermediate belly, Sink 5 tip
- Braided multifilament core
- SA SONAR TROUT XXXGR F1S5 (X = grain weight)










SONAR SINK 25 COLD

SINKING-HEAD FLY LINE FOR COLD WATER

- 25' extra-fast sinking head with handling line
- For coldwater applications; designed for fishing streamers while wading
- An excellent streamer line for trout, bass, steelhead, and salmon works well for stripers
- · Low-tangle design increases shooting distance
- Floating running lin
- Super Fast Sink: 4.0 7.0 ips, sinks 4' 15
- For use in moderate and cold climates
- Braided multifilament core
- SA SONAR SINK 25 ### (# = grain weight)





ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT*	SINK RATE
121477	150 GR 5-6 WT	99.95	25.0'	105.0'	150	4 IPS
121484	200 GR 6-7 WT	99.95	25.0'	105.0'	200	4.6 IPS
121491	250 GR 7-8 WT	99.95	25.0'	105.0'	250	5.3 IPS
121507	300 GR 8-9 WT	99.95	25.0'	105.0'	300	6 IPS
121514	350 GR 9-10 WT	99.95	25.0'	105.0'	350	7 IPS




SINK 30 CLEAR

CLEAR INTERMEDIATE SINKING-HEAD LINE FOR WARM WATER

- 30' intermediate sinking head with handling line
- For warmwater applications; designed for fishing streamers out a hoat
- An excellent streamer line for bass, pike, carp, and othe warmwater species
- · Low-tangle design increases shooting distance
- Intermediate running lin
- Sink Rate: 1.25 ips (Intermediate)
- For use in moderate climates
- Monofilament core
- SA SONAR SINK 30 ### (# = grain weight)





ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT*
103992	200 GR 6-7 WT	99.95	30.0'	105.0'	200
104005	250 GR 7-8 WT	99.95	30.0'	105.0'	250
104012	300 GR 8-9 WT	99.95	30.0'	105.0'	300
104029	350 GR 9-10 WT	99.95	30.0'	105.0'	350
104036	400 GR 11-12 WT	99.95	30.0'	105.0'	400




SONAR GRAND SLAM CLEAR TIP

BONEFISH, PERMIT, AND TARPON, ALL ON ONE LINE

- 8 foot clear, intermediate sink tip for ultra wary fish
- · Intermediate tip gets the fly down to fish
- Overweighted by .75 sizes to load rods quickly; use designated line weight for your rod
- Short, powerful head turns over long leaders and heavy flies
- Tropi-Core technology remains stiff and slick in tropica environments
- Sink Rate: 1.25 ips (Intermediate)
- SA SONAR GS CLR TP WF XX FI (X = line weight)








SONAR SALTWATER INTERMEDIATE

SLOW-SINKING CLEAR-HEADED LINE FOR SALT WATER

- Intermediate sink rate gets just below the surface
- Engineered for use in salt water; the perfect stealthy line for bonefish, permit, tarpon, and redfish; also useful for snook, see trout, and warmwater stripers
- Built a half-size heavy for quick loading; use designated line weight for your rod
- Sink Rate: 1.25 ips (Intermediate)
- Tropi-Core technology remains stiff and slick in tropical environments
- SA SONAR SWTI WF X I (X = line weight)








TEM IUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
32107	WF-7-I	99.95	38.0'	105.0'	215	200
32114	WF-8-I	99.95	38.0'	105.0'	265	225
32121	WF-9-I	99.95	38.0'	105.0'	330	260
32138	WF-10-I	99.95	41.0'	105.0'	415	305
32145	WF-11-I	99.95	41.0'	105.0'	510	355
32152	WF-12-I	99.95	41.0'	105.0'	620	415

SONAR CAMO INTERMEDIATE

CAMOUFLAGE LINE FOR SUB-SURFACE FISHING

- Based on our popular Infinity Salt tape
- Made half size heavy for larger flies and windy days
- Full intermediate, coldwater coating over camouflage core for stealthy presentations with minimal memory in cold to medium waters
- Sink rate: 1.25 IPS (intermediate)
- SA SONAR CAMO INT WF XX I (X = line weight)







ITEM NUMBER	LINE WEIGHT	SUGG RETAIL		TOTAL LENGTH		GRAIN WEIGHT*
139205	WF-8-I	99.95	49.0'	105.0'	330	225
139212	WF-9-I	99.95	50.0'	105.0'	395	260
139229	WF-10-I	99.95	51.0'	105.0'	475	305




SONAR MUSKY

POWERFUL FAST SINKING MUSKY TAPER

- · Powerful head to turn over extremely large flies
- Reinforced loop
- Oversized running line for increased line management and positive strip sets.
- Intermediate running line and Sink 5 head works well for lakes and rivers
- For use in moderate climates
- Braided multifilament core
- SA SONAR MUSKY XXX GR (# = grain weight)








SONAR SURF

IDEAL SURF LINE FOR SINGLE AND DOUBLE HAND RODS

- 27' Sink 6 head designed for use with single hand and double hand rods
- Intermediate running line with integrated handling section
- Sink Rate: Sink 6: 5.5 6.5 ip
- For use in moderate climates
- Braided multifilament core
- SA SONAR SURF XXXGR (XXX = grain weight)






LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT
200 GR	99.95	27.0'	105.0'	200
250 GR	99.95	27.0'	105.0'	250
300 GR	99.95	27.0'	105.0'	300
	WEIGHT 200 GR 250 GR	WEIGHT RETAIL 200 GR 99.95 250 GR 99.95	WEIGHT RETAIL LENGTH 200 GR 99.95 27.0' 250 GR 99.95 27.0'	WEIGHT RETAIL LENGTH LENGTH 200 GR 99.95 27.0' 105.0' 250 GR 99.95 27.0' 105.0'

DEEP WATER EXPRESS

SINKING SHOOTING TAPER

- · Fast-sinking shooting taper
- Sink Rates: 9.0 10.0 ips
- Braided multifilament core







ITEM NUMBER	SIZE	SUGG RETAIL	TOTAL LENGTH
124270	850 GR	54.95	30.0'




SONAR 3D CUSTOM TIP

CUSTOM-CUT SINKING FLY LINE

- Cut-to-fit design lets you cut the tip to the ideal weight fo whichever species you're chasing
- Excellent custom sinking line for trout, bass, stripers, and stillwater angling
- Goes deep and stays deep
- Intermediate running line; fast-sinking head
- Sink Rates:
 Int = 1.25 ips
 Sink 3 = 2.5 3.5 ips
 Sink 8 = 8 ips
- For use in moderate and cold climates
- Braided multifilament core
- Comes with braided add-on loop





COTTO TTI GOIDE (ROD WE	IGITI II (I / (ICEI I I I I E E E E E
GRAIN: 462/CUT 0' (12-15 WT)	GRAIN: 352/CUT 8' (9-11 WT)
GRAIN: 451/CUT 1' (10-13 WT)	GRAIN: 338/CUT 9' (8-11 WT)
GRAIN: 437/CUT 2' (10-13 WT)	GRAIN: 324/CUT 10' (8-11 WT)
GRAIN: 423/CUT 3' (10-13 WT)	GRAIN: 310/CUT 11' (8-9 WT)
GRAIN: 409/CUT 4' (9-12 WT)	GRAIN: 296/CUT 12' (8-9 WT)
GRAIN: 395/CUT 5' (9-12 WT)	GRAIN: 282/CUT 13' (8-9 WT)
GRAIN: 380/CUT 6' (9-11 WT)	GRAIN: 268/CUT 14' (7-9 WT)
CDAIN 766/CUT 71 (0.11 M/T)	CDAIN 254/CLIT 15' (7.9 M/T)

ITEM LINE SUGG HEAD TOTAL GRAIN NUMBER WEIGHT RETAIL LENGTH LENGTH WEIGHT 136211 CUT TO LENGTH 99.95 35.0' 105.0' 462


5\
SONAR

SONAR TROPICAL JUNGLE CUSTOM TIP

CUSTOM-CUT SINKING FLY LINE FOR JUNGLE FISH

- Cut-to-fit design lets you cut the tip to the ideal weight fo whichever species you're chasing
- Excellent custom sinking line for species such as peacock bass and dorado in harsh jungle environments
- Goes deep and stays deep
- Intermediate running line; fast-sinking head
- Sink Rate: 7.75 ips
- Comes with braided add-on loop





ITEM LINE SUGG HEAD TOTAL GRAIN NUMBER WEIGHT RETAIL LENGTH LENGTH WEIGHT CUT TO

CUT-TO-FIT GUIDE (ROD WEIGHT IN PARENTHESES)

CHART IS FOR BOTH JUNGLE CUSTOM TIP AND TROPICAL CUSTOM

GRAIN: 462/CUT 0' (12-15 WT)
GRAIN: 451/CUT 1' (10-13 WT)
GRAIN: 437/CUT 2' (10-13 WT)
GRAIN: 423/CUT 3' (10-13 WT)
GRAIN: 409/CUT 4' (9-12 WT)
GRAIN: 395/CUT 5' (9-12 WT)
GRAIN: 380/CUT 6' (9-11 WT)

GRAIN: 352/CUT 8' (9-11 WT)
GRAIN: 338/CUT 9' (8-11 WT)
GRAIN: 324/CUT 10' (8-11 WT)
GRAIN: 310/CUT 11' (8-9 WT)
GRAIN: 296/CUT 12' (8-9 WT)
GRAIN: 282/CUT 13' (8-9 WT)
GRAIN: 268/CUT 14' (7-9 WT)
GRAIN: 254/CUT 15' (7-8 WT)



SONAR STILLWATER

PREMIUM STILLWATER SINKING LINES

AVAILABLE TECHNOLOGIES:











САМО






Stillwater angling presents its own unique challenges and demands. Fishing just below the surface with chironomids, camouflaging full-sinking lines, and fishing the hang are all aspects of stillwater angling we've addressed with our SONAR Stillwater Series.

Featuring our AST slickness additive, along with the Seamless Density and Clear Camo technologies, lines in our SONAR Stillwater family are designed to catch fish in lakes


Get out there and GET DOWN with SONAR.






























HOVER

FOR FISHING FLIES JUST BELOW THE SURFACE

- · Designed specifically for the demands of stillwater anglers
- Based on our popular MPX tape
- Overweighted by a full line weight for multiple flies and long leaders; use designated line weight for your rod
- Extra-slow sinking hover (1 ips) for fishing the film
- This line suspends just below the surface for slowly retrieving damselfly nymphs, small leeches, and other wet flies
- Braided multifilament core; for use in moderate and cold climates
- SA STILLWATER HOVER WF X H (X = line weight)








CLEAR CAMO

CAMOUFLAGE LINE FOR SUB-SURFACE FISHING

- Designed specifically for the demands of stillwater anglers
- Based on our popular MPX tape
- Built for stillwater trout, but also deadly for spooky carp presentations
- Overweighted by a full line weight for multiple flies and long leaders; use designated line weight for your rod
- Full intermediate (1.25 ips) line over camouflage core for the
- We take our unique, mottled camo core and coat it with a super supple clear material for the ultimate in stealth, with added benefit of reduced memory
- Monofilament core; for use in moderate and cold climates
- SA STLLWTR CAMO WF X I (X = line weight)







CLEAR EMERGER TIP

FOR FISHING FLIES IN OR NEAR THE SURFACE FILM

- Designed specifically for the demands of stillwater anglers
- Based on our popular MPX tape
- Overweighted by a full line weight for multiple flies and long leaders; use designated line weight for your rod
- 5-foot clear intermediate tip (1.25 ips) with floating running line and head for fishing flies just below the surface
- Deadly for chironomids and suspended nymphs
- Features all-new supple clear material for reduced memory
- Monofilament core; for use in moderate and cold climates
- SA STLLWTR EMERG TIP WF X FI (X = line weight)








SEAMLESS DENSITY

BLENDED-DENSITY SINKING LINES

- Designed specifically for the demands of stillwater anglers; based our popular MPX taper
- Overweighted by two line weights for multiple flies and long leaders; use designated line weight for your rod; features 10-foot and 20-foot textured hang markers
- Seamless Density technology provides a smooth transition between densities, eliminates hinging, and provides a straight-line connection to the fly
- Intermediate/Sink 3: Intermediate (1.25 ips) running line and Sink head (3.0 ips)
- Sink 3/Sink 5: Sink 3 running line and a Sink 5 (5.0 ips) head
- Sink 5/Sink 7: Sink 5 running line and Sink 7 (7.0 ips) head
- Braided multifilament core: for moderate/cold climates
- SA STILLWATER SD WF X S# S# (X = line weight; # = sink rate)






grain weight for the first 30' | scientificanglers.com | 855-799-2822 | dealersupport@scientificanglers.com *

PARABOLIC SINK

SINKS IN A U-SHAPED PROFILE

- Designed specifically for the demands of stillwater anglers; based on
- Overweighted by two line weights for multiple flies and long leaders; use designated line weight for your rod
- Features 10-foot and 20-foot textured hang markers
- Seamless Density technology provides a smooth transition between densities, eliminates hinging, and provides a straight-line connection to
- retrieve, which is great for triggering strikes
- SA SD PRBLC WF X S# S# S# (X = line weight; # = sink rate)






FLOATING TIP FOR SUSPENDING FLIES OFF THE BOTTOM

- 5' floating tip designed to be used with sinking lines to keep leaders
- · Looped on both ends for easy rigging
- Braided multifilament core; for use in moderate and cold climates
- SA BOOBY TIP 5 FT 25 GR F









AVAILABLE TECHNOLOGIES:

AST











AST

LOOPS DRY TIP

WELDED IMPROVED SALINE TROPI-CORE

For years, SA Mastery Series lines have been among our most-popular and bestperforming lines. While some things have changed, one thing hasn't: Mastery Series lines still deliver just as well as—if not better than—they ever have before.

With our AST slickness additive, Dry-Tip technology, color change at the rear of the head, and SA·ID identification system, Mastery lines are still the best smooth lines at their price point on the market.

From dry-fly purists to tarpon-chasing poon hounds, the Mastery Series from SA provides every angler the lines they need to catch the fish they crave.

S\
MASTERY

INFINITY

HALF-SIZE HEAVY LINE

- Extremely versatile general-purpose taper designed for most freshwater species; an excellent line for trout, grayling, panfish, bass, carp, steelhead, salmon, and pike
- Made a half-size heavy to load fast-action rods, but works well with a variety of rod actions
- Extended head length for long-distance casts and superior mending ability
- Excellent for dry flies, nymphs, and streamers
- For use in moderate and cold climates
- · Braided multifilament core
- SA MS INFNTY WF X F (X = line weight)
















ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
138352	WF-3-F	79.95	47.0'	90.0'	155	110
138369	WF-4-F	79.95	48.0'	90.0'	190	130
138376	WF-5-F	79.95	49.0'	90.0'	225	150
138383	WF-6-F	79.95	50.0'	90.0'	265	175
138390	WF-7-F	79.95	51.0'	90.0'	305	200
138406	WF-8-F	79.95	52.0'	90.0'	350	225

 $*grain\ weight\ for\ the\ first\ 30'\ |\ scientific anglers.com\ |\ 855-799-2822\ |\ dealer support @scientific anglers.com\ |\ scientific anglers.com\ |\$



MPX

HALF-SIZE HEAVY LINE

- An excellent general-presentation line for trout, panfish, bass, grayling and carp; also useful for steelhead, salmon, and pike
- Made a half-size heavy to load fast-action rods, but works well with a variety of rod actions; use designated line weight for your rod
- Best for large dry flies, nymphs, and streamers

120845

120777


WF-8-F

79.95

42.0'

- For use in moderate and cold climates
- · Braided multifilament core
- SA MS MPX WF X F (X = line weight)





90.0'

305

225





TROUT STANDARD

TRUE TO WEIGHT LINE

- · True to line weight
- Mid-length head for exceptional mending and accuracy at distance
- The caster's fishing line
- · Braided multifilament core
- For use in moderate and cold climates
- SA MS TROUT STANDARD WF X F (X = line weight)







	EM JMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
136	6259	WF-3-F	79.95	45.0'	90.0'	140	100
136	6266	WF-4-F	79.95	48.0'	90.0'	190	120
136	6273	WF-5-F	79.95	51.0'	90.0'	240	140
136	6280	WF-6-F	79.95	54.0'	90.0'	290	160




DOUBLE TAPER

TRUE TO WEIGHT LINE

- · Matches perfectly with bamboo, glass, and slow-action carbonfiber rods that are popular on dry fly streams such as the Henry's
- True-to-grain-weight double taper head allows smooth and accurate presentations to picky sipping spring-creek trout
- Excels in short-to-medium distances with dry flies and smaller nymphs
- · Slickness additives provide longer distance-casting ability with bamboo rods that have smaller snake-guide sets
- Very supple, to fit small-arbor reels
- For use in moderate and cold climates
- · Braided multifilament core
- SA MS TRT DT X F (X = line weight)








TROUT


TRUE TO WEIGHT LINE

- Excels in medium-to-long distances with dry flies and smaller nymphs
- · A very nice true-to-grain-weight line for casting small dry flies to
- · Designed specifically for chasing trout; also useful for grayling, panfish
- Elongated front taper is designed for delicate presentations
- · Wonderful on glass, bamboo, and slow- or medium-action rods
- For use in moderate and cold climates
- · Braided multifilament core
- SA MS TRT WF X F (X = line weight)









ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
102827	WF-2-F	79.95	64.0'	90.0'	170	80
120869	WF-3-F	79.95	64.0'	90.0'	195	100
120876	WF-4-F	79.95	66.0'	90.0'	240	120
120883	WF-5-F	79.95	68.0'	90.0'	300	140
120890	WF-6-F	79.95	70.0'	90.0'	340	160

 $*grain\ weight\ for\ the\ first\ 30'\ |\ scientific anglers.com\ |\ 855-799-2822\ |\ dealer support @scientific anglers.com\ |\ scientific anglers.com\ |\$




ANADRO INDICATOR

ONE AND A HALF SIZE HEAVY LINE

- Long rear taper for extended line control and long-distance casting;
 the best nymphing taper we offer
- An unbelievable indicator line for nymphing up trout and bass or swinging flies for steelhead and salmon; excellent for doublenymph rigs or hopper-droppers
- Overweighted by 1.5 sizes to assist in turning over heavy rigs; use designated line weight for your rod
- · High-vis and high-floating yellow tip
- Overline one size for switch rods
- For use in moderate and cold climates
- · Braided multifilament core
- SA MS ANADRO WF X F (X = line weight)








GREAT LAKES SWITCH

POWERFUL TAPER FOR CASTING HEAVY INDICATOR RIGS

- Designed for use with switch and spey rods when targeting salmon and steelhead with indicators
- · Long head for superior mendability
- · Aggressive taper turns over the largest indicators and heaviest flies
- · Ideal line for boat or wade fishing
- For use in cold and moderate climates
- · Braided multifilament core
- SA MS GL SWTCH INDO WF X F (X = line weight)







EXPERT DISTANCE

TRUE TO WEIGHT LINE

- Extra-long running line and rear taper for long-distance casting
- · Compound head design ensures strong turnover at distance
- Comes in orange competition color with extended length (120')
- · Ideal line for FFI casting certification
- For use in moderate and cold climates
- Braided multifilament core
- SA MS EDC WF X F (X = line weight)







BASS BUG

TWO SIZE HEAVY LINE

- Designed specifically for throwing large, air-resistant dry flies and streamers for bass in rivers, lakes, and ponds
- Overweighted by two line sizes to assist in loading rods and turning over heavy rigs; use designated line weight for your rod
- · Extended rear taper for line control and mending ability
- · Ideal line for boat or wade fishing
- Features a specialized warm-weather coating for fishing in high temperatures
- For use in moderate and hot climates
- · Braided multifilament core
- SA MS BASS BUG WF X F (X = line weight)







EURO TACTICAL NYMPH MONO CORE

FOR EUROPEAN-STYLE NYMPHING

- · Ultra-thin level-line design for premium performance and
- For use with rods 0- through 5-weight
- Meets FIPS Mouche competition specifications
- · For use in moderate and cold climates
- Monofilament core
- · Comes with braided loop connection






EURO TACTICAL NYMPH BRAIDED CORE

FOR EUROPEAN-STYLE NYMPHING

- Formulated with Advanced Shooting Techonology
- · Double taper version maintains .022" tip, but tapers to a slightly larger belly so that it can be overhead cast when needed
- · Level .022" diameter, coated fly line for sag free, tight line presentations





TAPER	ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	TOTAL LENGTH
DOUBLE TAPER	140799	0-5 FLOAT	59.95	80.0'
LEVEL	140805	0-5 FLOAT	59.95	80.0'



EURO NYMPH KIT

FOR EUROPEAN-STYLE NYMPHING

- · Convert any single hand fly line to Euro Nymphing setup
- Features welded loops on front and back of tip.
- Kit includes 20' floating Euro Nymph tip, Absolute Euro Nymph leader, and foam storage spool.
- Suggested Retail MSRP \$39.95
- · Item #135986



EVERYTHING YOU NEED

FOR EUROPEAN-STYLE NYMPHING



Absolute Euro Nymph Leader See page 16



Absolute Tri-Color Sighter See page 16






Tippet Rings See page 132

TROPICAL/JUNGLE TITAN

TWO SIZE HEAVY LINE

- Designed for throwing big dries and streamers to jungle fish such as peacock bass and golden dorado
- · Powerful head loads quickly and delivers large flies to distant targets
- Will turn over the largest flies imaginable
- Built two sizes heavy for turning over big rigs; use designated line weight for your rod
- · Ideal line for boat or wade fishing
- Tropi-Core technology remains slick and stiff in tropical environments
- SA MS JUNGLE TITAN WF X F (X = line weight)








TITAN

TWO SIZE HEAVY LINE

- Designed for targeting bass and pike; perfect for carp and throwing streamers at trout
- Powerful head loads quickly and delivers large flies to distant targets
- Will turn over the largest flies imaginable
- Built two sizes heavy for turning over big rigs; use designated line weight for your rod
- · Ideal line for boat or wade fishing
- For use in moderate and cold climates
- Braided multifilament core
- SA MS TTN WF X F (X = line weight)







ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	HEAD WEIGHT	GRAIN WEIGHT*
120913	WF-6-F	79.95	33.5'	90.0'	230	210
120920	WF-7-F	79.95	33.5'	90.0'	265	240
120937	WF-8-F	79.95	33.5'	90.0'	310	280
120944	WF-9-F	79.95	33.5'	90.0'	365	330
120951	WF-10-F	79.95	33.5'	90.0'	420	380



SALTWATER

HALF-SIZE HEAVY LINE

- Compound taper turns over saltwater flies on long casts into the wind
- An excellent presentation taper for discerning fish; ideal for bonefish, permit, tarpon, redfish, and snook
- · Carries line with ease, shoots with precision
- Two-tone for better visibility
- Half-size heavy for quick loading; use designated line weight for your rod; optimal casting and fishing from 60-80 feet
- Variable head lengths for distance casting and quick shots to passing fish
- Tropi-Core technology remains slick and stiff in tropical environments
- SA MS SWT WF X F (X = line weight)








GRAND SLAM

THREE-QUARTER HEAVY LINE

- The perfect line for bonefish, tarpon, and permit on the flats; also great for snook, redfish, and sea trout
- Overweighted by .75 sizes to load rods quickly; use designated line weight for your rod
- Short, powerful head turns over long leaders with heavy flies
- Cuts through wind with ease and turns over big saltwater flies
- Tropi-Core technology remains stiff and slick in tropical environments
- SA MS GR SLAM WF X F (X = line weight)







TWO HANDED

AST

AST



LOOPS



ID





SONAR AUDIBLE REFERENCE POINT

Whether you're swinging soft hackles for trout or throwing Intruders for steelhead, the SA Two-Handed lineup has exactly what you need. From our Spey Lite lines to the Skagit and Scandi lines, we have both of your hands covered.

SA Two-Handed lines feature the SA•ID line identification tool, our AST slickness additive, as well as welded loops for easy switchouts. Some even feature the textured Audible Reference point or our SONAR sinking technology.

No matter what your two hands are fishing for, SA has the line that will get the job done.




INTEGRATED SWITCH

- Floating Indicator rig line for modern 10.5-11.5' switch rods
- Designed to carry and turnover large indicator rigs with
- mutiple flies
- · Larger diameter running line for easier handling with cold hands and fingers
- High Contrast Sighter at the rear of the head identifies the perfect overhang
- Braided Multifilament Core for Use in Moderate and
- Cold Climates
- SA INTGRTD SWITCH XXX GR (XXX = grain weight)







142328	540 GRAIN	6WT	149.95	35.0'	100.0'	540
142335	585 GRAIN	7WT	149.95	35.0'	100.0'	585
142342	670 GRAIN	8WT	149.95	35.0'	100.0'	670


 $*grain\ weight\ for\ the\ first\ 30'\ |\ scientific anglers.com\ |\ 855-799-2822\ |\ dealer support @scientific anglers.com\ |\ scientific anglers.com\ |\$

SKAGIT

FLOATING AND INTERMEDIATE SKAGIT LINE FOR SALMON AND STEELHEAD

- Compact, powerful design with fully tapered belly for consistent turnover and accurate delivery
- Designed to be used with sink tips for targeting steelhead and salmon
- High contrast sighter at the rear of the head identifies the perfect overhang
- Intermediate sink density swings flies deeper and slower than a floating head
- Braided multifilament core for moderate and cold climates
- SA_SKAGIT_XXX_GR_I (### = grain weight)
- SA_SKAGIT_XXX_GR_F (### = grain weight)






					INTERMEDIATE HEAD LENGTH	
139281	139359	420 GRAIN	59.95	21.0'	20.0'	420
139298	139366	450 GRAIN	59.95	21.5'	20.5'	450
139304	139373	480 GRAIN	59.95	21.5'	20.5'	480
139311	139380	510 GRAIN	59.95	22.0'	21.0'	510
139328	139397	540 GRAIN	59.95	22.5'	21.5'	540
139335	139403	570 GRAIN	59.95	23.0'	22.0'	570
139342	139410	600 GRAIN	59.95	23.5'	22.5'	600



SKAGIT SHORT

COMPACT SKAGIT FOR SHORT SPEY RODS

- Shorter head length for use with short spey rods or when wading deep
- Designed to be used with sink tips for targeting steelhead and salmon
- High contrast sighter at the rear of the head identifies the perfect overhang
- · Braided multifilament core
- SA SKAGIT SHORT ### GR F (### = grain weight)






40744	450 GRAIN	59.95	18.0'	450
40751	480 GRAIN	59.95	19.0'	480
40768	510 GRAIN	59.95	19.0'	510
40775	540 GRAIN	59.95	20.0'	540
40782	570 GRAIN	59.95	20.5'	570

SCANDI

FLOATING SCANDI LINE FOR SALMON AND STEELHEAD

- Floating Scandi line perfectly suited for throwing smaller salmon steelhead flies.
- Can be used with 10' Sonar leaders to adjust swing depth
- · High contrast sighter to identify the back of the head
- For use in moderate and cold climates
- · Braided multifilament core
- **SA SCANDI** ### **GR F** (### = grain weight)







ITEM				
136532	5/6	59.95	32.0'	350
136549	6	59.95	32.0'	380
136556	6/7	59.95	34.0'	430
136563	7	59.95	34.0'	450
136570	7/8	59.95	34.0'	480
136587	8	59.95	34.0'	510



INTEGRATED SKAGIT

- · Ultra-short head for turning over heavy tips and large, weighted flies with light two-handed rods
- Integrated floating line reduces hinging on casts and eliminates loop-to-loop connection; also allows you to strip to the sink-tip connection to increase chances of hooking followers
- Ultra-short head length works well for casting with limited room behind you
- Tip recommendations:

150-210 grains - SONAR leaders 240-300 grains - 8' TC Tips 330-360 grains - 8' or 10' TC Tips

390-420 grains - 10' TC Tips

- · Also works with single-handed rods
- Braided multifilament core; for use in moderate and cold climates

· SA SKAGIT LITE ### GR F

(### = grain weight)

















SKAGIT HEAD

- · Ultra-short head for turning over heavy tips and large, weighted flies with light two-handed rods
- · Stand alone head designed to be used with shooting line; ideal for trout Spey applications as well as light steelhead and bass
- Ultra-short head length works well for casting with limited room behind you
- Tip recommendations:

150-210 grains - SONAR leaders 240-300 grains - 8' TC Tips 330-360 grains - 8' or 10' TC Tips 390-420 grains - 10' TC Tips

- · Also works with single-handed rods
- For use in moderate and cold climates
- · Braided multifilament core
- SA SKAGIT LITE ### GR F (### = grain weight)














128650	180 GRAIN	59.95	11.0'	180
128667	210 GRAIN	59.95	12.0'	210
128674	240 GRAIN	59.95	13.0'	240
128681	270 GRAIN	59.95	14.0'	270
128698	300 GRAIN	59.95	15.5'	300
128704	330 GRAIN	59.95	17.0'	330
128711	360 GRAIN	59.95	18.0'	360
131810	390 GRAIN	59.95	19.5'	390
131827	420 GRAIN	59.95	21.0'	420



SPEY LITE INTEGRATED SCANDI

- · Short head for quick casts and line control
- · Integrated, one-piece floating line reduces hinging on casts and eliminates loop-to-loop connection; also allows you to strip to the sink-tip connection to increase chances of hooking followers
- Excellent line for swinging soft hackles, light streamers, and can be used as a dry-fly line with long leaders
- Longer front taper for lighter, softer presentations
- · Designed for shorter two-handed rods; also works with singlehanded rods
- Braided multifilament core; for use in moderate and cold climates

132855

128094

390 GRAIN

420 GRAIN

99.95

99.95

27.0'

27.0'

100.0'

100.0'

390

420

• SA SCANDI LITE ### GR F (### = grain weight)




AST NO III



- Short head for quick casts and line control
- Excellent line for swinging soft hackles, light streamers, and can be used as a dry-fly line with long leaders
- · Longer front taper for lighter, softer presentations
- Designed for use with a shooting line on shorter two-handed rods and single-handed rods
- Braided multifilament core; for use in moderate and cold climates
- SA SCANDI LITE ### GR F (### = grain weight)







ITEM NUMBER	WEIGHT	SUGG RETAIL	HEAD LENGTH	GRAIN WEIGHT
132374	180 GRAIN	59.95	20.0'	180
132381	210 GRAIN	59.95	21.0'	210
132398	240 GRAIN	59.95	22.0'	240
132404	270 GRAIN	59.95	23.0'	270
132411	300 GRAIN	59.95	24.0'	300
132428	330 GRAIN	59.95	25.0'	330
132435	360 GRAIN	59.95	25.0'	360
132442	390 GRAIN	59.95	27.0'	390
132459	420 GRAIN	59.95	27.0'	420

 $*grain\ weight\ for\ the\ first\ 30'\ |\ scientificanglers.com\ |\ 855-799-2822\ |\ dealer support @scientificanglers.com\ |\ scientificanglers.com\ |\ scientificanglers.co$



TC TEXTURED TIPS

TAPERED, TEXTURED, MULTI-DENSITY SPEY TIPS

- Shooting Texture reduces friction, allowing for easier pick-ups of sinking tips
- Tapered design aids in turning over flies
- Densities:

Floating
Int./Sink 2 = 1.25/2.0 ips
Sink 2/Sink 4 = 2.0/4.0 ips
Sink 3/Sink 5 = 3.0/5.0 ips
Float/Sink 6 = F/6.0 ips

Sink 7 = 7.0 ips

 $\cdot \ \ Full \ selections \ available \ as \ kits \ with \ leader \ wallet \ (does \ not \ include \ F/S6)$

• SA TIP XX ### &&& (XX = length) (### = grain weight) (&&& = density)



		GREEN / DARK GREEN SINK 2 / SINK 4			AMBOO/BLACK FLOAT / SINK 6	BLACK SINK 7	
	HOOTING TEXTU	JRE					
			ITEM NUMBER	LENGTH		SUGG RETAIL	GRAIN WEIGHT
			127141 127158	8' 8'	FLOAT INT./SINK 2	29.95 29.95	80 80
REAR	FRONT BELLY	TIP	127165	8'	SINK 2/SINK 4	29.95	80
	TAPER		127172	8'	SINK 3/SINK 5	29.95	80
			136228	8'	FLOAT/SINK 6	29.95	80
			127189	8'	SINK 7	29.95	80
	10' 0'		127295	8'	COMPLETE KIT	149.95	80
			122016	10'	FLOAT	29.95	120
			122023	10'	INT./SINK 2	29.95	120
			122030	10'	SINK 2/SINK 4	29.95	120
			122047	10'	SINK 3/SINK 5	29.95	120
			136235	10'	FLOAT/SINK 6	29.95	120
			122054	10'	SINK 7	29.95	120
			102810	10'	COMPLETE KIT	149.95	120
			122061	12'	FLOAT	29.95	160
			122078	12'	INT./SINK 2	29.95	160
			122085	12'	SINK 2/SINK 4	29.95	160
			122092	12'	SINK 3/SINK 5	29.95	160

136242

122108

103411

FLOAT/SINK 6

COMPLETE KIT

SINK 7

29.95

29.95

149.95

160

160


160



HEAD WALLET

- Holds 12 fly lines or shooting heads
- Wallet can be opened like an accordion in hand or unfolded and laid flat for full visibility
- Item No. 135801
- Sugg. Retail \$39.95





TIP WALLET

- Holds 12 tips, 6 on each side.
- Mesh construction allows tips to fully dry
- Integrated labels on each pocket for quick line identification
- Wallet can be opened like an accordion in hand or unfolded and laid flat for full visibility.
- · Item No. 138802
- Sugg. Retail \$34.95





ABSOLUTE FLAT MONO

35LB .O.19IN
ABMM

ABSOLUTE SHOOTING LINE
FLAT MOND
30M I 134 YESPOOL

•	Rectangular profile reduces line twist and
	increases grip in fingers

- Hardness is tailored per size for optimal shooting with low memory in any condition
- Vibrant colors that are easily tracked at distance
- Available in 30m reel fill spools or 600m bulk spools

25LB	YELLOW	0.017"	129565	18.95	135054	229.95
35LB	ORANGE	0.019"	129572	18.95	135061	229.95
42LB	CHARTREUSE	0.022"	129589	18.95	135078	229.95
501 B	OPTIC GREEN	0.025"	135085	18 95	135092	229.95

TEXTURED SHOOTING LINE

- Large 8-inch loop for quick shooting head changes
- Shooting Texture delivers longer casts without abrasion
- Braided multifilament core with hard PVC coating
- SA TXT SL ### (### = diameter)



132169	20 LB	64.95	0.032"	120.0'
132176	25 LB	64.95	0.035"	120.0'



FLOATING MONOCORE

- Length: 120'
- Size: 25-lb.
- Diameter: 0.030"
- Single-strand monofilament core



113786	25 LB	49.95	0.030"	120.0'

5\ SHOOTING

FLOATING - FRESH

· Braided multifilament core



113731

FLOATING BRAIDED POLYETHYLENE MONO

- Length: 150'
- Size: 29-lb.
- Diameter: 0.032"
- · Floating braided polyethylene monofilament



FRESHWATER/SALTWATER INTERMEDIATE SINKING

- For all weather conditions
- Sink Rate: 1.5 ips
- · Single-strand monofilament core



3748 25 LB 49.95 0.030" 120.0'





AVAILABLE TECHNOLOGIES:

AST





AST

WELDED TROPI-CORE LOOP

We are proud to offer the Frequency family of lines: the Trout and Double Tapers, built for precise presentations; the Boost, a half-size heavy taper for handling bigger dries, nymphs, and streamers; the Magnum, an even more powerful line for the largest streamers and poppers; the Saltwater, for fish along the coastlines; along with Sink-Tip, Full Sink, and Intermediate lines for all your sub-surface needs.


Six floating tapers. Three sinking tapers. Limitless possibilities.




TROUT

ALL-AROUND FLOATING TROUT LINES

- · All-around trout lines
- · Versatile tapers excel with most trout flies and in most conditions
- · Mid-length head on WF Trout
- For use in moderate and cold climates
- · Braided multifilament core









0


2

NEW		LINE	cucc	WELLEAD	TOTAL	CDAIN
ORANGE	BUCKSKIN	LINE WEIGHT	SUGG RETAIL	WF HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT
123921	117166	WF-3-F	59.95	32.0'	85.0'	100
124959	117173	WF-4-F	59.95	34.0'	85.0'	120
124966	117180	WF-5-F	59.95	34.0'	85.0'	140
124973	117197	WF-6-F	59.95	36.0'	85.0'	160
-	120388	WF-7-F	59.95	36.0'	85.0'	185
	1010.66	14/E 0 E	E0.0E	70.01	05.01	210

DOUBLE TAPER

ALL-AROUND FLOATING TROUT LINES

- Formulated with Advanced Shooting Technology
- Excels with most trout flies in a variety of conditions
- Excels in medium-to-long distances with dry flies and smaller nymphs; Pairs well with glass and bamboo
- · Braided multifilament core






DOUBLE	LINE	SUGG	WF HEAD	TOTAL	GRAIN
TAPER	WEIGHT	RETAIL	LENGTH	LENGTH	WEIGHT
129909	DT-3-F	59.95	32.0'	85.0'	100
129916	DT-4-F	59.95	34.0'	85.0'	120
129923	DT-5-F	59.95	34.0'	85.0'	140
129930	DT-6-F	59.95	36.0'	85.0'	160



MPX

HALF-SIZE HEAVY LINE

- An excellent general-presentation line for trout, panfish, bass, grayling and carp; also useful for steelhead, salmon, and pike
- Made a half-size heavy to load fast-action rods, but works well with a variety of rod actions; use designated line weight for your rod
- · Best for large dry flies, nymphs, and streamers
- For use in moderate and cold climates
- · Braided multifilament core








		LINE	SUGG	HEAD	TOTAL	HEAD	GRAIN
ORANGE	MOSS	WEIGHT	RETAIL	LENGTH	LENGTH	WEIGHT	WEIGHT*
142724	142656	WF-3-F	59.95	32.0'	85.0'	120	110
142731	142663	WF-4-F	59.95	34.0'	85.0'	140	130
142748	142670	WF-5-F	59.95	36.0'	85.0'	175	150
142755	142687	WF-6-F	59.95	38.0'	85.0'	210	175
142762	142694	WF-7-F	59.95	40.0'	85.0'	260	200
142779	142700	WF-8-F	59.95	42.0'	85.0'	305	225

BOOST

HALF-SIZE HEAVY FLOATER

- Value-priced general-purpose line for trout, bass, pike, carp, salmon, and steelhead
- Half-size heavy and more powerful than the Trout taper; use designated line weight for your rod
- · Better with larger, heavier flies
- Supple and easy to use
- Versatile mid-length head
- For use in moderate and cold climates
- · Braided multifilament core







NEW		LINE	SUGG	HEAD	TOTAL	GRAIN
ORANGE	WILLOW	WEIGHT	RETAIL	LENGTH	LENGTH	WEIGHT*
-	117128	WF-3-F	59.95	32.0'	85.0'	110
-	117135	WF-4-F	59.95	36.0'	85.0'	130
140973	117142	WF-5-F	59.95	36.0'	85.0'	150
140980	117159	WF-6-F	59.95	36.0'	85.0'	175
140997	119979	WF-7-F	59.95	40.0'	85.0'	200
141000	119986	WF-8-F	59.95	40.0'	85.0'	225



SINK TIP

SINKING-TIP LINE FOR FRESH OR SALT WATER

- Ideal for streamers and wet flies for trout, steelhead, salmon, and smallmouth bass in moving water
- Fast-sinking 10' tip sinks flies through the water column
- · Mid-length head enhances control
- · Best used in moving water
- Sink Rates: 2.5 3.5 ips (Type III)
- For use in moderate and cold climates
- · Braided multifilament core





0

2




ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT*
117241	WF-5-F/S	59.95	45.0'	85.0'	140
117258	WF-6-F/S	59.95	45.0'	85.0'	160
117265	WF-7-F/S	59.95	45.0'	85.0'	185
117272	WF-8-F/S	59.95	45.0'	85.0'	210

FULL SINK & INTERMEDIATE

ALL-PURPOSE SINKING LINES

- Especially effective for fishing streamers
- · Ideal for use in stillwater situations
- Front welded loop on Intermediate and Sink 3; Sink 6 includes braided loop connection
- Sink Rate: Intermediate = 1.25 ips
- Sink Rate: Sink 3 = 2.5 3.5 ips
- Sink Rate: Sink 6 = 5.5 6.5 ips
- For use in moderate and cold climates








	Item Numbers		-				
FREQ. INT.					HEAD LENGTH		
120555	122382	117289	WF-5-S	59.95	34.0'	85.0'	140
120562	122399	117296	WF-6-S	59.95	36.0'	85.0'	160
120579	122405	117302	WF-7-S	59.95	36.0'	85.0'	185
120586	122412	111461	WF-8-S	59.95	38.0'	85.0'	210



SALTWATER

FOR ALL-AROUND SALTWATER PURSUITS

- Overweighted by a half-line size to assist in punching through the wind and turning over large flies; use designated line weight for your rod
- Floating compound taper ideal for fish both on and off the flats
- · Mid-length head
- · Braided multifilament core






ITEM NUMBER	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT*
125673	WF-7-F	59.95	40.0'	90.0'	200
125680	WF-8-F	59.95	40.0'	90.0'	225
125697	WF-9-F	59.95	40.0'	90.0'	260
125703	WF-10-F	59.95	35.0'	90.0'	305

MAGNUM & MAGNUM GLOW

DESIGNED FOR BIG FLIES

- Turns over large dries, streamers, and split shot with ease
- For use in both fresh and saltwater environments
- Half-size heavy design loads fast-action rods; use designated line weight for your rod
- Glow line ideal for tracking line at night; can be charged with head lamp, camera flash, or UV lamp
- · Braided multifilament core

124







	Item Numbers		Item Numbers				
LINE WEIGHT	MAGNUM	SUGG RETAIL	MAGNUM GLOW	GLOW RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGH
WF-5-F	117203	59.95	128902	69.95	35.0'	85.0'	150
WF-6-F	117210	59.95	128919	69.95	37.0'	85.0'	175
WF-7-F	117227	59.95	128926	69.95	39.0'	85.0'	200
WF-8-F	117234	59.95	128933	69.95	41.0'	85.0'	225
WF-9-F	123860	59.95	-	-	43.0'	85.0'	260



WET CEL 2
0
2

AIR CEL & WET CEL ENTRY-LEVEL SMOOTH LINES

AVAILABLE TECHNOLOGIES:



WELDED LOOP

Air Cel fly lines have performed well and provided a great value for decades. Paying for quality has never been this easy or this affordable. These lines feature all the properties needed in a fly line: good flotation, durability, and tapers that work well for trout, panfish, and bass species, not to mention a welded loop on the front.

*grain weight for the first 30' | scientificanglers.com | 855-799-2822 | dealersupport@scientificanglers.com



AIR CEL

SPECIES SPECIFIC FLY LINES

- · Weight-forward floating fly line with a front loop
- · Braided multifilament core
- · Raised bump in handling section to indicate the ideal place to begin the cast

Air Cel Trout

· Designed for trout fishing with a 5- or 6-weight rod


Air Cel Panfish

• Designed for panfish fishing with a 5- or 6-weight rod

Air Cel Bass

• Designed for bass fishing with a 7- or 8-weight rod








AIR CEL

GENERAL-PURPOSE FLOATING FLY LINE

- The original modern floating fly line, now with a front loop
- · Raised bump in handling section to indicate the ideal place to begin the
- Mid-length head for general fishing situations
- · Braided multifilament core
- Level line does not have a telecast bump or welded loop



NEW ORANGE	YELLOW	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT*
142250	103800	WF-4-F	39.95	40.0'	80.0'	120
142267	103817	WF-5-F	39.95	40.0'	80.0'	140
142274	103824	WF-6-F	39.95	40.0'	80.0'	160
-	103831	WF-7-F	39.95	40.0'	80.0'	185
-	103848	WF-8-F	39.95	40.0'	80.0'	210
-	103855	WF-9-F	39.95	40.0'	80.0'	240
LEVEL LINE	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT*	
153143	L-5-F	29.95	-	72.0'	140	
153150	L-6-F	29.95	-	72.0'	160	
153167	L-7-F	29.95	-	72.0'	185	
153174	L-8-F	29.95	-	72.0'	210	

-

AIR CEL

ALC: N

WET CEL


GENERAL-PURPOSE SINKING FLY LINE

• Several different sink rates available to target a variety of species

· Sink Rates:

Int. = 1.25 ips Sink 2 = 1.75 - 2.75 ips Sink 4 = 3.5 - 4.5 ips





- Monofilament core (Intermediate)
- Trolling Level 140' (Sink 6)

						80. 70.	60.	50. 40.	30. 20.	10. 0.
Item Numbers										
TROLLING	WETCEL SINK TIP 4	WETCEL INT.	WETCEL SINK 2	WETCEL SINK 4	WETCEL SINK 6	LINE WEIGHT	SUGG RETAIL	HEAD LENGTH	TOTAL LENGTH	GRAIN WEIGHT*
-	138840	112222	112260	112307	112345	WF-5-S	39.95	40.0'	80.0'	140
-	138857	112239	112277	112314	112352	WF-6-S	39.95	40.0'	80.0'	160
-	138864	112246	112284	112321	112369	WF-7-S	39.95	40.0'	80.0'	185
-	138871	112253	112291	112338	112376	WF-8-S	39.95	40.0'	80.0'	210
127677	-	-	-	-	-	-	59.95		140.0'	



WET CEL

ALL-PURPOSE SINKING FLY LINE

2

XTS GEL SPUN

GEL-SPUN PE BACKING

- Micro-diameter gel-spun polyethylene allows up to 75% more capacity than standard material
- · Retains 100% strength while wet
- Smooth coating and low coefficient of friction

BLUE ITEM NUMBER	YELLOW ITEM NUMBER	SIZE	SUGG RETAIL	DIAMETER	SPOOL SIZE
136662	673137	30 LB	16.95	0.014"	100 YD
136679	673120	30 LB	34.95	0.014"	250 YD
136686	673113	30 LB	59.95	0.014"	500 YD
136693	137010	30 LB	259.95	0.014"	2500 YD
136709	673076	50 LB	44.95	0.016"	250 YD
136716	673069	50 LB	89.95	0.016"	500 YD
136723	137027	50 LB	359.95	0.016"	2500 YD
122818	-	100LB	149.95	0.019"	500 YD
137034	-	100LB	489.95	0.019"	2500 YD

DACRON

DACRON BACKING

• Extremely thin, low coefficient of friction, high abrasion resistance and colorfast, high visibility

ORANGE DACRON	WHITE DACRON	YELLOW DACRON	SIZE	SUGG RETAIL	DIAMETER	SPOOL SIZE
607675	545458	662766	20 LB	9.95	0.018"	100 YD
607682	607477	704879	20 LB	20.95	0.018"	250 YD
607705	541269	704916	20 LB	169.95	0.018"	3000 YD
778474	778450	778467	20 LB	239.95	0.018"	5000 YD
607712	607491	662773	30 LB	9.95	0.024"	100 YD
607729	607484	704886	30 LB	22.95	0.024"	250 YD
607743	541276	704923	30 LB	169.95	0.024"	3000 YD
778504	778481	778498	30 LB	279.95	0.024"	5000 YD













BLUE 100LB 500 OR 2500 YD









ULTRA PREMIUM

UHMW-PE BACKING

- · Ultra High Molecular Weight Polyethylene provides a high ratio of strength to diameter
- Round weave profile
- 65lb Hollow Core can be directly spliced creating a smooth fly line to backing connection
- · Vibrant Colorfast process will not bleed
- · Made in the USA









0

RED ITEM NUMBER	WHITE ITEM NUMBER	BLUE ITEM NUMBER	SIZE	SUGG RETAIL	CARRIER COUNT	DIAMETER	SPOOL SIZE
142533	142526	-	50 LB	129.95	8	0.013"	350 YD
142564	142557	-	50 LB	699.95	8	0.013"	2500 YD
-	-	142540	65 LB	129.95	12	0.020"	350 YD
-	-	142571	65 LB	699.95	12	0.020"	2500 YD







SPECIALTY COLORED DACRON

DACRON BACKING

- Extremely thin, low coefficient of friction, high abrasion resistance and colorfast
- · Available in a variety of unique colors
- · Includes both vibrant and stealthy offerings

BLACK DACRON	RED DACRON	BLUE DACRON	OPTIC GREEN DACRON	SIZE	SUGG RETAIL	DIAMETER	SPOOL SIZE
-	119405	119399	119429	20 LB	10.95	0.018"	100 YD
125901	125949	125918	125925	20 LB	249.95	0.018"	5000 YD
-	122733	119443	122757	30 LB	24.95	0.024"	250 YD
125970	126014	125987	125994	30 LB	299.95	0.024"	5000 YD





NEW

OUTPOST MINI TIPPET HOLDER

ACCESS YOUR TIPPET ANYWHERE



The little brother to the Outpost be attached to most straps via the integrated slots in the base so your tippet is never out of reach when you need it.

- · Anodized aluminum construction
- Holds up to 3 tippet spools
- Loaded version includes 3 spools of Absolute Trout (3-5x)

ITEM NUMBER		SUGG RETAI
142359	RED	24.95
142366	LOADED (RED)	49.95

OUTPOST TIPPET HOLDER

ACCESS YOUR TIPPET ANYWHERE



Can be attached to most straps via the integrated slot in the base, rigidly mounted with stainless steel screws, or soft mounted with adhesive backed Velcro

- · Anodized aluminum construction
- Holds up to 7 tippet spools
- · Spring loaded tippet bar for quick access

ITEM	SUGG	
NUMBER	RETAIL	
140485	29.95	

SWITCH TIPPET HOLDER

ON STREAM ORGANIZATION



- · Holds up to 8 spools of tippet
- $\bullet \ \, \mathsf{Can}\,\mathsf{be}\,\mathsf{used}\,\mathsf{vertically}\,\mathsf{or}\,\mathsf{horizontally}\,$
- Loaded version includes 5 spools of Absolute Trout 2-6x (Red color only)

ITEM NUMBER	COLOR	SUGG RETAIL
138987	BLACK	19.95
138994	RED	19.95
139007	BLUE	19.95
139014	CHARTREUSE	19.95
139427	LOADED (RED)	54.95



TIPPET HOLDER

- Holds up to 6 tippet spools
- Sugg. Retail \$9.95
- · Item No. 103503



WRIST SPOOL HOLDER

TIPPET MANAGEMENT

- Holds up to 3 of SA's large, wrist spools
- External, labeled access to monofilament
- · Integrated handle for ease of transport
- · Item No. 140478
- · Sugg. Retail \$14.95



ABSOLUTE LEADER WALLET

ON STREAM ORGANIZATION



- · Organize and protect tapered leaders and packaging
- 10 individual, re-sealable bags for storage
- · Velcro closure

ITEM SUGG NUMBER RETAIL 138796 16.95





NEW

INDICATOR MARKERS

CREATE SIGHTERS



- For marking monofilament to create sighters and strike indicators
- · Quick and easy to apply- fast drying and waterproof

•	Stays put when dry- no color transfer
	Visible in all light conditions- bright and easy to see
•	Goes on ultra-thin, no weight or bulk- doesn't create extra drag
	Heat stable- stays fixed even in hot temperatures
	Removable with alcohol wipes

- Glow color is not included in assortment
 Only avaialable in US and Canadian Markets
- SUGG NUMBER COLOR RETAIL 142595 ORANGE 9.95 142601 PINK 9.95 CHARTREUSE 9.95 142618 BLACK 9.95 142625 142632 **GLOW** 24.95 142649 ASSORTMENT 34.95

MICRO SWIVELS

PREVENT LINE TWIST



- · Prevents twist with large, air resistant flies like poppers and streamers
- Available in three sizes: X-Small (25lb test) Small (40lb test) Large (80lb test)
- Black finish for wary fish
- 10 to a package

ITEM NUMBER	BREAK STRENGTH	LENGTH	SUGG RETAIL	
132206	25LB/11,3KG	7.5MM	9.95	
132213	40LB/18,1KG	8.5MM	9.95	
138666	80LB/36,3KG	10.5MM	9.95	

TIPPET RINGS

EASY LEADER TO TIPPET CONNECTION



- Stainless steel rings for rigging leader and tippet
- Available in 2 sizes: Small (2mm, 17lb test) and Medium (2.5mm, 26lb test)
- · Black Nickel finish
- 10 to a package

ITEM NUMBER	SIZE	DIAMETER	BREAK STRENGTH	SUGG RETAIL
135856	SMALL	0.078"/2MM	17LB/7,7KG	9.95
135849	MEDIUM	0.098"/2.5MM	26LB/11,8KG	9.95

LOCKING SNAPS

THE MOST RELIABLE FLY SNAPS, PERIOD



- Unique design ensures these will not open when casting large pike and muskie flies or when fighting toothy fish
- · Made from extremely strong stainless steel
- Black finish
- 6 to a package

ITEM				
NUMBER	SIZE	LENGTH	RETAIL	
132183	SIZE 2	.875"/22MM	7.95	
132190	SIZE 3	1"/25MM	7.95	
140300	SI7F 4	1125"/29MM	795	





LAUNCH PAD

FLY LINE MANAGEMENT

- · For managing fly line on boat decks and flat surfaces
- Made from UV resistant silicone with UV proof, plastic grommets.
 This mat will sink if thrown overboard, grommets are provided for tethering if needed.

•	The 37" x 6" angler centric, curved design captures line while
	moving or changing casting angles

- 2.25 inch tall spikes at the outer edge catch errant flying line, while the shorter, tapered cones on the interior keep the line from tangling with itself.
- Made in USA

ITEM NUMBER	DESCRIPTION	SUGO RETA	
142588	LAUNCH PAD	199.95	

0

ECOASTAL STRIPPING BASKET

FLY LINE MANAGEMENT

- Adjustable belt with velcro attachment allows quick position adjustments.
- · Weighs 7.70z/218g
- · Removable spikes
- Integrated rod rest
- $\bullet \ \ \mathsf{Basket} \ \mathsf{made} \ \mathsf{with} \ \mathsf{biodegradable} \ \mathsf{materials}$
- · Replacement Spikes and Belts Available

ITEM NUMBER	DESCRIPTION	SUGG RETAIL
051965	SA ECOSTAL STRIPPING BASKET	99.95
030152	REPLACEMENT SPIKES	9.95
010629	REPLACEMENT BELT	29.95

scientificanglers.com | 855-799-2822 | dealersupport@scientificanglers.com





TAILOUT TOOL ASSORTMENT

- Everything you need to get started on the water
- · Includes forceps, standard nipper, and zinger
- · Sugg. Retail \$29.95
- · Item No. 140928

TAILOUT HOOK FILE

- Increase your hook ups with sharp hooks
- · Dual Diamond Grit Sharpening Surface
- · 4" Length
- · Ergonomic Foam Grip
- · Sugg. Retail \$12.95
- · Item No. 140287



TAILOUT NIPPER STANDARD

- · Stainless steel cutting blades
- · Wide, coated grip with finger choil for positive, reliable grip
- Enclosed needle for clearing hook eyes without poking fingers
- · 2.5" Length
- · Sugg. Retail \$9.95
- Item No. 140294 Single Nipper
- · Item No. 141529 25 Bulk Pack \$234.95
- · Item No. 141536 Display

TAILOUT NIPPER CARBIDE

- · Carbide cutter for exceptional edge retention and longevity
- · Wide, coated grip with finger choil for positive, reliable grip
- · Enclosed needle for clearing hook eyes without poking fingers
- · 2.5" Length
- Sugg. Retail \$19.95
- · Item No. 140492



NEW

134



TAILOUT NIPPER XL

- Stainless steel cutting blades
- Wide, coated grip with finger choil for positive, reliable grip
- Enclosed needle for clearing hook eyes without poking fingers
- 3" Length
- Sugg. Retail \$12.95
- · Item No. 142441



TAILOUT STANDARD CLAMP 5.75"

- · Half Smooth Half Serrated Jaw
- 5.75" Length
- · Ergonomic Foam Grip
- Stainless Steel Construction
- Needle Hook Eye Cleaner
- Sugg. Retail \$15.95
- · Item No. 140256



TAILOUT SCISSOR CLAMP 5.75"

- · Half Smooth Half Serrated Jaw with Built-in Scissor
- 5.75" Length
- · Ergonomic Foam Grip
- · Stainless Steel Construction
- · Needle Hook Eye Cleaner
- Sugg. Retail \$15.95
- · Item No. 140263



- · Open and close with a single motion
- Half Smooth Half Serrated Jaw with Built-in Scissor
- 5.5" Length
- Ergonomic Foam Grip
- · Stainless Steel Construction
- · Needle Hook Eye Cleaner
- Sugg. Retail \$19.95
- · Item No. 140270





TAILOUT XL SPRING CREEK CLAMP

- Fine Tip For Removing Small Flies
- Features XL Loops For Gloved Fingers
- 6" Length
- Ergonomic Foam Grip
- · Stainless Steel Construction
- Needle Hook Eye Cleaner
- Sugg. Retail \$15.95
- Item No. 142427



TAILOUT XL SCISSOR CLAMP

- · Half Smooth Half Serrated Jaw
- Features XL Loops For Gloved Fingers
- 6.75" Length
- · Ergonomic Foam Grip
- · Stainless Steel Construction
- Needle Hook Eye Cleaner
- Sugg. Retail \$15.95
- · Item No. 142434

 $scientific anglers.com \mid 855\text{-}799\text{-}2822 \mid dealer support @scientific anglers.com$

REGULATOR SPOOL

PORTABLE LINE WINDER

Switching out fly lines off your favorite fly reel just got a lot less complicated. Whether you're a traveling angler or just can't make it into your local fly shop the Regulator Line Winder will help you swap lines off and on your fly reel.

- · Create and dispense coils of fly line
- · Only one Regulator Spool is needed for managing all of your lines
- · Sugg. Retail \$29.95
- · Item No. 140454
- · For more information on this product please visit https://www.scientificanglers. com/regulatorspool









REGULATOR ERGO HEMO

· Angled head for exceptional visibility and reach

· Smooth jaws for pinching barbs, and serrated scissor

• Ergonomically spaced foam grips provide ultimate control and comfort

- · Combo bottle opener/knot tension tool
- · Sugg. Retail \$29.95
- · Item No. 140867





3-PACK BRAIDED LOOPS

- 3 available sizes

ITEM NUMBER	WEIGHT	SUGG RETAI
124201	3-6 WT	5.95
136815	7-10 WT	5.95
136808	100LB	9.95



FLY FLOATANT

- Silicone based Fly Floatant
- Sugg. Retail \$7.95
- · Item No. 608207
- Sugg. Retail 25 Pack \$149.95
- Item No. 207123



FLY LINE CLEANER

- · Restores fly-line performance
- · Clean-rinsing; biodegradable formula
- Sugg. Retail \$9.95
- Item No. 131124



FLY LINE DRESSING

For use with lines that do not contain AST or AST Plus

Includes 1.1 oz. bottle of dressing and 1

• Sugg. Retail - \$16.95

· Item No. - 543218



2-PACK **CLEANING PADS**

· Useful for all lines;


• Sugg. Retail - \$9.95

· Item No. - 129121



LOOP GUARDS

- Guards against loops being cut by backing or shooting line
- 50lb strength
- Sugg. Retail \$9.95
- · Item No. 139250



136 $scientificanglers.com \mid 855-799-2822 \mid dealer support @scientificanglers.com$

CLIP-ON ZINGER

- Wire length: 30"
- Sugg. Retail \$12.95
- Item No. 119870



BOAT BOX



BETTER THAN YOU FOUND IT BAG

PACK IT IN PACK IT OUT

- · Stow-able mesh bag for trash and litter
- Draw string cinch compacts contents and reduces bag
- · Included carabiner clip for attachment to bag, vest, or
- Item No. 139236
- · Sugg. Retail \$16.95



LANYARD

- Horizontal tippet carrier, floatant caddy, fly-drying chamois, and four accessory snaps
- Sugg. Retail \$44.95





MAGNETIC NET HOLDER

- Magnets provide 5 lbs of pull for a strong, secure hold
- Sugg. Retail \$29.95
- Item No. 120715





ROD SLEEVE

PROTECT YOUR ROD

• Unique braided construction perfect for storing fully rigged rods or rods broken in half

· Available in four sizes: full and half for both single hand and spey fly rod models

YELLOW	RED/GRAY	SIZE	
140645	131834	FULL SINGLE	95"
140652	131841	HALF SINGLE	45"
-	135825	FULL SPEY	140"
-	135818	HALF SPEY	64"











GROOVE

PERFECT YOUR FLY CASTING

- · Learning tool helps improve cast
- · Can be used indoors and out
- · Perfectly imitates the action of a fly cast
- Cork grip
- · Size: 47" overall length
- Two-piece rod in SA Red
- Sugg. Retail \$44.95
- · Item No. 120678

138 139 $scientific anglers.com \mid 855\text{-}799\text{-}2822 \mid dealer support@scientific anglers.com$



SA TRUCKER

CLASSIC FIT TRUCKER

- · Richardson® 112 Blank
- Black/Black
- · Item No. 143035
- Sugg Retail 34.95



FLAT BRIM BASS

RETRO RIVER COMFORT

- Richardson® 256 Umpqua Blank
- Navy/Red
- · Item No. 143073
- Sugg Retail 34.95



TARPON TRUCKER

CLASSIC FIT TRUCKER

- · Richardson® 112 Blank
- Tan/Blue
- · Item No. 143042
- · Sugg Retail 34.95



QUICK DRY PACKABLE

RETRO RIVER COMFORT

- · Richardson® 935 Rogue Blank
- · Orange/Teal
- · Item No. 143059
- · Sugg Retail 34.95



SA STOCKING HAT

LOOK COOL STAY WARM

- · Dri Duck Fleece
- Gray
- · Item No. 143080
- · Sugg Retail 29.95



FLAT BRIM RETRO

RETRO RIVER COMFORT

- Richardson® 256 Umpqua Blank
- Biscuit/Black
- · Item No. 143066
- · Sugg Retail 34.95





NEW



SA EMBOSSED SIGN

DEALER SIGN

- · 24"x9.3" Dimensions
- · Item No. -143097
- Sugg Retail 29.95



APPAREL

COMFORT ON THE WATER









NEW

SUN DEFENSE HOODIES

- Hoodie provides extra protection from the sun—from your waist to the top of your head
- · Sun Defense knits are designed to take on scorching, sun-filled days in cool comfort
- Lightweight, moisture-wicking, quick-drying knit is rated UPF 50+
- Anti-NIR (Near Infrared Radiation) yarn reflects heat and protects your skin in a single, lightweight jersey
 knit
- · Treated with odor-blocking, eco-friendly OutSmart® Fresh
- · Designed and Co-branded with Orvis

SMALL ITEM#	MEDIUM ITEM#	LARGE ITEM#	X-LARGE ITEM#	XX-LARGE ITEM#	STYLES	COLOR	SIZE	SUGG RETAIL
					MENS SUN DEFENSE			
141598	141604	141611	141628	141635	HOODIE	FIDDLEHEAD	S-XXL	89.95
					MENS SUN DEFENSE			XX
141543	141550	141567	141574	141581	HOODIE	FRESH AIR	S-XXL	89.95
					WOMENS SUN DEFENSE			my .
141642	141659	141666	141673	-	HOODIE	FRESH AIR	S-XL	89.95





* KEENE TEE'S

- · Vintage heather
- 65% Polyester 35% Ring Spun Cotton
- Pre-Shrunk cotton
- Slightly more trim fit in neck, shoulders, and sleeves
- · Taped shoulder seams for comfort and durability

KEENE CARP HOODIE

- 65% Cotton / 35% Polyester 288gsm/8.5oz.
- Brushed interior with clean finish durable construction that doesn't skimp on softness
- · Generously cut, jersey lined hood
- Standard kangaroo pocket

SMALL	MEDIUM	LARGE	X-LARGE	XX-LARGE			sugg
ITEM#	ITEM#	ITEM#	ITEM#	ITEM#	STYLES	COLOR	RETAIL
141390	141406	141413	141420	141437	KEENE GOLDEN TROUT TEE	DARK HEATHER	29.95
141345	141352	141369	141376	141383	KEENE PERMIT TEE	GALAPOGOS	29.95
141291	141307	141314	141321	141338	KEENE CARP HOODIE	BLACK	74.95

scientificanglers.com | 855-799-2822 | dealersupport@scientificanglers.com |

